

McAfee Policy Auditor Content Update Summary

Product / Version	Content Version
McAfee Policy Auditor 6.x	1187

New Checks

Oval ID	Title
oval:com.mcafee.oval.auto:def:313404	Patches for ELSA-2016-3551 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:313415	Patches for ELSA-2016-3551 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:313513	Patches for ELSA-2016-3554 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:313524	Patches for ELSA-2016-3554 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:313821	Patches for ELSA-2016-0724 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:313926	Patches for ELSA-2016-0726 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:313934	Patches for ELSA-2016-0726 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:314031	Patches for ELSA-2016-0722 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:314134	Patches for ELSA-2016-3552 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:314361	Patches for ELSA-2016-3553 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:314604	Patches for ELSA-2016-0723 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:314611	Patches for ELSA-2016-0723 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:320276	Patches for DSA-3573-1 for Debian 8
oval:com.mcafee.oval.auto:def:320326	Patches for DSA-3572-1 for Debian 8
oval:com.mcafee.oval.auto:def:320330	Patches for DSA-3571-1 for Debian 8
oval:com.mcafee.oval.auto:def:320334	Patches for DSA-3575-1 for Debian 8
oval:com.mcafee.oval.auto:def:320364	Patches for DSA-3580-1 for Debian 8
oval:com.mcafee.oval.auto:def:320366	Patches for DSA-3579-1 for Debian 8
oval:com.mcafee.oval.auto:def:320376	Patches for DSA-3578-1 for Debian 8
oval:com.mcafee.oval.auto:def:320386	Patches for DSA-3577-1 for Debian 8
oval:com.mcafee.oval.auto:def:320388	Patches for DSA-3576-1 for Debian 8
oval:com.mcafee.oval.auto:def:320398	Patches for DSA-3581-1 for Debian 8
oval:com.mcafee.oval.auto:def:320410	Patches for DSA-3582-1 for Debian 8
oval:com.mcafee.oval.auto:def:320413	Patches for CESA-2016-1041 for CentOS 7
oval:com.mcafee.oval.auto:def:320416	Patches for CESA-2016-1041 for CentOS 5

Oval ID	Title
oval:com.mcafee.oval.auto:def:320426	Patches for CESA-2016-1025 for CentOS 7
oval:com.mcafee.oval.auto:def:320440	Patches for CESA-2016-1033 for CentOS 7
oval:com.mcafee.oval.auto:def:320446	Patches for CESA-2016-1086 for CentOS 7
oval:com.mcafee.oval.auto:def:320462	Patches for DSA-3584-1 for Debian 8
oval:com.mcafee.oval.auto:def:320466	Patches for DSA-3583-1 for Debian 8
oval:com.mcafee.oval.auto:def:320476	Patches for ELSA-2016-1025 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:320479	Patches for ELSA-2016-1041 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:320482	Patches for ELSA-2016-1041 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:320496	Patches for ELSA-2016-1033 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:320502	Patches for ELSA-2016-0996 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:320511	Patches for ELSA-2016-0741 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:320523	Patches for ELSA-2016-0760 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:320529	Patches for ELSA-2016-0778 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:320535	Patches for ELSA-2016-0780 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:320541	Patches for ELSA-2016-1086 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:320553	Patches for ELSA-2016-0855 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:320559	Patches for ELSA-2016-0997 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:320569	Patches for ELSA-2016-3559 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:320579	Patches for ELSA-2016-3559 for Oracle Linux 7
oval:com.mcafee.oval.gen:def:358919	Test for xen-doc-html On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358923	Test for xen On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358927	Test for xen-libs On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358931	Test for xen-kmp-default On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358935	Test for xen-debugsource On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358939	Test for xen-tools-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358943	Test for xen-tools On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358947	Test for xen-tools-domU-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358951	Test for xen-libs-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358955	Test for xen-tools-domU On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358959	Test for xen-libs-debuginfo-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358963	Test for xen-libs-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358967	Test for xen-kmp-default-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358971	Test for java-1_7_1-ibm On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358975	Test for java-1_7_1-ibm-jdbc On SUSE Linux Enterprise Server 12

Oval ID	Title
oval:com.mcafee.oval.gen:def:358976	Test for java-1_7_1-ibm On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:358977	Test for java-1_7_1-ibm-jdbc On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:358981	Test for java-1_7_1-ibm-plugin On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358985	Test for java-1_7_1-ibm-alsa On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:358986	Test for java-1_7_1-ibm-plugin On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:358987	Test for java-1_7_1-ibm-alsa On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:358991	Test for ntp-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:358995	Test for ntp-doc On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:358999	Test for ntp-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359003	Test for ntp On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359007	Test for libMagickWand-6_Q16-1 On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359011	Test for ImageMagick-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359015	Test for libMagickWand-6_Q16-1-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359019	Test for ImageMagick-debugsource On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359023	Test for libMagickCore-6_Q16-1-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359027	Test for libMagickCore-6_Q16-1 On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359028	Test for libMagickWand-6_Q16-1 On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359029	Test for ImageMagick-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359030	Test for libMagickWand-6_Q16-1-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359031	Test for ImageMagick-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359032	Test for libMagickCore-6_Q16-1-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359033	Test for libMagickCore-6_Q16-1 On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359037	Test for MozillaFirefox On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359041	Test for MozillaFirefox-debugsource On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359045	Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359049	Test for MozillaFirefox-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359050	Test for MozillaFirefox On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359051	Test for MozillaFirefox-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359052	Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359053	Test for MozillaFirefox-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359057	Test for yast2-ntp-client On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359061	Test for ntp-debugsource On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359065	Test for ntp-doc On SUSE Linux Enterprise Server 12

Oval ID	Title
oval:com.mcafee.oval.gen:def:359069	Test for ntp-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359073	Test for ntp On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359077	Test for java-1_7_0-openjdk-devel-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359081	Test for java-1_7_0-openjdk-devel On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359085	Test for java-1_7_0-openjdk-debugsource On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359089	Test for java-1_7_0-openjdk-demo-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359093	Test for java-1_7_0-openjdk-demo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359097	Test for java-1_7_0-openjdk On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359101	Test for java-1_7_0-openjdk-headless-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359105	Test for java-1_7_0-openjdk-headless On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359109	Test for java-1_7_0-openjdk-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359110	Test for java-1_7_0-openjdk-devel-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359111	Test for java-1_7_0-openjdk-devel On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359112	Test for java-1_7_0-openjdk-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359113	Test for java-1_7_0-openjdk-demo-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359114	Test for java-1_7_0-openjdk-demo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359115	Test for java-1_7_0-openjdk On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359116	Test for java-1_7_0-openjdk-headless-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359117	Test for java-1_7_0-openjdk-headless On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359118	Test for java-1_7_0-openjdk-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359122	Test for java-1_8_0-openjdk-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359126	Test for java-1_8_0-openjdk On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359130	Test for java-1_8_0-openjdk-devel On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359134	Test for java-1_8_0-openjdk-headless On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359138	Test for java-1_8_0-openjdk-demo-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359142	Test for java-1_8_0-openjdk-demo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359146	Test for java-1_8_0-openjdk-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359150	Test for java-1_8_0-openjdk-headless-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359154	Test for libopenssl1_0_0-hmac-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359158	Test for libopenssl1_0_0-32bit On SUSE Linux Enterprise Server 12 SP1

Oval ID	Title
oval:com.mcafee.oval.gen:def:359162	Test for libopenssl1_0_0-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359166	Test for openssl-doc On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359170	Test for openssl-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359174	Test for libopenssl1_0_0-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359178	Test for openssl On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359182	Test for libopenssl1_0_0 On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359186	Test for openssl-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359190	Test for libopenssl1_0_0-hmac On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359194	Test for openssl-doc On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359198	Test for openssl-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359202	Test for libopenssl1_0_0-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359206	Test for openssl On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359210	Test for libopenssl1_0_0 On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359214	Test for openssl-debugsource On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359218	Test for libopenssl1_0_0-hmac On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359222	Test for libopenssl1_0_0-hmac-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359226	Test for libopenssl1_0_0-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359230	Test for libopenssl1_0_0-debuginfo-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359234	Test for libxml2-2-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359238	Test for libxml2-2-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359242	Test for libxml2-doc On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359246	Test for python-libxml2-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359250	Test for libxml2-debugsource On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359254	Test for libxml2-2-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359258	Test for python-libxml2 On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359262	Test for libxml2-tools-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359266	Test for python-libxml2-debugsource On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359270	Test for libxml2-tools On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359274	Test for libxml2-2 On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359275	Test for libxml2-doc On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359276	Test for python-libxml2-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359277	Test for libxml2-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359278	Test for libxml2-2-debuginfo On SUSE Linux Enterprise Server 12 SP1

Oval ID	Title
oval:com.mcafee.oval.gen:def:359279	Test for python-libxml2 On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359280	Test for libxml2-tools-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359281	Test for python-libxml2-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359282	Test for libxml2-tools On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359283	Test for libxml2-2 On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359284	Test for libxml2-2-debuginfo-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359285	Test for libxml2-2-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359289	Test for yast2-ntp-client On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359293	Test for ntp-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359297	Test for ntp-doc On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359301	Test for ntp-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359305	Test for ntp On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359309	Test for yast2-users-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359313	Test for yast2-users On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359317	Test for yast2-users-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359321	Test for libgif6-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359325	Test for libgif6-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359329	Test for giflib-progs On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359333	Test for libgif6 On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359337	Test for giflib-progs-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359341	Test for libgif6-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359345	Test for giflib-debugsource On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359346	Test for giflib-progs On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359347	Test for libgif6 On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359348	Test for giflib-progs-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359349	Test for libgif6-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359350	Test for giflib-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359351	Test for libgif6-debuginfo-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359352	Test for libgif6-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359356	Test for php53-pear On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359360	Test for php53-mcrypt On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359364	Test for php53-intl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359368	Test for php53-gd On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359372	Test for php53-exif On SUSE Linux Enterprise Server 11 SP4

Oval ID	Title
oval:com.mcafee.oval.gen:def:359376	Test for php53-gmp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359380	Test for php53-gettext On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359384	Test for php53-wddx On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359388	Test for php53-shmop On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359392	Test for php53-pgsql On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359396	Test for php53-openssl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359400	Test for php53-mysql On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359404	Test for php53-json On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359408	Test for php53-bcmath On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359412	Test for php53-zip On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359416	Test for php53-tokenizer On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359420	Test for php53-suhosin On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359424	Test for php53-odbc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359428	Test for php53-ftp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359432	Test for php53-dom On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359436	Test for php53 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359440	Test for php53-xmlrpc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359444	Test for php53-sysvmsg On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359448	Test for php53-fileinfo On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359452	Test for php53-dba On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359456	Test for php53-curl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359460	Test for php53-zlib On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359464	Test for php53-sysvshm On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359468	Test for php53-pspell On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359472	Test for php53-ctype On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359476	Test for php53-xmlreader On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359480	Test for php53-bz2 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359484	Test for apache2-mod_php53 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359488	Test for php53-xsl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359492	Test for php53-soap On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359496	Test for php53-snmp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359500	Test for php53-pdo On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359504	Test for php53-pcntl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359508	Test for php53-ldap On SUSE Linux Enterprise Server 11 SP4

Oval ID	Title
oval:com.mcafee.oval.gen:def:359512	Test for php53-iconv On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359516	Test for php53-sysvsem On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359520	Test for php53-mbstring On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359524	Test for php53-fastcgi On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359528	Test for php53-xmlwriter On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359532	Test for php53-calendar On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359536	Test for libMagickCore1-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359540	Test for libMagickCore1 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359544	Test for java-1_7_1-ibm-plugin On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359548	Test for java-1_7_1-ibm-alsa On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359552	Test for java-1_7_1-ibm On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359556	Test for java-1_7_1-ibm-jdbc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359560	Test for libopenssl0_9_8-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359564	Test for libopenssl0_9_8-hmac-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359568	Test for libopenssl0_9_8 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359572	Test for openssl-doc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359576	Test for openssl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359580	Test for libopenssl0_9_8-hmac On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359584	Test for libmysql55client18-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359588	Test for libmysql55client_r18-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359592	Test for mysql On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359596	Test for libmysql55client_r18 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359600	Test for mysql-client On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359604	Test for mysql-tools On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359608	Test for libmysql55client18 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359609	Test for ntp-doc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359610	Test for ntp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359614	Test for libMagickCore1-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359618	Test for libMagickCore1 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359622	Test for libspice-server1 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359626	Test for libxml2-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359630	Test for libxml2-python On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359634	Test for libxml2-doc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359638	Test for libxml2 On SUSE Linux Enterprise Server 11 SP4

Oval ID	Title
oval:com.mcafee.oval.gen:def:359639	Test for ntp-doc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359640	Test for ntp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359644	Test for freetype2-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359648	Test for ft2demos On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359652	Test for freetype2 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359656	Test for php53-pear On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359660	Test for php53-mcrypt On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359664	Test for php53-intl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359668	Test for php53-gd On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359672	Test for php53-exif On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359676	Test for php53-gmp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359680	Test for php53-gettext On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359684	Test for php53-wddx On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359688	Test for php53-shmop On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359692	Test for php53-pgsql On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359696	Test for php53-openssl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359700	Test for php53-mysql On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359704	Test for php53-json On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359708	Test for php53-bcmath On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359712	Test for php53-zip On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359716	Test for php53-tokenizer On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359720	Test for php53-suhosin On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359724	Test for php53-odbc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359728	Test for php53-ftp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359732	Test for php53-dom On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359736	Test for php53 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359740	Test for php53-xmlrpc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359744	Test for php53-sysvmsg On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359748	Test for php53-fileinfo On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359752	Test for php53-dba On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359756	Test for php53-curl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359760	Test for php53-zlib On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359764	Test for php53-sysvshm On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359768	Test for php53-ispell On SUSE Linux Enterprise Server 11 SP4

Oval ID	Title
oval:com.mcafee.oval.gen:def:359772	Test for php53-ctype On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359776	Test for php53-xmlreader On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359780	Test for php53-bz2 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359784	Test for apache2-mod_php53 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359788	Test for php53-xsl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359792	Test for php53-soap On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359796	Test for php53-snmp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359800	Test for php53-pdo On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359804	Test for php53-pcntl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359808	Test for php53-ldap On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359812	Test for php53-iconv On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359816	Test for php53-sysvsem On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359820	Test for php53-mbstring On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359824	Test for php53-fastcgi On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359828	Test for php53-xmlwriter On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359832	Test for php53-calendar On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359836	Test for giflib-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359840	Test for giflib-progs On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359844	Test for giflib On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359848	Test for libfreebl3-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359852	Test for mozilla-nspr-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359856	Test for mozilla-nss-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359860	Test for libsoftokn3-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359864	Test for mozilla-nss-tools On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359868	Test for MozillaFirefox On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359872	Test for libfreebl3 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359876	Test for mozilla-nspr On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359880	Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359884	Test for libsoftokn3 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359888	Test for mozilla-nss On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359892	Test for wireshark On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:359896	Test for systemd-bash-completion On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359900	Test for udev-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359904	Test for libudev1-debuginfo On SUSE Linux Enterprise Server 12

Oval ID	Title
oval:com.mcafee.oval.gen:def:359908	Test for systemd On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359912	Test for udev On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359916	Test for systemd-debugsource On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359920	Test for systemd-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359924	Test for libudev1 On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359928	Test for systemd-sysvinit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359932	Test for libgudev-1_0-0 On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359936	Test for libgudev-1_0-0-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359940	Test for libudev1-debuginfo-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359944	Test for systemd-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359948	Test for libudev1-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359952	Test for libgudev-1_0-0-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359956	Test for libgudev-1_0-0-debuginfo-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359960	Test for systemd-debuginfo-32bit On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:359964	Test for libudev1-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359968	Test for systemd-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359972	Test for libudev1-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359976	Test for libgudev-1_0-0-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359980	Test for libgudev-1_0-0-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359984	Test for systemd-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359988	Test for systemd-bash-completion On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359992	Test for udev-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:359996	Test for libudev1-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360000	Test for systemd On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360004	Test for udev On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360008	Test for systemd-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360012	Test for systemd-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360016	Test for libudev1 On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360020	Test for systemd-sysvinit On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360024	Test for libgudev-1_0-0 On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360028	Test for libgudev-1_0-0-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360032	Test for wireshark-debuginfo On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:360036	Test for wireshark On SUSE Linux Enterprise Server 12
oval:com.mcafee.oval.gen:def:360040	Test for wireshark-debugsource On SUSE Linux Enterprise Server 12

Oval ID	Title
oval:com.mcafee.oval.gen:def:360041	Test for wireshark-debuginfo On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360042	Test for wireshark On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360043	Test for wireshark-debugsource On SUSE Linux Enterprise Server 12 SP1
oval:com.mcafee.oval.gen:def:360047	Test for rhnlib On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:360051	Test for suseRegisterInfo On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:360052	emacs-mercurial patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360056	emacs-mercurial-el patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360060	mercurial patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360064	mercurial-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360068	mercurial-hgk patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360072	ImageMagick patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360075	ImageMagick-c++ patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360078	ImageMagick-c++-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360081	ImageMagick-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360084	ImageMagick-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360087	ImageMagick-doc patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360090	ImageMagick-perl patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360093	libndp patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360097	libndp-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360101	libndp-devel patch for Redhat EL7
oval:com.mcafee.oval:def:1412285	IBM AIX 7.1 is installed
oval:com.mcafee.oval:def:1412290	User Password Options - minloweralpha
oval:com.mcafee.oval:def:1412291	User Password Options - minupperalpha
oval:com.mcafee.oval:def:1412292	User Password Options - mindigit
oval:com.mcafee.oval:def:1412293	User Password Options - minspecialchar
oval:com.mcafee.oval:def:1412295	Inetd based service - imap2 - running status
oval:com.mcafee.oval:def:1412310	Test the status for - SSH LogLevel
oval:com.mcafee.oval:def:1412311	Test NFS export secure option is selected
oval:com.mcafee.oval:def:1412312	Test if authorized user exists listed in at.allow file
oval:com.mcafee.oval:def:1412313	Test if authorized user exists listed in cron.allow file
oval:com.mcafee.oval:def:1412340	Patch for AIX bind advisory11
oval:com.mcafee.oval:def:1412341	Patch for AIX java april 2016 advisory
oval:com.mcafee.oval:def:1412345	Apple Mac OSX 10.11.4 - 10.11.5 Update
oval:com.mcafee.oval:def:1412346	Apple Mac OSX 10.9/ 10.10 - Security Update 2016-003

Oval ID	Title
oval:com.mcafee.oval:def:2486654	Consent: Configure Default consent
oval:com.mcafee.oval:def:2486662	Temporary Folders: Do not delete temp folders upon exit
oval:com.mcafee.oval:def:2487650	HPSBUX03574 - CIFS Server version A.03.02.06 for HP-UX 11.31 Itanium and PA-RISC
oval:com.mcafee.oval:def:2487658	HPSBUX03583 - BIND version C.9.9.4.7.0 for HP-UX 11.31 Itanium and PA-RISC
oval:com.mcafee.oval:def:2850583	Patches for DSA-3554-1 for Debian 8
oval:com.mcafee.oval:def:2859016	Patches for DSA-3550-1 for Debian 7
oval:com.mcafee.oval:def:2859062	Patches for DSA-3551-1 for Debian 7
oval:com.mcafee.oval:def:2859142	Patches for DSA-3552-1 for Debian 7
oval:com.mcafee.oval:def:2861421	Patches for DSA-3556-1 for Debian 8
oval:com.mcafee.oval:def:2861427	Patches for DSA-3555-1 for Debian 8
oval:com.mcafee.oval:def:2863946	Patches for ELSA-2016-0685 for Oracle Linux 7
oval:com.mcafee.oval:def:2864030	Patches for ELSA-2016-0715 for Oracle Linux 6
oval:com.mcafee.oval:def:2864123	Patches for ELSA-2016-0706 for Oracle Linux 7
oval:com.mcafee.oval:def:2864410	Patches for ELSA-2016-0695 for Oracle Linux 6
oval:com.mcafee.oval:def:2864413	Patches for ELSA-2016-0695 for Oracle Linux 7
oval:com.mcafee.oval:def:2864705	Patches for ELSA-2016-0650 for Oracle Linux 7
oval:com.mcafee.oval:def:2864806	Patches for ELSA-2016-0676 for Oracle Linux 7
oval:com.mcafee.oval:def:2864872	Patches for ELSA-2016-0675 for Oracle Linux 6
oval:com.mcafee.oval:def:2864992	Patches for ELSA-2016-0651 for Oracle Linux 6
oval:com.mcafee.oval:def:2865354	Patches for CESA-2016-0715 for CentOS 6
oval:com.mcafee.oval:def:2865428	Patches for CESA-2016-0650 for CentOS 7
oval:com.mcafee.oval:def:2865518	Patches for CESA-2016-0685 for CentOS 7
oval:com.mcafee.oval:def:2865664	Patches for CESA-2016-0684 for CentOS 5
oval:com.mcafee.oval:def:2865815	Patches for CESA-2016-0706 for CentOS 7
oval:com.mcafee.oval:def:2865831	Patches for CESA-2016-0676 for CentOS 7
oval:com.mcafee.oval:def:2865838	Patches for CESA-2016-0676 for CentOS 5
oval:com.mcafee.oval:def:2865951	Patches for CESA-2016-0675 for CentOS 6
oval:com.mcafee.oval:def:2866084	Patches for CESA-2016-0651 for CentOS 6
oval:com.mcafee.oval:def:2866176	Patches for CESA-2016-0695 for CentOS 6
oval:com.mcafee.oval:def:2866179	Patches for CESA-2016-0695 for CentOS 7
oval:com.mcafee.oval:def:2866182	Patches for CESA-2016-0695 for CentOS 5
oval:com.mcafee.oval:def:2868430	Patches for DSA-3559-1 for Debian 7
oval:com.mcafee.oval:def:2869650	Patches for DSA-3556-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:2869712	Patches for DSA-3553-1 for Debian 7
oval:com.mcafee.oval:def:2869837	Patches for DSA-3555-1 for Debian 7
oval:com.mcafee.oval:def:2876264	Patches for DSA-3570-1 for Debian 8
oval:com.mcafee.oval:def:2876296	Patches for DSA-3569-1 for Debian 8
oval:com.mcafee.oval:def:2876310	Patches for DSA-3568-1 for Debian 8
oval:com.mcafee.oval:def:2876314	Patches for DSA-3567-1 for Debian 8
oval:com.mcafee.oval:def:2876328	Patches for DSA-3566-1 for Debian 8
oval:com.mcafee.oval:def:2876336	Patches for DSA-3565-1 for Debian 8
oval:com.mcafee.oval:def:2876348	Patches for DSA-3564-1 for Debian 8
oval:com.mcafee.oval:def:2876380	Patches for DSA-3563-1 for Debian 8
oval:com.mcafee.oval:def:2876384	Patches for DSA-3562-1 for Debian 8
oval:com.mcafee.oval:def:2876412	Patches for DSA-3561-1 for Debian 8
oval:com.mcafee.oval:def:2876482	Patches for DSA-3560-1 for Debian 8
oval:com.mcafee.oval:def:2876714	Patches for DSA-3559-1 for Debian 8
oval:com.mcafee.oval:def:2876736	Patches for DSA-3558-1 for Debian 8
oval:com.mcafee.oval:def:2876794	Patches for DSA-3557-1 for Debian 8
oval:com.mcafee.oval:def:2887390	Patches for DSA-3574-1 for Debian 8
oval:com.mcafee.oval:def:2893850	Patches for CESA-2016-0726 for CentOS 6
oval:com.mcafee.oval:def:2893858	Patches for CESA-2016-0726 for CentOS 7
oval:com.mcafee.oval:def:2893945	Patches for CESA-2016-0723 for CentOS 6
oval:com.mcafee.oval:def:2893952	Patches for CESA-2016-0723 for CentOS 7
oval:com.mcafee.oval:def:2893959	Patches for CESA-2016-0723 for CentOS 5
oval:com.mcafee.oval:def:2894179	Patches for CESA-2016-0722 for CentOS 7
oval:com.mcafee.oval:def:2894248	Patches for CESA-2016-0724 for CentOS 7

Updated Checks

Oval ID	Title
oval:com.mcafee.oval:def:227020	AIX - /etc/rc.tcpip - Service - hostmibd
oval:com.mcafee.oval:def:225060	Test if default umask for all users is set appropriately
oval:com.mcafee.primitives:def:20071425695	Unix xinetd Test
oval:com.mcafee.primitives:def:20071425140	Unix Shadow Check
oval:com.mcafee.primitives:def:20071425028	Unix Runlevel Check
oval:com.mcafee.primitives:def:20071425442	Unix Process Check
oval:com.mcafee.primitives:def:20071425128	Unix Passwd Check

Oval ID	Title
oval:com.mcafee.primitives:def:20071424970	Unix Network Interface Configuration
oval:com.mcafee.primitives:def:20071424469	Unix inetd Check
oval:com.mcafee.primitives:def:20071424996	Unix Check system configuration file where the setting is a string
oval:com.mcafee.primitives:def:20071424513	Unix Check system configuration file where the setting is a integer
oval:com.mcafee.primitives:def:20071424324	Check the content of an XML file for known values
oval:com.mcafee.primitives:def:20071423991	Check the file permissions of a file
oval:com.mcafee.primitives:def:20071423855	Unix Directory Check
oval:com.mcafee.primitives:def:20071423372	Compare the owner of a file to a known value
oval:com.mcafee.primitives:def:20071423963	Check the cryptographic hash of a file against a known file hash
oval:com.mcafee.primitives:def:20071423877	Check the state of an environment variable
oval:com.mcafee.oval:def:7402	Test the owner of the file - /etc/inetd.conf
oval:com.mcafee.oval:def:6323	The ftpusers file should restrict the root account as appropriate.
oval:com.mcafee.oval.vista:def:6665	Network - Windows Connect Now: Configuration of Wireless Settings Using Windows Connect Now
oval:com.mcafee.oval.vista:def:6666	Network - Windows Connect Now: Prohibit Access of the Windows Connect Now Wizards
oval:com.mcafee.oval.vista:def:8001	Advanced Audit Policy Configuration - Account Management: Audit Application Group Management
oval:com.mcafee.oval:def:229984	Local Policies - Security Options - Accounts: Block Microsoft Accounts
oval:com.mcafee.oval:def:238851	System - Logon: Turn on PIN sign-in
oval:com.mcafee.oval.1:def:6575	Windows Components - Credential User Interface: Enumerate administrator accounts on elevation
oval:com.mcafee.oval.1:def:6598	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow drive redirection
oval:com.mcafee.oval.1:def:6599	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Security: Always prompt for password upon connection
oval:com.mcafee.oval.1:def:6676	System - Internet Communication Management - Internet Communication Settings: Turn Off Handwriting Recognition Error Reporting
oval:com.mcafee.oval.1:def:6689	System - Power Management - Sleep Settings: Require a Password when a Computer Wakes (On Battery)
oval:com.mcafee.oval.1:def:6690	System - Power Management - Sleep Settings: Require a Password when a Computer Wakes (Plugged In)
oval:com.mcafee.oval:def:78788	Test the group owner of the file - /etc/inetd.conf
oval:com.mcafee.oval:def:200803050006	Test the enable / disable status for - SSH host-based authentication
oval:com.mcafee.oval:def:245720	Test the enable / disable status for - SSH UsePrivilegeSeparation
oval:com.mcafee.oval:def:99165	Inetd based service - ntalk - running state
oval:com.mcafee.oval:def:200803300624	Test the permissions set on the file - /etc/motd
oval:com.mcafee.oval:def:200803300716	Test the owner of the file - /etc/motd

Oval ID	Title
oval:com.mcafee.oval:def:200803310540	Test the group owner of the file - /etc/motd
oval:com.mcafee.oval:def:206078	Inetd based service - discard (udp) - running state
oval:com.mcafee.oval:def:96558	Test the permissions set on the file - /var/adm/syslog
oval:com.mcafee.oval:def:200803160030	Inetd based service - UUCP - running state
oval:com.mcafee.oval:def:99066	Test the group owner of the directory - /var/spool/cron/crontabs
oval:com.mcafee.oval:def:200803160066	Inetd based service - tftp - running state
oval:com.mcafee.oval:def:200803160060	Inetd based service - telnet - running state
oval:com.mcafee.oval:def:200803200010	Inetd based service - rpc.cmsd - running state
oval:com.mcafee.oval:def:200803160072	Inetd based service - kshell - running state
oval:com.mcafee.oval:def:200803160075	Inetd based service - klogin - running state
oval:com.mcafee.oval:def:200803160063	Inetd based service - ftp - running state
oval:com.mcafee.oval:def:200803160022	Inetd based service - finger - running state
oval:com.mcafee.oval:def:200803160016	Inetd based service - exec - running state
oval:com.mcafee.oval:def:200803160001	Inetd based service - echo (tcp) - running state
oval:com.mcafee.oval:def:200803160004	Inetd based service - discard (tcp) - running state
oval:com.mcafee.oval:def:200803160007	Inetd based service - daytime (tcp) - running state
oval:com.mcafee.oval:def:200803160010	Inetd based service - chargen (tcp) - running state
oval:com.mcafee.oval:def:226850	Inetd based service - time - running status
oval:com.mcafee.oval:def:92815	Test the owner of the file - /etc/mail/sendmail.cf
oval:com.mcafee.oval:def:50674	Test if the Access control files contain a plus sign - /etc/passwd
oval:com.mcafee.oval:def:50676	Test if the Access control files contain a plus sign - /etc/group
oval:com.mcafee.oval:def:34461	firefox patch for Redhat EL5
oval:com.mcafee.oval:def:215733	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Temporary Folders: Do not use temporary folders per session
oval:com.mcafee.oval:def:200805200508	Inetd based service - login - running state
oval:com.mcafee.primitives:def:51101	Text File Content Check
oval:com.mcafee.oval.windows:def:6725	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Session Time Limits: Set time limit for active but idle Remote Desktop Services sessions
oval:com.mcafee.oval:def:230022	System - Logon: Enumerate local users on domain-joined computers
oval:com.mcafee.oval.windows:def:6683	System - Internet Communication Management - Internet Communication Settings: Turn off Windows Error Reporting
oval:com.mcafee.oval.windows:def:6682	System - Internet Communication Management - Internet Communication Settings: Turn Off the "Order Prints" Picture Task
oval:com.mcafee.oval.windows:def:6681	System - Internet Communication Management - Internet Communication Settings: Turn Off Registration if URL Connection is Referring to Microsoft.com

Oval ID	Title
oval:com.mcafee.oval.windows:def:6679	System - Internet Communication Management - Internet Communication Settings: Turn Off Internet Connection Wizard if URL Connection is Referring to Microsoft.com
oval:com.mcafee.oval.windows:def:6662	Network - Microsoft Peer-to-Peer Networking Services: Turn Off Microsoft Peer-to-Peer Networking Services
oval:com.mcafee.oval.windows:def:6661	Network - Link Layer Topology: Turn on Responder (RSPNDR) driver
oval:com.mcafee.oval.windows:def:6660	Network - Link Layer Topology: Turn on Mapper I/O (LLTDIO) driver
oval:com.mcafee.oval.windows:def:6596	Windows Components - Remote Desktop Services - Remote Desktop Connection Client: Do not allow passwords to be saved
oval:com.mcafee.oval.windows:def:6572	System - Internet Communication Management - Internet Communication Settings: Turn off downloading of print drivers over HTTP
oval:com.mcafee.oval.windows:def:6571	System - Internet Communication Management - Internet Communication Settings: Turn off printing over HTTP
oval:com.mcafee.oval.windows:def:6570	System - Internet Communication Management - Internet Communication Settings: Turn off Search Companion content file updates
oval:com.mcafee.oval.windows:def:6569	System - Internet Communication Management - Internet Communication Settings: Turn off the Windows Messenger Customer Experience Improvement Program
oval:com.mcafee.oval.windows:def:6568	System - Internet Communication Management - Internet Communication Settings: Turn off Internet download for Web publishing and online ordering wizards
oval:com.mcafee.oval.windows:def:6567	System - Internet Communication Management - Internet Communication Settings: Turn off the "Publish to Web" task for files and folders
oval:com.mcafee.oval.windows:def:6566	System - Remote Procedure Call: RPC Endpoint Mapper Client Authentication
oval:com.mcafee.oval.windows:def:6565	System - Remote Procedure Call: Restrictions for Unauthenticated RPC clients
oval:com.mcafee.oval.windows:def:6564	System - Remote Assistance: Solicited Remote Assistance
oval:com.mcafee.oval.windows:def:6563	System - Remote Assistance: Offer Remote Assistance
oval:com.mcafee.oval.windows:def:6121	Windows Components - Windows Installer: Enable user control over installs
oval:com.mcafee.oval.windows:def:6120	Windows Components - Windows Installer: Disable IE security prompt for Windows Installer scripts
oval:com.mcafee.oval.windows:def:6119	Windows Components - Windows Explorer: Turn off shell protocol protected mode
oval:com.mcafee.oval.windows:def:6118	Windows Components - Windows Explorer: Turn off Heap termination on corruption
oval:com.mcafee.oval.windows:def:6110	Windows Components - RSS Feeds: Turn off / Prevent downloading of enclosures
oval:com.mcafee.oval.windows:def:6071	Network access: Do not allow anonymous enumeration of SAM accounts and shares
oval:com.mcafee.oval.windows:def:6063	MSS: (PerformRouterDiscovery) Allow IRDP to detect and configure DefaultGateway addresses (could lead to DoS)
oval:com.mcafee.oval.windows:def:6045	Interactive logon: Require Domain Controller authentication to unlock workstation
oval:com.mcafee.oval.windows:def:6026	Network - Network Connections: Prohibit installation and configuration of Network Bridge on your DNS domain network
oval:com.mcafee.oval.windows:def:6021	Local Policies - Security Options - Accounts: Limit local account use of blank passwords to console logon only
oval:com.mcafee.oval.windows:def:6019	Accounts: Administrator account status

Oval ID	Title
oval:com.mcafee.oval.gen:def:312784	nspr-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.windows:def:16022	Local Policies - Security Options - Accounts: Rename Administrator Account
oval:com.mcafee.oval.windows:def:126	MSS: (TCPMaxDataRetransmissions) How many times unacknowledged data is retransmitted (3 recommended, 5 is default)
oval:com.mcafee.oval.windows:def:118	MSS: (NoNameReleaseOnDemand) Allow the computer to ignore NetBIOS name release requests except from WINS servers
oval:com.mcafee.oval.windows:def:115	MSS: (KeepAliveTime) How often keep-alive packets are sent in milliseconds
oval:com.mcafee.oval.windows:def:113	MSS: (EnableICMPRedirect) Allow ICMP redirects to override OSPF generated routes
oval:com.mcafee.oval:def:117526	nss-devel patch for Redhat EL5
oval:com.mcafee.oval:def:117529	nss-pkcs11-devel patch for Redhat EL5
oval:com.mcafee.oval:def:117542	nss patch for Redhat EL5
oval:com.mcafee.oval:def:117544	nss-tools patch for Redhat EL5
oval:com.mcafee.oval:def:119237	nspr-devel patch for Redhat EL5
oval:com.mcafee.oval:def:119248	nspr patch for Redhat EL5
oval:com.mcafee.oval.gen:def:291013	firefox patch for Redhat EL6
oval:com.mcafee.oval:def:59960	Local Policies - User Rights Assignment: Log on as a batch job
oval:com.mcafee.oval:def:120854	java-1.6.0-openjdk patch for Redhat EL5
oval:com.mcafee.oval:def:120858	java-1.6.0-openjdk-demo patch for Redhat EL5
oval:com.mcafee.oval:def:120861	java-1.6.0-openjdk-devel patch for Redhat EL5
oval:com.mcafee.oval:def:120864	java-1.6.0-openjdk-javadoc patch for Redhat EL5
oval:com.mcafee.oval:def:120867	java-1.6.0-openjdk-src patch for Redhat EL5
oval:com.mcafee.oval.gen:def:291016	firefox-debuginfo patch for Redhat EL6
oval:com.mcafee.primitives:def:67717	AIX filset test
oval:com.mcafee.primitives:def:67741	AIX check oslevel information, release and maintenance level
oval:com.mcafee.oval:def:230023	System - Logon: Do not enumerate connected users on domain-joined computers
oval:com.mcafee.oval:def:62463	Login policy - logindisable - number of unsuccessful login attempts required before a port will be locked
oval:com.mcafee.oval:def:62473	Login policy - logindelay - delay between each failed login attempt
oval:com.mcafee.oval:def:62468	Login policy - logintimeout - number of seconds during which the password must be typed at login
oval:com.mcafee.oval:def:62443	Login policy - logininterval - delay between login prompts following a failed login attempt
oval:com.mcafee.oval:def:66291	Disable NIS Server
oval:com.mcafee.oval:def:62458	Login policy - loginreenable - Re-enable login after locking
oval:com.mcafee.oval:def:66407	Disable NIS Client
oval:com.mcafee.oval:def:66589	Configure syslog for local logging

Oval ID	Title
oval:com.mcafee.oval:def:65841	Local Policies - Security Options - Network access: Named pipes that can be accessed anonymously
oval:com.mcafee.oval:def:65842	Local Policies - Security Options - Network access: Shares that can be accessed anonymously
oval:com.mcafee.primitives:def:73244	Unix File Check
oval:com.mcafee.primitives:def:67721	AIX check to ensure the specified APAR exists
oval:com.mcafee.primitives:def:75844	Unix File Existence Check
oval:com.mcafee.oval:def:71734	Windows Components - AutoPlay Policies: Turn off Autoplay for non-volume devices
oval:com.mcafee.oval:def:71742	Windows Components - Location and Sensors: Turn off location
oval:com.mcafee.oval:def:71730	System - Troubleshooting and Diagnostics - Windows Performance PerfTrack: Enable/Disable PerfTrack
oval:com.mcafee.oval:def:71724	System - Troubleshooting and Diagnostics - Microsoft Support Diagnostic Tool: Microsoft Support Diagnostic Tool: Turn on MSDT interactive communication with Support Provider
oval:com.mcafee.oval:def:71752	Windows Components - Windows Explorer: Turn off Data Execution Prevention for Explorer
oval:com.mcafee.oval:def:71687	Network - Network Connections: Require domain users to elevate when setting a network's location
oval:com.mcafee.oval:def:98371	Test the group owner of the file - /var/adm/authlog
oval:com.mcafee.oval:def:206076	Inetd based service - daytime (udp) - running state
oval:com.mcafee.oval:def:99070	Test the owner of the directory - /var/adm/sa
oval:com.mcafee.oval:def:99062	Test the owner of the directory - /var/spool/cron/crontabs
oval:com.mcafee.oval:def:99076	Test the permissions set on the directory - /var/adm/sa
oval:com.mcafee.oval:def:98367	Test the owner of the file - /var/adm/authlog
oval:com.mcafee.oval:def:99469	Inetd based service - pop3 - running state
oval:com.mcafee.oval:def:98373	Test the permissions set on the file - /var/adm/authlog
oval:com.mcafee.oval:def:206073	Inetd based service - echo (udp) - running state
oval:com.mcafee.oval:def:99074	Test the group owner of the directory - /var/adm/sa
oval:com.mcafee.oval:def:96006	The default greeting string for Sendmail should be set appropriately.
oval:com.mcafee.oval:def:99068	Test the permissions set on the directory - /var/spool/cron/crontabs
oval:com.mcafee.oval:def:78708	Test the permissions of the file - /etc/hosts.allow
oval:com.mcafee.oval:def:78787	Test the group owner of the file - /etc/hosts.deny
oval:com.mcafee.oval:def:78813	Test the group owner of the file - /etc/ssh/sshd_config
oval:com.mcafee.oval:def:78733	Test the permissions of the file - /etc/ssh/sshd_config
oval:com.mcafee.oval:def:92821	Test the permissions of the file - /etc/mail/sendmail.cf
oval:com.mcafee.oval:def:78870	Test the owner of the file - /etc/hosts.deny
oval:com.mcafee.oval:def:78869	Test the owner of the file - /etc/hosts.allow

Oval ID	Title
oval:com.mcafee.oval:def:78889	Test the owner of the file - /etc/ssh/ssh_config
oval:com.mcafee.oval:def:78709	Test the permissions of the file - /etc/inetd.conf
oval:com.mcafee.oval:def:92819	Test the group owner of the file - /etc/mail/sendmail.cf
oval:com.mcafee.oval:def:78707	Test the permissions of the file - /etc/hosts.deny
oval:com.mcafee.oval:def:78732	Test the permissions of the file - /etc/ssh/ssh_config
oval:com.mcafee.oval:def:78812	Test the group owner of the file - /etc/ssh/ssh_config
oval:com.mcafee.oval:def:78786	Test the group owner of the file - /etc/hosts.allow
oval:com.mcafee.oval:def:78890	Test the owner of the file - /etc/ssh/sshd_config
oval:com.mcafee.oval:def:101092	Windows Components - Windows Remote Shell: Allow Remote Shell Access
oval:com.mcafee.oval:def:101093	Windows Components - Credential User Interface: Require trusted path for credential entry
oval:com.mcafee.oval:def:101091	Local Policies - Security Options - MSS: (TCPMaxDataRetransmissions IPv6) How many times unacknowledged data is retransmitted (3 recommended, 5 is default)
oval:com.mcafee.oval:def:101089	Windows Components - Event Log Service - Setup: Retain old events
oval:com.mcafee.oval:def:101097	Windows Components - Event Log Service - Setup: Maximum Log Size (KB)
oval:com.mcafee.oval:def:215232	The file dot-netrc should not exist in any users home directories
oval:com.mcafee.oval:def:215603	Test if the system login banner text is set correctly - /etc/motd
oval:com.mcafee.oval:def:215228	The file dot-rhosts should not exist in any users home directories
oval:com.mcafee.oval.gen:def:291175	java-1.6.0-openjdk patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291178	java-1.6.0-openjdk-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291182	java-1.6.0-openjdk-demo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291185	java-1.6.0-openjdk-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291188	java-1.6.0-openjdk-javadoc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291191	java-1.6.0-openjdk-src patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291278	thunderbird patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291281	thunderbird-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291302	kernel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291305	kernel-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291308	kernel-debug-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291312	kernel-debug-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291315	kernel-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291319	kernel-debuginfo-common-i686 patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291323	kernel-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291326	kernel-doc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291329	kernel-firmware patch for Redhat EL6

Oval ID	Title
oval:com.mcafee.oval.gen:def:291333	kernel-headers patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291336	perf patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291507	openssl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291510	openssl-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291514	openssl-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291517	openssl-perl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291520	openssl-static patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292658	perf-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:404028	Windows Components - Store: Turn off the offer to update to the latest version of Windows
oval:com.mcafee.oval:def:404026	Windows Components - Store: Turn off Automatic Download and Install of updates
oval:com.mcafee.oval.gen:def:293393	icedtea-web patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293397	icedtea-web-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293401	icedtea-web-javadoc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303860	kernel-debuginfo-common-x86_64 patch for Redhat EL6
oval:com.mcafee.oval:def:226880	User Password Options - maxexpired
oval:com.mcafee.oval:def:227027	AIX - /etc/rc.tcpip - Service - ndpd-router
oval:com.mcafee.oval:def:225106	Test the group owner of files - /etc/security/*
oval:com.mcafee.oval:def:226792	Inetd based service - rpc.sprayd - running status
oval:com.mcafee.oval:def:226879	User Password Options - maxage
oval:com.mcafee.oval:def:226842	Inetd based service - talk - running status
oval:com.mcafee.oval:def:227021	AIX - /etc/rc.tcpip - Service - inetd
oval:com.mcafee.oval:def:226947	AIX - /etc/rc.tcpip - Service - dhcprd
oval:com.mcafee.oval:def:226884	User Password Options - mindiff
oval:com.mcafee.oval:def:227035	AIX - /etc/rc.tcpip - Service - snmpmbd
oval:com.mcafee.oval:def:225537	Login policy - /etc/security/user - loginretries
oval:com.mcafee.oval:def:226956	AIX - /etc/rc.tcpip - Service - dpid2
oval:com.mcafee.oval:def:226883	User Password Options - minalpha
oval:com.mcafee.oval:def:226928	AIX - /etc/rc.tcpip - Service - aixmibd
oval:com.mcafee.oval:def:226878	User Password Options - histsize
oval:com.mcafee.oval:def:227024	AIX - /etc/rc.tcpip - Service - named
oval:com.mcafee.oval:def:225129	Test the owner of the directory - /etc/security
oval:com.mcafee.oval:def:226951	AIX - /etc/rc.tcpip - Service - dhcpsd
oval:com.mcafee.oval:def:226881	User Password Options - maxrepeats

Oval ID	Title
oval:com.mcafee.oval:def:225044	Test the permissions of the files - /etc/security/*
oval:com.mcafee.oval:def:226882	User Password Options - minage
oval:com.mcafee.oval:def:226872	User Password Options - histexpire
oval:com.mcafee.oval:def:226886	User Password Options - minother
oval:com.mcafee.oval:def:227029	AIX - /etc/rc.tcpip - Service - portmap
oval:com.mcafee.oval:def:225114	Test the group owner of the directory - /etc/security
oval:com.mcafee.oval:def:224533	Test the permissions of the directory - /etc/security
oval:com.mcafee.oval:def:226943	AIX - /etc/rc.tcpip - Service - dhcpcd
oval:com.mcafee.oval:def:227033	AIX - /etc/rc.tcpip - Service - sendmail
oval:com.mcafee.oval:def:226773	Inetd based service - rusersd - running status
oval:com.mcafee.oval:def:227037	AIX - /etc/rc.tcpip - Service - timed
oval:com.mcafee.oval:def:227023	AIX - /etc/rc.tcpip - Service - mrouted
oval:com.mcafee.oval:def:226959	AIX - /etc/rc.tcpip - Service - gated
oval:com.mcafee.oval:def:226785	Inetd based service - rwalld - running status
oval:com.mcafee.oval:def:226818	Inetd based service - rstatd - running status
oval:com.mcafee.oval:def:226483	Inetd based service - rpc.pcnfsd - running status
oval:com.mcafee.oval:def:225121	Test the owner of the files - /etc/security/*
oval:com.mcafee.oval:def:227032	AIX - /etc/rc.tcpip - Service - rwhod
oval:com.mcafee.oval:def:227026	AIX - /etc/rc.tcpip - Service - ndpd-host
oval:com.mcafee.oval:def:226885	User Password Options - minlen
oval:com.mcafee.oval:def:227031	AIX - /etc/rc.tcpip - Service - routed
oval:com.mcafee.oval:def:227034	AIX - /etc/rc.tcpip - Service - snmpd
oval:com.mcafee.oval:def:226936	AIX - /etc/rc.tcpip - Service - autoconf6
oval:com.mcafee.oval:def:227141	Startup service in /etc/inittab - writesrv
oval:com.mcafee.oval:def:227197	Network Service Options - ipsrouteforward
oval:com.mcafee.oval:def:227198	Network Service Options - ipsrouterecv
oval:com.mcafee.oval:def:227200	Network Service Options - nonlocsrout
oval:com.mcafee.oval:def:227189	Network Service Options - clean_partial_conns
oval:com.mcafee.oval:def:227196	Network Service Options - ipsendredirects
oval:com.mcafee.oval:def:227138	Startup service in /etc/inittab - lpd
oval:com.mcafee.oval:def:227192	Network Service Options - ip6srouteforward
oval:com.mcafee.oval:def:227190	Network Service Options - directed_broadcast
oval:com.mcafee.oval:def:227199	Network Service Options - ipsroutese
oval:com.mcafee.oval:def:227204	Network Service Options - udp_pmtu_discover

Oval ID	Title
oval:com.mcafee.oval:def:227202	Network Service Options - tcp_pmtu_discover
oval:com.mcafee.oval:def:227195	Network Service Options - ipignoreredirects
oval:com.mcafee.oval:def:227203	Network Service Options - tcp_tcpsecure
oval:com.mcafee.oval:def:227194	Network Service Options Check - ipforwarding
oval:com.mcafee.oval:def:227191	Network Service Options - icmpaddressmask
oval:com.mcafee.oval:def:227188	Network Service Options - bcastping
oval:com.mcafee.oval:def:230332	Test the enable / disable status for - SSH PermitRootLogin
oval:com.mcafee.oval:def:230758	Test the owner of the file - /etc/group
oval:com.mcafee.oval:def:230327	Test the enable / disable status for - SSH Banner
oval:com.mcafee.oval:def:230756	Test the permissions of the file - /etc/group
oval:com.mcafee.oval:def:230761	Test the owner of the file - /etc/passwd
oval:com.mcafee.oval:def:230333	Test the configuration status for - SSH Protocol
oval:com.mcafee.oval:def:231416	Test the owner of the files - /var/spool/cron/crontabs/*
oval:com.mcafee.oval:def:230760	Test the group owner of the file - /etc/passwd
oval:com.mcafee.oval:def:230759	Test the permissions of the file - /etc/passwd
oval:com.mcafee.oval:def:231138	Test If file exists - /etc/hosts.deny
oval:com.mcafee.oval:def:230328	Test the enable / disable status for - SSH IgnoreRhosts
oval:com.mcafee.oval:def:231413	Test the group owner of the files - /var/spool/cron/crontabs/*
oval:com.mcafee.oval:def:230757	Test the group owner of the file - /etc/group
oval:com.mcafee.oval:def:231419	Test the permissions of the files - /var/spool/cron/crontabs/*
oval:com.mcafee.oval:def:230331	Test the enable / disable status for - SSH PermitEmptyPasswords
oval:com.mcafee.oval:def:231802	Set mesg n as default for all users in /etc/profile
oval:com.mcafee.oval:def:232427	Test the permissions of the directory - user home directories
oval:com.mcafee.oval.gen:def:298780	python-perf patch for Redhat EL6
oval:com.mcafee.oval:def:404031	Windows Components - Windows Error Reporting: Automatically send memory dumps for OS-generated error reports
oval:com.mcafee.oval.gen:def:299141	ImageMagick patch for Redhat EL6
oval:com.mcafee.oval.gen:def:299144	ImageMagick-c++ patch for Redhat EL6
oval:com.mcafee.oval.gen:def:299147	ImageMagick-c++-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:299150	ImageMagick-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:299154	ImageMagick-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:299157	ImageMagick-doc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:299161	ImageMagick-perl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:299164	python-perf-debuginfo patch for Redhat EL6

Oval ID	Title
oval:com.mcafee.oval:def:215735	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Connections: Restrict Remote Desktop Services users to a single remote session
oval:com.mcafee.oval:def:233852	Test the permissions of the file - /etc/dt/config/*/Xresources
oval:com.mcafee.oval:def:233850	Test the owner of the file - /etc/dt/config/*/Xresources
oval:com.mcafee.oval:def:233833	Test the group owner of the file - /etc/dt/config/Xservers
oval:com.mcafee.oval:def:233851	Test the group owner of the file - /etc/dt/config/*/Xresources
oval:com.mcafee.oval:def:233827	Test the group owner of the file - /etc/dt/config/Xconfig
oval:com.mcafee.oval:def:233834	Test the permissions of the file - /etc/dt/config/Xservers
oval:com.mcafee.oval:def:233822	Test the owner of the file - /etc/dt/config/Xconfig
oval:com.mcafee.oval:def:233828	Test the permissions of the file - /etc/dt/config/Xconfig
oval:com.mcafee.oval:def:233832	Test the owner of the file - /etc/dt/config/Xservers
oval:com.mcafee.oval:def:234386	The file dot-shosts should not exists in any users home directories
oval:com.mcafee.oval:def:237430	Test the permissions of the file - /var/adm/cron/log
oval:com.mcafee.oval:def:230021	System - Logon: Turn off app notifications on the lock screen
oval:com.mcafee.oval:def:230018	System - Internet Communication Management - Internet Communication Settings: Turn off access to the store
oval:com.mcafee.oval.gen:def:303035	openssh patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303038	openssh-askpass patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303041	openssh-clients patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303044	openssh-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303048	openssh-ldap patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303052	openssh-server patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303055	pam_ssh_agent_auth patch for Redhat EL6
oval:com.mcafee.oval:def:404024	Windows Components - SkyDrive: Prevent the usage of SkyDrive for file storage
oval:com.mcafee.oval:def:404022	Windows Components - Search: Set what information is shared in Search
oval:com.mcafee.oval:def:215836	System - Audit Process Creation: Include command line in process creation events
oval:com.mcafee.oval.gen:def:306066	qemu-img patch for Redhat EL6
oval:com.mcafee.oval.gen:def:306070	qemu-kvm patch for Redhat EL6
oval:com.mcafee.oval.gen:def:306074	qemu-kvm-tools patch for Redhat EL6
oval:com.mcafee.oval.gen:def:305906	java-1.6.0-openjdk-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:305909	qemu-guest-agent patch for Redhat EL6
oval:com.mcafee.oval.gen:def:305913	qemu-kvm-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:215770	Windows Components - Windows Remote Management (WinRM) - WinRM Client: Allow Basic authentication

Oval ID	Title
oval:com.mcafee.oval:def:215774	Windows Components - Windows Remote Management (WinRM) - WinRM Client: Allow unencrypted traffic
oval:com.mcafee.oval:def:215771	Windows Components - Windows Remote Management (WinRM) - WinRM Service: Allow Basic authentication
oval:com.mcafee.oval:def:215773	Windows Components - Windows Remote Management (WinRM) - WinRM Service: Allow unencrypted traffic
oval:com.mcafee.oval:def:215777	System - Early Launch Antimalware: Boot-Start Driver Initialization Policy
oval:com.mcafee.oval:def:215775	Windows Components - Windows Installer: Always install with elevated privileges
oval:com.mcafee.oval:def:215769	Windows Components - Windows Remote Management (WinRM) - WinRM Client: Disallow Digest authentication
oval:com.mcafee.oval:def:215772	Windows Components - Windows Remote Management (WinRM) - WinRM Service: Disallow WinRM from storing RunAs credentials
oval:com.mcafee.oval:def:215776	Windows Components - File Explorer: Configure Windows SmartScreen
oval:com.mcafee.oval.gen:def:306894	firefox-debuginfo patch for Redhat EL5
oval:com.mcafee.oval:def:246613	Ensure root PATH Integrity
oval:com.mcafee.oval:def:245943	Test the permissions of the directory - /var/spool/mqueue
oval:com.mcafee.oval:def:245945	Test the group owner of the directory - /var/spool/mqueue
oval:com.mcafee.oval:def:245804	Test the owner of the directory - /etc/security/audit
oval:com.mcafee.oval:def:245899	Test the owner of the file - /var/tmp/hostmibd.log
oval:com.mcafee.oval:def:246840	Test the permissions set on the file - /var/yp/securenets
oval:com.mcafee.oval:def:246699	Miscellaneous Enhancements - login herald
oval:com.mcafee.oval:def:246819	SNMP - disable private community string - /etc/snmpd.conf
oval:com.mcafee.oval:def:245837	Test the owner of the file - /var/tmp/snmpd.log
oval:com.mcafee.oval:def:246831	Test if only root and adm users are listed in cron.allow file
oval:com.mcafee.oval:def:245836	Test the permissions of the file - /var/tmp/snmpd.log
oval:com.mcafee.oval:def:245826	Test the group owner of the file - /var/adm/cron/log
oval:com.mcafee.oval:def:246825	SNMP - disable public community string - /etc/snmpd.conf
oval:com.mcafee.oval:def:245711	Test the configuration status for - SSH client Protocol
oval:com.mcafee.oval:def:245719	Password policy - pwd_algorithm
oval:com.mcafee.oval:def:245964	Test the permissions of the file - /usr/sbin/rshd
oval:com.mcafee.oval:def:247092	Test if CDE users warning banner text (personalized welcome message) is set correctly in /etc/dt/config*/Xresources
oval:com.mcafee.oval:def:246769	Configuration - TE implementation policy - CHKEXEC
oval:com.mcafee.oval:def:247093	Test if CDE users warning banner text (welcome message) is set correctly in /etc/dt/config*/Xresources
oval:com.mcafee.oval:def:245714	Network Service Options - rfc1323
oval:com.mcafee.oval:def:245786	Test the owner of all the files - /audit/*

Oval ID	Title
oval:com.mcafee.oval:def:245919	Test the group owner of the file - /var/ct/RMstart.log
oval:com.mcafee.oval:def:245912	Test the owner of the file - /smit.log
oval:com.mcafee.oval:def:245907	Test the owner of the file - /var/tmp/dpid2.log
oval:com.mcafee.oval:def:247095	Test the configuration status for - CDE users default screensaver timeout
oval:com.mcafee.oval:def:245633	Inetd based service - ttdbserver - running status
oval:com.mcafee.oval:def:245906	Test the permissions of the file - /var/tmp/dpid2.log
oval:com.mcafee.oval:def:245630	Inetd based service - instsrv - running status
oval:com.mcafee.oval:def:245715	Network Service Options - sockthresh
oval:com.mcafee.oval:def:246526	Test the SUID/SGID of the file - CDE binary file /usr/dt/bin/dtaction
oval:com.mcafee.oval:def:245838	Test the group owner of the file - /var/tmp/snmpd.log
oval:com.mcafee.oval:def:245713	Network Service Options - nfs_use_reserved_ports
oval:com.mcafee.oval:def:245718	Network Service Options - tcp_sendspace
oval:com.mcafee.oval:def:245628	Inetd based service - dtspc - running status
oval:com.mcafee.oval:def:245827	Test the owner of the file - /var/adm/cron/log
oval:com.mcafee.oval:def:246680	Test if only root user is listed in at.allow file
oval:com.mcafee.oval:def:245717	Network Service Options - tcp_recvspace
oval:com.mcafee.oval:def:245780	Test the permissions of the directory - /audit
oval:com.mcafee.oval:def:246837	Test If File Exists - /var/yp/securenets
oval:com.mcafee.oval:def:245897	Test the group owner of the file - /var/tmp/hostmibd.log
oval:com.mcafee.oval:def:245636	Startup service in /etc/inittab - qdaemon
oval:com.mcafee.oval:def:245632	Inetd based service - shell - running status
oval:com.mcafee.oval:def:245927	Test the owner of all the files - /var/adm/ras/*
oval:com.mcafee.oval:def:245635	Startup service in /etc/inittab - piobe
oval:com.mcafee.oval:def:246773	Configuration - TE implementation policy - TEP
oval:com.mcafee.oval:def:247094	Test the configuration status for - CDE users default screenlock timeout
oval:com.mcafee.oval:def:245787	Test the permissions of all the files - /audit/*
oval:com.mcafee.oval:def:246704	Miscellaneous Enhancements – guest account removal
oval:com.mcafee.oval:def:246728	Configuration - SSH installation
oval:com.mcafee.oval:def:245778	Test the group owner of the directory - /audit
oval:com.mcafee.oval:def:245811	Test the permissions of the file - /var/adm/cron/cron.allow
oval:com.mcafee.oval:def:245712	Login policy - rlogin - remote login for root user
oval:com.mcafee.oval:def:245905	Test the group owner of the file - /var/tmp/dpid2.log
oval:com.mcafee.oval:def:245911	Test the permissions of the file - /smit.log
oval:com.mcafee.oval:def:245796	Test the permissions of all the files - /etc/security/audit/*

Oval ID	Title
oval:com.mcafee.oval:def:245874	De-install the NFS client software
oval:com.mcafee.oval:def:247096	Test the configuration status for - remote GUI login
oval:com.mcafee.oval:def:245952	Test the permissions of the file - /usr/bin/rlogin
oval:com.mcafee.oval:def:245963	Test the permissions of the file - /usr/sbin/tftpd
oval:com.mcafee.oval:def:246534	The SUID and SGID bit for CDE binary file /usr/dt/bin/dtprintinfo should be set appropriately.
oval:com.mcafee.oval:def:245929	Test the group owner of all the files - /var/adm/ras/*
oval:com.mcafee.oval:def:246727	TCP Wrappers – wrapping inetd services
oval:com.mcafee.oval:def:245803	Test the group owner of the directory - /etc/security/audit
oval:com.mcafee.oval:def:245779	Test the owner of the directory - /audit
oval:com.mcafee.oval:def:246816	NFS – no_root_squash option - /etc/exports
oval:com.mcafee.oval:def:246822	SNMP - disable system community string - /etc/snmpd.conf
oval:com.mcafee.oval:def:245920	Test the permissions of the file - /var/ct/RMstart.log
oval:com.mcafee.oval:def:245716	Network Service Options - tcp_mssdflt
oval:com.mcafee.oval:def:245819	Test the group owner of the file - /var/adm/cron/at.allow
oval:com.mcafee.oval:def:245921	Test the owner of the file - /var/ct/RMstart.log
oval:com.mcafee.oval:def:245637	Startup service in /etc/inittab - rcnfs
oval:com.mcafee.oval:def:245802	Test the permissions of the directory - /etc/security/audit
oval:com.mcafee.oval:def:245634	Startup service in /etc/inittab - dt
oval:com.mcafee.oval:def:245812	Test the owner of the file - /var/adm/cron/cron.allow
oval:com.mcafee.oval:def:245965	Test the permissions of the file - /usr/sbin/rlogind
oval:com.mcafee.oval:def:246772	Configuration - TE implementation policy - TE
oval:com.mcafee.oval:def:245710	Test if /etc/hosts.equiv is empty
oval:com.mcafee.oval:def:245944	Test the owner of the directory - /var/spool/mqueue
oval:com.mcafee.oval:def:246808	NFS – localhost removal - /etc/exports
oval:com.mcafee.oval:def:245829	Test If file exists - /var/adm/cron/cron.deny
oval:com.mcafee.oval:def:245951	Test the permissions of the file - /usr/bin/rsh
oval:com.mcafee.oval:def:245818	Test the owner of the file - /var/adm/cron/at.allow
oval:com.mcafee.oval:def:246749	Configuration - TCP Wrappers software installation
oval:com.mcafee.oval:def:245813	Test the group owner of the file - /var/adm/cron/cron.allow
oval:com.mcafee.oval:def:246679	Test If file exists - /usr/dt/bin/dtconfig
oval:com.mcafee.oval:def:246834	Configuration - tcp client software for ftp banner installation
oval:com.mcafee.oval:def:245953	Test the permissions of the file - /usr/bin/rcp
oval:com.mcafee.oval:def:246770	Configuration - TE implementation policy - CHKSCRIPT

Oval ID	Title
oval:com.mcafee.oval:def:245732	Configuring syslog - remote messages
oval:com.mcafee.oval:def:246538	The SUID and SGID bit for CDE binary file /usr/dt/bin/dtsession should be set appropriately.
oval:com.mcafee.oval:def:245828	Test If file exists - /var/adm/cron/at.deny
oval:com.mcafee.oval:def:246071	Test If file exists - /etc/motd
oval:com.mcafee.oval:def:245928	Test the permissions of all the files - /var/adm/ras/*
oval:com.mcafee.oval:def:245631	Inetd based service - rquotad - running status
oval:com.mcafee.oval:def:245795	Test the owner of all the files - /etc/security/audit/*
oval:com.mcafee.oval:def:246760	Configuration - CLiC software installation
oval:com.mcafee.oval:def:246828	SNMP – disable Readwrite community access - /etc/snmpd.conf
oval:com.mcafee.oval:def:245879	De-install the NFS server software
oval:com.mcafee.oval:def:246707	Miscellaneous Enhancements – disabling core dumps
oval:com.mcafee.oval:def:245721	Configure syslog for remote logging
oval:com.mcafee.oval:def:245913	Test the group owner of the file - /smit.log
oval:com.mcafee.oval:def:245898	Test the permissions of the file - /var/tmp/hostmibd.log
oval:com.mcafee.oval:def:245794	Test the group owner of all the files - /etc/security/audit/*
oval:com.mcafee.oval:def:246811	Test the permissions of the file - users configuration files
oval:com.mcafee.oval:def:245788	Test the group owner of all the files - /audit/*
oval:com.mcafee.oval:def:246530	The SUID and SGID bit for CDE binary file /usr/dt/bin/dtappgather should be set appropriately.
oval:com.mcafee.oval:def:245820	Test the permissions of the file - /var/adm/cron/at.allow
oval:com.mcafee.oval:def:246771	Configuration - TE implementation policy - STOP_ON_CHKFAIL
oval:com.mcafee.oval:def:245763	Test If file exists - /etc/shosts.equiv
oval:com.mcafee.oval:def:215796	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Security: Require secure RPC communication
oval:com.mcafee.oval:def:215800	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow LPT port redirection
oval:com.mcafee.oval:def:215778	Windows Components - Autoplay Policies: Default behavior for AutoRun
oval:com.mcafee.oval:def:215801	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow supported Plug and Play device redirection
oval:com.mcafee.oval:def:215799	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow COM port redirection
oval:com.mcafee.oval:def:215794	System - Group Policy: Turn off background refresh of Group Policy
oval:com.mcafee.oval:def:215788	System - Internet Communication Management - Internet Communication Settings: Turn off handwriting personalization data sharing
oval:com.mcafee.oval:def:215805	System - Internet Communication Management - Internet Communication Settings: Turn off Windows Customer Experience Improvement Program

Oval ID	Title
oval:com.mcafee.oval:def:247656	Login policy - rlogin - remote login for adm user
oval:com.mcafee.oval:def:247651	Configuration - sar accounting software installation
oval:com.mcafee.oval:def:247661	Login policy - rlogin - remote login for sys user
oval:com.mcafee.oval:def:247666	Miscellaneous Config – serial port restriction
oval:com.mcafee.oval:def:247660	Login policy - rlogin - remote login for nobody user
oval:com.mcafee.oval:def:247653	Startup service in /etc/inittab - i4ls
oval:com.mcafee.oval:def:247662	Login policy - rlogin - remote login for uucp user
oval:com.mcafee.oval:def:247658	Login policy - rlogin - remote login for daemon user
oval:com.mcafee.oval:def:247652	Startup service in /etc/inittab - httpd-lite
oval:com.mcafee.oval:def:247655	Startup service in /etc/inittab - rcncls
oval:com.mcafee.oval:def:247654	Startup service in /etc/inittab - pmd
oval:com.mcafee.oval:def:247657	Login policy - rlogin - remote login for bin user
oval:com.mcafee.oval:def:247668	Configuration - mesg n is set as default for all users in /etc/csh.login
oval:com.mcafee.oval:def:247659	Login policy - rlogin - remote login for lpd user
oval:com.mcafee.oval:def:247664	Miscellaneous Config – enable sar accounting
oval:com.mcafee.oval:def:247665	Miscellaneous Config – ftp umask
oval:com.mcafee.oval:def:247663	Login policy - sugroups - Restricts access to root, via su, to members of a specific group
oval:com.mcafee.oval:def:247667	SNMP – restrict IP access on snmp community - /etc/snmpd.conf
oval:com.mcafee.oval.gen:def:312787	nss-debuginfo patch for Redhat EL5
oval:com.mcafee.oval:def:242732	Test the configuration status for - SSH PermitUserEnvironment
oval:com.mcafee.oval:def:242747	Test the status of - SSH Access Limit
oval:com.mcafee.oval:def:242727	Test the status of - SSH MaxAuthTries
oval:com.mcafee.oval:def:242742	Test the status of - SSH ClientAliveCountMax
oval:com.mcafee.oval:def:242737	Test the status of - SSH ClientAliveInterval
oval:com.mcafee.oval:def:244331	Use Only Approved Cipher in Counter Mode
oval:com.mcafee.oval.gen:def:316059	kernel-abi-whitelists patch for Redhat EL6
oval:com.mcafee.primitives:def:402696	Text File Content54 Check
oval:com.mcafee.oval:def:525437	Group Policy: Do not apply during periodic background processing
oval:com.mcafee.oval:def:525447	Group Policy: Process even if the Group Policy objects have not changed
oval:com.mcafee.oval:def:525458	Network access: Do not allow storage of passwords and credentials for network authentication
oval:com.mcafee.oval:def:525485	Windows Components - Attachment Manager - Notify antivirus programs when opening attachments
oval:com.mcafee.oval:def:525473	Windows Components - Attachment Manager - Do not preserve zone information in file attachments

Oval ID	Title
oval:com.mcafee.oval.gen:def:327712	file patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327715	file-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327719	file-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327723	file-libs patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327727	file-static patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327731	python-magic patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329707	ntp patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329710	ntp-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329714	ntp-doc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329718	ntp-perl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329722	ntpdate patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329924	kernel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329927	kernel-abi-whitelists patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329930	kernel-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329933	kernel-debug-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329936	kernel-debug-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329939	kernel-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329942	kernel-debuginfo-common-x86_64 patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329945	kernel-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329948	kernel-doc patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329951	kernel-headers patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329954	kernel-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329958	kernel-tools-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329962	kernel-tools-libs patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329966	kernel-tools-libs-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329970	perf patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329973	perf-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329976	python-perf patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329979	python-perf-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329982	openssl patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329985	openssl-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329988	openssl-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329991	openssl-libs patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329995	openssl-perl patch for Redhat EL7

Oval ID	Title
oval:com.mcafee.oval.gen:def:329998	openssl-static patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330027	java-1.6.0-openjdk patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330030	java-1.6.0-openjdk-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330033	java-1.6.0-openjdk-demo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330036	java-1.6.0-openjdk-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330039	java-1.6.0-openjdk-javadoc patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330042	java-1.6.0-openjdk-src patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330149	libcacard patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330153	libcacard-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330157	libcacard-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330164	qemu-img patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330167	qemu-kvm patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330170	qemu-kvm-common patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330174	qemu-kvm-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330177	qemu-kvm-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330486	nss patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330489	nss-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330495	nss-pkcs11-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330498	nss-softokn patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330501	nss-softokn-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330504	nss-softokn-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330507	nss-softokn-freebl patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330510	nss-softokn-freebl-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330513	nss-sysinit patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330516	nss-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330519	nss-util patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330522	nss-util-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330525	nss-util-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330853	firefox patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330856	firefox-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:331350	nspr-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:331347	nspr patch for Redhat EL7
oval:com.mcafee.oval.gen:def:331353	nspr-devel patch for Redhat EL7
oval:com.mcafee.oval:def:1154363	Windows Components: EMET: Default Protections for Recommended Software

Oval ID	Title
oval:com.mcafee.oval:def:1158106	Windows Components: EMET: System DEP
oval:com.mcafee.oval:def:1126570	Windows Components: EMET: Default Protections for Internet Explorer
oval:com.mcafee.oval:def:1177325	Start Menu and Taskbar- Notifications: Turn off toast notifications on the lock screen
oval:com.mcafee.oval:def:1154381	Windows Components: EMET: System ASLR
oval:com.mcafee.oval:def:1158724	Windows Components: EMET: System SEHOP
oval:com.mcafee.oval.gen:def:332964	pcre patch for Redhat EL7
oval:com.mcafee.oval.gen:def:332967	pcre-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:332971	pcre-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:332974	pcre-static patch for Redhat EL7
oval:com.mcafee.oval.gen:def:332978	pcre-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333650	thunderbird patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333653	thunderbird-debuginfo patch for Redhat EL7
oval:com.mcafee.oval:def:1413915	Credential User Interface: Do not display the password reveal button
oval:com.mcafee.oval:def:1411824	Administrative Templates - Network: Minimize the number of simultaneous connections to the Internet or a Windows Domain
oval:com.mcafee.oval:def:1411832	Administrative Templates - Network: Prohibit connection to non-domain networks when connected to domain authenticated network
oval:com.mcafee.oval:def:1412967	Windows Components: Turn off the Store application
oval:com.mcafee.oval:def:1412221	Patch for AIX OpenSSH advisory6
oval:com.mcafee.oval:def:2261668	Patches for CESA-2015-1981 for CentOS 7
oval:com.mcafee.oval:def:2288825	Patches for ELSA-2015-1981 for Oracle Linux 7
oval:com.mcafee.oval:def:2531279	Patches for ELSA-2016-0007 for Oracle Linux 7
oval:com.mcafee.oval:def:2504051	Patches for CESA-2016-0007 for CentOS 7
oval:com.mcafee.oval:def:1415823	Locale Services: Disallow copying of user input methods to the system account for sign-in
oval:com.mcafee.oval:def:2486288	OneDrive: Prevent the usage of OneDrive for file storage
oval:com.mcafee.oval:def:2486343	Windows PowerShell: Turn on PowerShell Transcription
oval:com.mcafee.oval:def:2486296	Session Time Limits: Set a time limit for disconnected sessions
oval:com.mcafee.oval:def:1415853	Time Providers: Enable Windows NTP Server
oval:com.mcafee.oval:def:2486318	Software Protection Platform: Turn off KMS Client Online AVS Validation
oval:com.mcafee.oval:def:1415839	Time Providers: Enable Windows NTP Client
oval:com.mcafee.oval:def:2486335	Windows PowerShell: Turn on PowerShell Script Block Logging
oval:com.mcafee.oval:def:2486368	Network Sharing: Prevent users from sharing files within their profile
oval:com.mcafee.oval:def:2486359	Internet Communication settings: Turn off Help Experience Improvement Program
oval:com.mcafee.oval:def:2486326	MAPS: Join Microsoft MAPS

Oval ID	Title
oval:com.mcafee.oval:def:2699666	Patches for CESA-2016-0370 for CentOS 7
oval:com.mcafee.oval:def:2710065	Patches for ELSA-2016-0370 for Oracle Linux 7
oval:com.mcafee.oval:def:2485760	MS16-054 - Security Update for Microsoft Office Word 2016 (KB3115094)
oval:com.mcafee.oval:def:2485783	MS16-054 - Security Update for Microsoft Office Web Apps 2010 SP2 (KB3115124)
oval:com.mcafee.oval:def:2485780	MS16-054 - Security Update for Microsoft Office Sharepoint Server 2010 SP2 Word Automation Services (KB3115117)
oval:com.mcafee.oval:def:2485774	MS16-054 - Security Update for Microsoft Office 2010 SP2 (KB3054984)
oval:com.mcafee.oval:def:2485796	MS16-054 - Security Update for Microsoft Office Word 2013 SP1 (KB3115025)
oval:com.mcafee.oval:def:2485763	MS16-054 -Security Update for Microsoft Office 2007 Service Pack 3 (KB2984938)
oval:com.mcafee.oval:def:2485766	MS16-054 -Security Update for Microsoft Office 2007 Service Pack 3 (KB2984943)
oval:com.mcafee.oval:def:2485836	MS16-054 - Security Update for Microsoft Office 2013 SP1 (KB3115016)
oval:com.mcafee.oval:def:2485756	MS16-054 - Security Update for Microsoft Office 2016 (KB3115103)
oval:com.mcafee.oval:def:2485818	MS16-054 - Security Update for Microsoft Office Word 2007 SP3 (KB3115116)
oval:com.mcafee.oval:def:2485789	MS16-054 - Security Update for Microsoft Office Word Viewer 2003 (KB3115132)
oval:com.mcafee.oval:def:2485792	MS16-054 - Security Update for Microsoft Office Word 2010 SP2 (KB3115123)
oval:com.mcafee.oval:def:2485845	MS16-054 - Security Update for Microsoft Office Compatibility Pack SP3 (KB3115115)
oval:com.mcafee.oval.gen:def:358623	MS16-067 Security Update for Windows Server 2012 R2 (KB3155784)
oval:com.mcafee.oval.gen:def:358624	MS16-067 Security Update for Windows 8.1 for x64-based Systems (KB3155784)
oval:com.mcafee.oval.gen:def:358625	MS16-067 Security Update for Windows Server 2012 (KB3155784)
oval:com.mcafee.oval.gen:def:358626	MS16-067 Security Update for Windows 8.1 (KB3155784)
oval:com.mcafee.oval.gen:def:358630	MS16-065 Security Update for Microsoft .NET Framework 4.5.2 on Windows 8.1 and Windows Server 2012 R2 for x64 (KB3142030)
oval:com.mcafee.oval.gen:def:358634	MS16-065 Security Update for Microsoft .NET Framework 3.5.1 on Windows 7 and Windows Server 2008 R2 SP1 for x64 (KB3142024)
oval:com.mcafee.oval.gen:def:358638	MS16-065 Security Update for Microsoft .NET Framework 2.0 SP2 on Windows Vista SP2 and Windows Server 2008 SP2 (KB3142023)
oval:com.mcafee.oval.gen:def:358682	MS16-065 Security Update for Microsoft .NET Framework 3.5.1 on Windows 7 SP1 (KB3142024)
oval:com.mcafee.oval.gen:def:358689	MS16-065 Security Update for Microsoft .NET Framework 4.5.2 on Windows Vista, Windows 7, Server 2008 (KB3142033)
oval:com.mcafee.oval.gen:def:358706	MS16-065 Security Update for Microsoft .NET Framework 4.6 and 4.6.1 for Windows Server 2012 for x64 (KB3142035)
oval:com.mcafee.oval.gen:def:358711	MS16-065 Security Update for Microsoft .NET Framework 4.5.2 on Windows 7, Vista, Server 2008, and Server 2008 R2 for x64 (KB3142033)
oval:com.mcafee.oval.gen:def:358712	MS16-065 Security Update for Microsoft .NET Framework 4.6 on Windows 7, Windows Vista, Server 2008, Server 2008 R2 for x64 (KB3142037)
oval:com.mcafee.oval.gen:def:358716	MS16-065 Security Update for Microsoft .NET Framework 4.5.2 on Windows Server 2012 for x64 (KB3142032)

Oval ID	Title
oval:com.mcafee.oval.gen:def:358720	MS16-065 Security Update for Microsoft .NET Framework 3.5 on Windows 8.1 (KB3142026)
oval:com.mcafee.oval.gen:def:358724	MS16-065 Security Update for Microsoft .NET Framework 4.6 and 4.6.1 for Windows 8.1 (KB3142036)
oval:com.mcafee.oval.gen:def:358728	MS16-065 Security Update for Microsoft .NET Framework 3.5 on Windows Server 2012 for x64 (KB3142025)
oval:com.mcafee.oval.gen:def:358729	MS16-065 Security Update for Microsoft .NET Framework 4.6 on Windows 7, Windows Vista and Windows Server 2008 (KB3142037)
oval:com.mcafee.oval.gen:def:358730	MS16-065 Security Update for Microsoft .NET Framework 3.5 on Windows 8.1 and Windows Server 2012 R2 for x64 (KB3142026)
oval:com.mcafee.oval.gen:def:358731	MS16-065 Security Update for Microsoft .NET Framework 4.6 and 4.6.1 for Windows 8.1 and Server 2012 R2 for x64 (KB3142036)
oval:com.mcafee.oval.gen:def:358732	MS16-065 Security Update for Microsoft .NET Framework 2.0 SP2 on Windows Vista SP2 and Windows Server 2008 SP2 for x64 (KB3142023)
oval:com.mcafee.oval.gen:def:358733	MS16-065 Security Update for Microsoft .NET Framework 4.5.2 on Windows 8.1 (KB3142030)
oval:com.mcafee.oval.gen:def:358737	MS16-064 Security Update for Adobe Flash Player for Windows Server 2012 R2 (KB3157993)
oval:com.mcafee.oval.gen:def:358738	MS16-064 Security Update for Adobe Flash Player for Windows 10 Version 1511 (KB3157993)
oval:com.mcafee.oval.gen:def:358739	MS16-064 Security Update for Adobe Flash Player for Windows 10 (KB3157993)
oval:com.mcafee.oval.gen:def:358740	MS16-064 Security Update for Adobe Flash Player for Windows 10 Version 1511 for x64-based Systems (KB3157993)
oval:com.mcafee.oval.gen:def:358741	MS16-064 Security Update for Adobe Flash Player for Windows 8.1 (KB3157993)
oval:com.mcafee.oval.gen:def:358742	MS16-064 Security Update for Adobe Flash Player for Windows 10 for x64-based Systems (KB3157993)
oval:com.mcafee.oval.gen:def:358743	MS16-064 Security Update for Adobe Flash Player for Windows 8.1 for x64-based Systems (KB3157993)
oval:com.mcafee.oval.gen:def:358744	MS16-064 Security Update for Adobe Flash Player for Windows Server 2012 (KB3157993)
oval:com.mcafee.oval.gen:def:358749	MS16-062 Security Update for Windows Server 2008 x64 Edition (KB3156017)
oval:com.mcafee.oval.gen:def:358754	MS16-062 Security Update for Windows Server 2008 (KB3153199)
oval:com.mcafee.oval.gen:def:358755	MS16-062 Security Update for Windows Server 2008 R2 x64 Edition (KB3156017)
oval:com.mcafee.oval.gen:def:358756	MS16-062 Security Update for Windows Server 2012 (KB3156017)
oval:com.mcafee.oval.gen:def:358757	MS16-062 Security Update for Windows Vista for x64-based Systems (KB3153199)
oval:com.mcafee.oval.gen:def:358758	MS16-062 Security Update for Windows 8.1 for x64-based Systems (KB3153199)
oval:com.mcafee.oval.gen:def:358759	MS16-062 Security Update for Windows 7 for x64-based Systems (KB3156017)
oval:com.mcafee.oval.gen:def:358760	MS16-062 Security Update for Windows Server 2008 x64 Edition (KB3153199)
oval:com.mcafee.oval.gen:def:358761	MS16-062 Security Update for Windows Server 2012 (KB3153199)
oval:com.mcafee.oval.gen:def:358762	MS16-062 Security Update for Windows 7 (KB3156017)

Oval ID	Title
oval:com.mcafee.oval.gen:def:358763	MS16-062 Security Update for Windows Server 2012 R2 (KB3156017)
oval:com.mcafee.oval.gen:def:358765	MS16-062 Security Update for Windows 8.1 for x64-based Systems (KB3156017)
oval:com.mcafee.oval.gen:def:358766	MS16-062 Security Update for Windows 7 (KB3153199)
oval:com.mcafee.oval.gen:def:358767	MS16-062 Security Update for Windows Vista (KB3156017)
oval:com.mcafee.oval.gen:def:358768	MS16-062 Security Update for Windows 8.1 (KB3153199)
oval:com.mcafee.oval.gen:def:358769	MS16-062 Security Update for Windows Server 2008 (KB3156017)
oval:com.mcafee.oval.gen:def:358770	MS16-062 Security Update for Windows Vista for x64-based Systems (KB3156017)
oval:com.mcafee.oval.gen:def:358771	MS16-062 Security Update for Windows Vista (KB3153199)
oval:com.mcafee.oval.gen:def:358772	MS16-062 Security Update for Windows Server 2012 R2 (KB3153199)
oval:com.mcafee.oval.gen:def:358774	MS16-062 Security Update for Windows 8.1 (KB3156017)
oval:com.mcafee.oval.gen:def:358775	MS16-062 Security Update for Windows 7 for x64-based Systems (KB3153199)
oval:com.mcafee.oval.gen:def:358776	MS16-062 Security Update for Windows Server 2008 R2 x64 Edition (KB3153199)
oval:com.mcafee.oval.gen:def:358780	MS16-061 Security Update for Windows Server 2012 R2 (KB3153704)
oval:com.mcafee.oval.gen:def:358781	MS16-061 Security Update for Windows 8.1 (KB3153704)
oval:com.mcafee.oval.gen:def:358782	MS16-061 Security Update for Windows Server 2012 (KB3153704)
oval:com.mcafee.oval.gen:def:358783	MS16-061 Security Update for Windows 8.1 for x64-based Systems (KB3153704)
oval:com.mcafee.oval.gen:def:358787	MS16-060 Security Update for Windows 8.1 (KB3153171)
oval:com.mcafee.oval.gen:def:358788	MS16-060 Security Update for Windows 7 for x64-based Systems (KB3153171)
oval:com.mcafee.oval.gen:def:358789	MS16-060 Security Update for Windows Server 2012 (KB3153171)
oval:com.mcafee.oval.gen:def:358791	MS16-060 Security Update for Windows Server 2008 (KB3153171)
oval:com.mcafee.oval.gen:def:358792	MS16-060 Security Update for Windows Server 2008 R2 x64 Edition (KB3153171)
oval:com.mcafee.oval.gen:def:358793	MS16-060 Security Update for Windows Server 2012 R2 (KB3153171)
oval:com.mcafee.oval.gen:def:358794	MS16-060 Security Update for Windows Server 2008 x64 Edition (KB3153171)
oval:com.mcafee.oval.gen:def:358795	MS16-060 Security Update for Windows 7 (KB3153171)
oval:com.mcafee.oval.gen:def:358796	MS16-060 Security Update for Windows Vista for x64-based Systems (KB3153171)
oval:com.mcafee.oval.gen:def:358797	MS16-060 Security Update for Windows 8.1 for x64-based Systems (KB3153171)
oval:com.mcafee.oval.gen:def:358799	MS16-060 Security Update for Windows Vista (KB3153171)
oval:com.mcafee.oval.gen:def:358803	MS16-059 Security Update for Windows 7 for x64-based Systems (KB3150220)
oval:com.mcafee.oval.gen:def:358804	MS16-059 Security Update for Windows Vista (KB3150220)
oval:com.mcafee.oval.gen:def:358805	MS16-059 Security Update for Windows 7 (KB3150220)
oval:com.mcafee.oval.gen:def:358806	MS16-059 Security Update for Windows Vista for x64-based Systems (KB3150220)
oval:com.mcafee.oval.gen:def:358808	MS16-059 Security Update for Windows 8.1 (KB3150220)

Oval ID	Title
oval:com.mcafee.oval.gen:def:358810	MS16-059 Security Update for Windows 8.1 for x64-based Systems (KB3150220)
oval:com.mcafee.oval.gen:def:358814	MS16-058 Security Update for Windows Vista for x64-based Systems (KB3141083)
oval:com.mcafee.oval.gen:def:358815	MS16-058 Security Update for Windows Server 2008 x64 Edition (KB3141083)
oval:com.mcafee.oval.gen:def:358816	MS16-058 Security Update for Windows Server 2008 (KB3141083)
oval:com.mcafee.oval.gen:def:358817	MS16-058 Security Update for Windows Vista (KB3141083)
oval:com.mcafee.oval.gen:def:358821	MS16-057 Security Update for Windows Server 2012 R2 (KB3156059)
oval:com.mcafee.oval.gen:def:358822	MS16-057 Security Update for Windows 8.1 for x64-based Systems (KB3156059)
oval:com.mcafee.oval.gen:def:358823	MS16-057 Security Update for Windows 8.1 (KB3156059)
oval:com.mcafee.oval.gen:def:358829	MS16-056 Security Update for Windows Vista (KB3155178)
oval:com.mcafee.oval.gen:def:358830	MS16-056 Security Update for Windows Vista for x64-based Systems (KB3155178)
oval:com.mcafee.oval.gen:def:358831	MS16-056 Security Update for Windows 8.1 (KB3155178)
oval:com.mcafee.oval.gen:def:358832	MS16-056 Security Update for Windows 7 for x64-based Systems (KB3155178)
oval:com.mcafee.oval.gen:def:358833	MS16-056 Security Update for Windows 8.1 for x64-based Systems (KB3155178)
oval:com.mcafee.oval.gen:def:358834	MS16-056 Security Update for Windows 7 (KB3155178)
oval:com.mcafee.oval.gen:def:358838	MS16-055 Security Update for Windows Server 2008 R2 x64 Edition (KB3156019)
oval:com.mcafee.oval.gen:def:358842	MS16-055 Security Update for Windows Vista (KB3156016)
oval:com.mcafee.oval.gen:def:358847	MS16-055 Security Update for Windows 8.1 (KB3156013)
oval:com.mcafee.oval.gen:def:358848	MS16-055 Security Update for Windows 7 (KB3156019)
oval:com.mcafee.oval.gen:def:358849	MS16-055 Security Update for Windows 8.1 (KB3156016)
oval:com.mcafee.oval.gen:def:358850	MS16-055 Security Update for Windows Server 2008 (KB3156016)
oval:com.mcafee.oval.gen:def:358851	MS16-055 Security Update for Windows 8.1 for x64-based Systems (KB3156019)
oval:com.mcafee.oval.gen:def:358852	MS16-055 Security Update for Windows Server 2008 (KB3156019)
oval:com.mcafee.oval.gen:def:358853	MS16-055 Security Update for Windows Vista for x64-based Systems (KB3156016)
oval:com.mcafee.oval.gen:def:358854	MS16-055 Security Update for Windows Server 2012 R2 (KB3156016)
oval:com.mcafee.oval.gen:def:358855	MS16-055 Security Update for Windows Server 2012 (KB3156013)
oval:com.mcafee.oval.gen:def:358856	MS16-055 Security Update for Windows Server 2008 R2 x64 Edition (KB3156013)
oval:com.mcafee.oval.gen:def:358858	MS16-055 Security Update for Windows Vista (KB3156019)
oval:com.mcafee.oval.gen:def:358859	MS16-055 Security Update for Windows Server 2012 (KB3156016)
oval:com.mcafee.oval.gen:def:358860	MS16-055 Security Update for Windows Server 2008 x64 Edition (KB3156016)
oval:com.mcafee.oval.gen:def:358861	MS16-055 Security Update for Windows Server 2008 (KB3156013)
oval:com.mcafee.oval.gen:def:358862	MS16-055 Security Update for Windows 7 (KB3156013)
oval:com.mcafee.oval.gen:def:358864	MS16-055 Security Update for Windows 8.1 for x64-based Systems (KB3156016)

Oval ID	Title
oval:com.mcafee.oval.gen:def:358865	MS16-055 Security Update for Windows Server 2012 R2 (KB3156013)
oval:com.mcafee.oval.gen:def:358866	MS16-055 Security Update for Windows Server 2008 x64 Edition (KB3156019)
oval:com.mcafee.oval.gen:def:358867	MS16-055 Security Update for Windows Vista for x64-based Systems (KB3156019)
oval:com.mcafee.oval.gen:def:358868	MS16-055 Security Update for Windows Vista for x64-based Systems (KB3156013)
oval:com.mcafee.oval.gen:def:358869	MS16-055 Security Update for Windows 7 for x64-based Systems (KB3156013)
oval:com.mcafee.oval.gen:def:358871	MS16-055 Security Update for Windows 8.1 (KB3156019)
oval:com.mcafee.oval.gen:def:358872	MS16-055 Security Update for Windows Server 2012 (KB3156019)
oval:com.mcafee.oval.gen:def:358873	MS16-055 Security Update for Windows Server 2008 x64 Edition (KB3156013)
oval:com.mcafee.oval.gen:def:358874	MS16-055 Security Update for Windows 8.1 for x64-based Systems (KB3156013)
oval:com.mcafee.oval.gen:def:358876	MS16-055 Security Update for Windows 7 (KB3156016)
oval:com.mcafee.oval.gen:def:358877	MS16-055 Security Update for Windows 7 for x64-based Systems (KB3156019)
oval:com.mcafee.oval.gen:def:358878	MS16-055 Security Update for Windows Server 2012 R2 (KB3156019)
oval:com.mcafee.oval.gen:def:358880	MS16-055 Security Update for Windows Vista (KB3156013)
oval:com.mcafee.oval.gen:def:358881	MS16-055 Security Update for Windows Server 2008 R2 x64 Edition (KB3156016)
oval:com.mcafee.oval.gen:def:358882	MS16-055 Security Update for Windows 7 for x64-based Systems (KB3156016)
oval:com.mcafee.oval.gen:def:358886	MS16-053 Security Update for Windows Server 2008 (KB3158991)
oval:com.mcafee.oval.gen:def:358887	MS16-053 Security Update for Windows Vista (KB3158991)
oval:com.mcafee.oval.gen:def:358888	MS16-053 Security Update for Windows Vista for x64-based Systems (KB3158991)
oval:com.mcafee.oval.gen:def:358889	MS16-053 Security Update for Windows Server 2008 x64 Edition (KB3158991)
oval:com.mcafee.oval.gen:def:358894	MS16-051 Cumulative Security Update for Internet Explorer 11 for Windows 7 (KB3154070)
oval:com.mcafee.oval.gen:def:358896	MS16-051 Cumulative Security Update for Internet Explorer 9 for Windows Vista (KB3154070)
oval:com.mcafee.oval.gen:def:358897	MS16-051 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 x64 Edition (KB3154070)
oval:com.mcafee.oval.gen:def:358898	MS16-051 Cumulative Security Update for Internet Explorer 11 for Windows 8.1 (KB3154070)
oval:com.mcafee.oval.gen:def:358902	MS16-051 Cumulative Update for Windows 10 Version 1511 (KB3156421)
oval:com.mcafee.oval.gen:def:358903	MS16-051 Cumulative Security Update for Internet Explorer 11 for Windows Server 2008 R2 for x64-based Systems (KB3154070)
oval:com.mcafee.oval.gen:def:358904	MS16-051 Cumulative Security Update for Internet Explorer 9 for Windows Vista for x64-based Systems (KB3154070)
oval:com.mcafee.oval.gen:def:358905	MS16-051 Cumulative Security Update for Internet Explorer 11 for Windows Server 2012 R2 (KB3154070)
oval:com.mcafee.oval.gen:def:358906	MS16-051 Cumulative Security Update for Internet Explorer 10 for Windows Server 2012 (KB3154070)

Oval ID	Title
oval:com.mcafee.oval.gen:def:358907	MS16-051 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 (KB3154070)
oval:com.mcafee.oval.gen:def:358908	MS16-051 Cumulative Security Update for Internet Explorer 11 for Windows 7 for x64-based Systems (KB3154070)
oval:com.mcafee.oval.gen:def:358912	MS16-051 Cumulative Update for Windows 10 for x64-based Systems (KB3156387)
oval:com.mcafee.oval.gen:def:358913	MS16-051 Cumulative Update for Windows 10 Version 1511 for x64-based Systems (KB3156421)
oval:com.mcafee.oval.gen:def:358914	MS16-051 Cumulative Security Update for Internet Explorer 11 for Windows 8.1 for x64-based Systems (KB3154070)
oval:com.mcafee.oval.gen:def:358915	MS16-051 Cumulative Update for Windows 10 (KB3156387)

New Benchmarks

Benchmark ID	Title
AIX7.1CISBenchmark	AIX 7.1 CIS Benchmark

Updated Benchmarks

Benchmark ID	Title
SusePatchPolicy	Suse Patch Policy
HpuxPatchPolicyBenchmark	HPUX Patch Policy Benchmark
Windows_Server_2012_R2_CIS_Benchmark	Windows Server 2012 R2 CIS Benchmark
WindowsServer2008-800-53	Windows Server 2008 - NIST 800-53 Benchmark
Solaris11PatchPolicy	Oracle Solaris 11 Patch Policy
AppleMacOSXPatchPolicy	Apple Mac OSX Patch Policy
AIXPatchPolicy	AIX Patch Policy
CentOSPatchPolicy	CentOS Patch Policy
OracleLinuxPatchPolicy	Oracle Linux Patch Policy
DebianPatchPolicy	Debian Patch Policy
DebianPatchPolicy	Debian Patch Policy
RedhatPatchPolicy	Redhat and CentOS Patch Policy

McAfee Technical Support

PrimeSupport ServicePortal:

<https://support.mcafee.com>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright © 2016 McAfee, LLC www.mcafee.com

McAfee and the McAfee logo, McAfee Active Protection, ePolicy Orchestrator, McAfee ePO, Foundstone, McAfee LiveSafe, McAfee QuickClean, McAfee SECURE, SecureOS, McAfee Shredder, SiteAdvisor, McAfee Stinger, TrustedSource, VirusScan are trademarks of McAfee LLC or its subsidiaries in the US and other countries. Other marks and brands may be claimed as the property of others.