

McAfee Policy Auditor Content Update Summary

Product / Version	Content Version
McAfee Policy Auditor 6.x	1192

New Checks

Oval ID	Title
oval:com.mcafee.oval.auto:def:321183	Patches for CESA-2016-1237 for CentOS 6
oval:com.mcafee.oval.auto:def:321191	Patches for CESA-2016-1237 for CentOS 7
oval:com.mcafee.oval.auto:def:321202	Patches for CESA-2016-1267 for CentOS 6
oval:com.mcafee.oval.auto:def:321205	Patches for CESA-2016-1217 for CentOS 6
oval:com.mcafee.oval.auto:def:321208	Patches for CESA-2016-1217 for CentOS 7
oval:com.mcafee.oval.auto:def:321211	Patches for CESA-2016-1217 for CentOS 5
oval:com.mcafee.oval.auto:def:325828	Patches for DSA-3606-1 for Debian 8
oval:com.mcafee.oval.auto:def:327537	Patches for CESA-2016-1277 for CentOS 7
oval:com.mcafee.oval.auto:def:327563	Patches for CESA-2016-1296 for CentOS 7
oval:com.mcafee.oval.auto:def:327569	Patches for CESA-2016-1293 for CentOS 7
oval:com.mcafee.oval.auto:def:327579	Patches for CESA-2016-1292 for CentOS 6
oval:com.mcafee.oval.auto:def:327585	Patches for CESA-2016-1292 for CentOS 7
oval:com.mcafee.oval.auto:def:327591	Patches for DSA-3611-1 for Debian 8
oval:com.mcafee.oval.auto:def:327597	Patches for DSA-3610-1 for Debian 8
oval:com.mcafee.oval.auto:def:327617	Patches for DSA-3609-1 for Debian 8
oval:com.mcafee.oval.auto:def:327631	Patches for DSA-3612-1 for Debian 8
oval:com.mcafee.oval.auto:def:328496	Patches for DSA-3615-1 for Debian 8
oval:com.mcafee.oval.auto:def:328507	Patches for DSA-3614-1 for Debian 8
oval:com.mcafee.oval.auto:def:328522	Patches for DSA-3613-1 for Debian 8
oval:com.mcafee.oval.auto:def:328530	Patches for DSA-3617-1 for Debian 8
oval:com.mcafee.oval.auto:def:328542	Patches for CESA-2016-1406 for CentOS 6
oval:com.mcafee.oval.auto:def:328545	Patches for CESA-2016-1392 for CentOS 6
oval:com.mcafee.oval.auto:def:328548	Patches for CESA-2016-1392 for CentOS 7
oval:com.mcafee.oval.auto:def:328551	Patches for CESA-2016-1392 for CentOS 5
oval:com.mcafee.oval.auto:def:328562	Patches for DSA-3620-1 for Debian 8

Oval ID	Title
oval:com.mcafee.oval.auto:def:328570	Patches for DSA-3619-1 for Debian 8
oval:com.mcafee.oval.auto:def:328606	Patches for DSA-3618-1 for Debian 8
oval:com.mcafee.oval.auto:def:328617	Patches for ELSA-2016-1267 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:328625	Patches for ELSA-2016-1237 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:328633	Patches for ELSA-2016-1237 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:328636	Patches for ELSA-2016-1392 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:328639	Patches for ELSA-2016-1392 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:328651	Patches for ELSA-2016-1406 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:328661	Patches for ELSA-2016-1292 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:328667	Patches for ELSA-2016-1292 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:328693	Patches for ELSA-2016-1296 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:328709	Patches for ELSA-2016-3579 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:328723	Patches for ELSA-2016-1277 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:328729	Patches for ELSA-2016-1293 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:328733	Patches for DSA-3621-1 for Debian 8
oval:com.mcafee.oval.auto:def:328741	Patches for DSA-3622-1 for Debian 8
oval:com.mcafee.oval.auto:def:328767	Patches for DSA-3623-1 for Debian 8
oval:com.mcafee.oval.auto:def:328785	Patches for CESA-2016-1422 for CentOS 7
oval:com.mcafee.oval.auto:def:328792	Patches for CESA-2016-1421 for CentOS 6
oval:com.mcafee.oval.auto:def:328798	Patches for CESA-2016-1421 for CentOS 5
oval:com.mcafee.oval.auto:def:329155	Patches for DSA-3608-1 for Debian 8
oval:com.mcafee.oval.auto:def:329173	Patches for ELSA-2016-1422 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:329180	Patches for ELSA-2016-1421 for Oracle Linux 6
oval:com.mcafee.oval.common:def:2486178	Java Runtime Environment Security Update 8 update 101 for Windows is installed or not
oval:com.mcafee.oval.common:def:2486179	Java Runtime Environment Security Update 7 update 111 for Windows is installed or not
oval:com.mcafee.oval.common:def:2486180	Java Development Kit Security Update 7 update 111 for Windows is installed or not
oval:com.mcafee.oval.common:def:2486181	Java Development Kit Security Update 8 update 101 for Windows is installed or not
oval:com.mcafee.oval.common:def:2486188	Apple iTunes Security Update 12.4.2 for Windows
oval:com.mcafee.oval:def:1412385	Patches for DSA-3616-1 for Debian 8
oval:com.mcafee.oval:def:1412386	Patches for DSA-3607-1 for Debian 8
oval:com.mcafee.oval:def:1412390	Patch for AIX OpenSSL advisory20
oval:com.mcafee.oval:def:1412391	Apple Mac OSX 10.11.5 - 10.11.6 Update
oval:com.mcafee.oval:def:1412392	Apple Mac OSX 10.9/ 10.10 - Security Update 2016-004

Oval ID	Title
oval:com.mcafee.oval:def:2486178	Java Runtime Environment Security Update 8 update 101 for Windows is installed or not
oval:com.mcafee.oval:def:2486179	Java Runtime Environment Security Update 7 update 111 for Windows is installed or not
oval:com.mcafee.oval:def:2486180	Java Development Kit Security Update 7 update 111 for Windows is installed or not
oval:com.mcafee.oval:def:2486181	Java Development Kit Security Update 8 update 101 for Windows is installed or not
oval:com.mcafee.oval:def:2486188	Apple iTunes Security Update 12.4.2 for Windows
oval:com.mcafee.oval:def:2486191	Apple Safari Security Update 9.1.2 for Mac OS X
oval:com.mcafee.oval:def:2487894	Oracle Solaris 10 - 150400-38, kernel patch
oval:com.mcafee.oval:def:2487895	Use Only Approved Cipher in Counter Mode

Updated Checks

Oval ID	Title
oval:com.mcafee.oval:def:8145	Service - xinetd - running state
oval:com.mcafee.oval:def:8119	Service - vsftpd - running state
oval:com.mcafee.oval:def:8079	Service - squid - running state
oval:com.mcafee.oval:def:8066	Service - smb - running state
oval:com.mcafee.oval:def:7203	Password policy, Minimum password age - PASS_MIN_DAYS
oval:com.mcafee.oval:def:7199	Password policy, Maximum password age - PASS_MAX_DAYS
oval:com.mcafee.oval:def:7026	Limit root login to the local console.
oval:com.mcafee.oval:def:6946	Test the permissions of the file - /etc/shadow
oval:com.mcafee.oval:def:6922	Test the permissions of the file - /etc/passwd
oval:com.mcafee.oval:def:6910	Test the permissions of the file - /etc/gshadow
oval:com.mcafee.oval:def:6898	Test the permissions of the file- /etc/group
oval:com.mcafee.oval:def:6894	Test the permissions of the file - /etc/crontab
oval:com.mcafee.oval:def:6890	Test the permissions of the directory - /etc/cron.weekly
oval:com.mcafee.oval:def:6886	Test the permissions of the directory - /etc/cron.monthly
oval:com.mcafee.oval:def:6882	Test the permissions of the directory - /etc/cron.hourly
oval:com.mcafee.oval:def:6878	Test the permissions of the directory - /etc/cron.daily
oval:com.mcafee.oval:def:6874	Test the permissions of the directory - /etc/cron.d
oval:com.mcafee.oval:def:7833	Service - dovecot - running state
oval:com.mcafee.oval:def:7820	Service - dhcpcd - running state
oval:com.mcafee.oval:def:7807	Service - cups - running state
oval:com.mcafee.oval:def:7768	Service - avahi-daemon - running state
oval:com.mcafee.oval:def:7755	Service - autofs - running state

Oval ID	Title
oval:com.mcafee.oval:def:7742	Service - auditd - running state
oval:com.mcafee.oval:def:6835	Root is the only account with uid zero.
oval:com.mcafee.oval:def:6801	Set Password Creation Requirement Parameters Using pam_cracklib - ocredit
oval:com.mcafee.oval:def:7276	Test the group owner of the file - /etc/cron.allow
oval:com.mcafee.oval:def:7245	Test the group owner of the file - /etc/at.allow
oval:com.mcafee.oval:def:8857	xinetd based service - time - running state
oval:com.mcafee.oval:def:8896	xinetd based service - time-udp - running state
oval:com.mcafee.oval:def:8872	xinetd based service - tftp - running state
oval:com.mcafee.oval:def:2487845	Ensure gpgcheck is globally activated in files under /etc/yum.repos.d directory
oval:com.mcafee.oval:def:8893	xinetd based service - telnet - running state
oval:com.mcafee.oval:def:8855	xinetd based service - talk - running state
oval:com.mcafee.oval:def:8866	xinetd based service - rsh - running state
oval:com.mcafee.oval:def:8892	xinetd based service - rlogin - running state
oval:com.mcafee.oval:def:2487852	Set Password Creation Requirement Parameters Using pam_pwquality - retry in /etc/pam.d/password-auth file
oval:com.mcafee.oval:def:8870	xinetd based service - rexec - running state
oval:com.mcafee.oval:def:1412380	Configure the loopback interface traffic - INPUT
oval:com.mcafee.oval:def:8853	xinetd based service - echo - running state
oval:com.mcafee.oval:def:8873	xinetd based service - echo-udp - running state
oval:com.mcafee.oval:def:8865	xinetd based service - daytime - running state
oval:com.mcafee.oval:def:8875	xinetd based service - daytime-udp - running state
oval:com.mcafee.oval:def:8856	xinetd based service - chargen - running state
oval:com.mcafee.oval:def:8874	xinetd based service - chargen-udp - running state
oval:com.mcafee.oval:def:200803100004	Test if the system login banner text is set correctly - /etc/issue
oval:com.mcafee.oval:def:200803070538	Password policy, Password warning age - PASS_WARN_AGE
oval:com.mcafee.oval:def:200802250160	Test the owner of the file - /etc/shadow
oval:com.mcafee.oval:def:200802290140	Test the group owner of the file - /etc/shadow
oval:com.mcafee.oval:def:200802250144	Test the owner of the file - /etc/passwd
oval:com.mcafee.oval:def:200802290144	Test the group owner of the file - /etc/passwd
oval:com.mcafee.oval:def:200802250140	Test the owner of the file - /etc/gshadow
oval:com.mcafee.oval:def:200802290148	Test the group owner of the file - /etc/gshadow
oval:com.mcafee.oval:def:200802250132	Test the owner of the file - /etc/group
oval:com.mcafee.oval:def:200802290128	Test the group owner of the file - /etc/group
oval:com.mcafee.oval:def:200802250128	Test the owner of the file - /etc/crontab

Oval ID	Title
oval:com.mcafee.oval:def:200802290132	Test the group owner of the file - /etc/crontab
oval:com.mcafee.oval:def:200802250124	Test the owner of the directory - /etc/cron.weekly
oval:com.mcafee.oval:def:200802290112	Test the group owner of the directory - /etc/cron.weekly
oval:com.mcafee.oval:def:200802250120	Test the owner of the directory - /etc/cron.monthly
oval:com.mcafee.oval:def:200802290116	Test the group owner of the directory - /etc/cron.monthly
oval:com.mcafee.oval:def:200802250116	Test the owner of the directory - /etc/cron.hourly
oval:com.mcafee.oval:def:78712	Test the permissions of the file - /etc/issue
oval:com.mcafee.oval:def:200802290120	Test the group owner of the directory - /etc/cron.hourly
oval:com.mcafee.oval:def:200802250112	Test the owner of directory - /etc/cron.daily
oval:com.mcafee.oval:def:200802290100	Test the group owner of directory - /etc/cron.daily
oval:com.mcafee.oval:def:200802250108	Test the owner of the directory - /etc/cron.d
oval:com.mcafee.oval:def:8665	Test the enable or disable status for - SSH X11 forwarding
oval:com.mcafee.oval:def:8666	Test the enable / disable status for - SSH integration with .rhosts
oval:com.mcafee.oval:def:200803050006	Test the enable / disable status for - SSH host-based authentication
oval:com.mcafee.oval:def:200803030150	Service - snmpd - running state
oval:com.mcafee.oval:def:200803050011	Test the enable / disable status for - Root login via SSH
oval:com.mcafee.oval:def:50016	Service - NIS Server Processes - running state
oval:com.mcafee.oval:def:50014	Service - NFS Server processes - running state
oval:com.mcafee.oval:def:200803030128	Service - named - running state
oval:com.mcafee.oval:def:50114	Limit access to the root account from su
oval:com.mcafee.oval:def:200803030096	Service - httpd - running state
oval:com.mcafee.oval:def:200803050164	Service - crond - running state
oval:com.mcafee.oval:def:78877	Test the owner of the file - /etc/motd
oval:com.mcafee.oval:def:50671	Test if the Access control files contain a plus sign - /etc/shadow
oval:com.mcafee.oval:def:50674	Test if the Access control files contain a plus sign - /etc/passwd
oval:com.mcafee.oval:def:50676	Test if the Access control files contain a plus sign - /etc/group
oval:com.mcafee.oval:def:34947	httpd-devel patch for Redhat EL5
oval:com.mcafee.oval:def:34951	httpd-manual patch for Redhat EL5
oval:com.mcafee.oval:def:34954	httpd patch for Redhat EL5
oval:com.mcafee.oval:def:34957	mod_ssl patch for Redhat EL5
oval:com.mcafee.oval:def:51110	Set Password Creation Requirement Parameters Using pam_cracklib - ucredit
oval:com.mcafee.oval:def:54325	Set Password Creation Requirement Parameters Using pam_cracklib - dcredit
oval:com.mcafee.oval:def:54360	Password history should be set to an appropriate value
oval:com.mcafee.oval:def:244697	Set Lockout for Failed Password Attempts - pam_faillock

Oval ID	Title
oval:com.mcafee.oval:def:78873	Test the owner of the file - /etc/issue
oval:com.mcafee.oval:def:78697	Test the permissions of the file - /etc/at.allow
oval:com.mcafee.oval:def:78708	Test the permissions of the file - /etc/hosts.allow
oval:com.mcafee.oval:def:77441	Service - rpcbind - running state
oval:com.mcafee.oval:def:78787	Test the group owner of the file - /etc/hosts.deny
oval:com.mcafee.oval:def:78813	Test the group owner of the file - /etc/ssh/sshd_config
oval:com.mcafee.oval:def:78791	Test the group owner of the file - /etc/issue
oval:com.mcafee.oval:def:78733	Test the permissions of the file - /etc/ssh/sshd_config
oval:com.mcafee.oval:def:78795	Test the group owner of the file - /etc/motd
oval:com.mcafee.oval:def:78870	Test the owner of the file - /etc/hosts.deny
oval:com.mcafee.oval:def:78859	Test the owner of the file - /etc/at.allow
oval:com.mcafee.oval:def:78869	Test the owner of the file - /etc/hosts.allow
oval:com.mcafee.oval:def:78792	Test the group owner of the file - /etc/issue.net
oval:com.mcafee.oval:def:78861	Test the owner of the file - /etc/cron.allow
oval:com.mcafee.oval:def:78874	Test the owner of the file - /etc/issue.net
oval:com.mcafee.oval:def:97902	Test the enable / disable status for - SSH Permit Empty Passwords
oval:com.mcafee.oval:def:78713	Test the permissions of the file - /etc/issue.net
oval:com.mcafee.oval:def:78699	Test the permissions of the file - /etc/cron.allow
oval:com.mcafee.oval:def:76371	xinetd based service - rsync - running state
oval:com.mcafee.oval:def:2487840	Set default umask for users - all the files in /etc/profile file
oval:com.mcafee.oval:def:78707	Test the permissions of the file - /etc/hosts.deny
oval:com.mcafee.oval:def:78840	Test the group owner of the directory - /etc/cron.d
oval:com.mcafee.oval:def:78786	Test the group owner of the file - /etc/hosts.allow
oval:com.mcafee.oval:def:78890	Test the owner of the file - /etc/ssh/sshd_config
oval:com.mcafee.oval:def:78716	Test the permissions of the file - /etc/motd
oval:com.mcafee.oval:def:2487794	Test the status of - SSH LoginGraceTime
oval:com.mcafee.oval:def:218751	Oracle Solaris 10 - 140159-03, rsh/rlogin/rcp/rdist patch
oval:com.mcafee.oval:def:218778	Oracle Solaris 10 - 119315-21, Solaris Management Applications Patch
oval:com.mcafee.oval.gen:def:291278	thunderbird patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291281	thunderbird-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291302	kernel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291305	kernel-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291308	kernel-debug-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291312	kernel-debug-devel patch for Redhat EL6

Oval ID	Title
oval:com.mcafee.oval.gen:def:291315	kernel-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291319	kernel-debuginfo-common-i686 patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291323	kernel-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291326	kernel-doc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291329	kernel-firmware patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291333	kernel-headers patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291336	perf patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292658	perf-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293496	httpd patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293499	httpd-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293503	httpd-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293506	httpd-manual patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293509	httpd-tools patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293513	mod_ssl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303860	kernel-debuginfo-common-x86_64 patch for Redhat EL6
oval:com.mcafee.oval:def:228731	Oracle Solaris 10 - 144891-02, libss.so.1 patch
oval:com.mcafee.oval:def:231137	Test If file exists - /etc/hosts.allow
oval:com.mcafee.oval:def:230327	Test the enable / disable status for - SSH Banner
oval:com.mcafee.oval:def:230333	Test the configuration status for - SSH Protocol
oval:com.mcafee.oval:def:230890	Test the group owner of the account - root
oval:com.mcafee.oval:def:231138	Test If file exists - /etc/hosts.deny
oval:com.mcafee.oval:def:402535	Oracle Solaris 10 - 150400-03, Kernel patch
oval:com.mcafee.oval.gen:def:298780	python-perf patch for Redhat EL6
oval:com.mcafee.oval.gen:def:299164	python-perf-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:234516	Test the permissions of the files - /var/log/*
oval:com.mcafee.oval:def:234553	Oracle Solaris 10 - 147715-04, krb5 patch
oval:com.mcafee.oval:def:233707	Oracle Solaris 10 - 147715-02, krb5 patch
oval:com.mcafee.oval:def:236469	All GIDs referenced in the /etc/passwd file must be defined in the /etc/group file.
oval:com.mcafee.oval:def:238498	No accounts with empty password fields
oval:com.mcafee.oval:def:238335	Test if the file - /etc/at.allow exists
oval:com.mcafee.oval:def:238336	Test if the file - /etc/cron.allow exists
oval:com.mcafee.oval:def:239206	Test the existence of the file - /etc/at.deny
oval:com.mcafee.oval:def:238333	Set default umask for users in - /etc/profile
oval:com.mcafee.oval:def:239207	Test the existence of the file - /etc/cron.deny

Oval ID	Title
oval:com.mcafee.oval:def:241573	Ensure that RC4 64/128 cipher is disabled
oval:com.mcafee.oval:def:242098	Ensure that TLS 1.1 Encryption Protocol is Enabled
oval:com.mcafee.oval:def:242086	Ensure that Triple DES 168/168 cipher is enabled
oval:com.mcafee.oval:def:241527	Require SSL in Forms Authentication
oval:com.mcafee.oval:def:241549	Ensure that DES 56/56 cipher is disabled
oval:com.mcafee.oval:def:242395	Disallow Unlisted File Extensions
oval:com.mcafee.oval:def:242090	Ensure that AES 256/256 cipher is enabled
oval:com.mcafee.oval:def:242714	Ensure Double-Encoded Requests will be Rejected
oval:com.mcafee.oval:def:241553	Ensure that NULL cipher is disabled
oval:com.mcafee.oval:def:242299	Set Deployment Method to Retail
oval:com.mcafee.oval:def:241569	Ensure that RC4 56/128 cipher is disabled
oval:com.mcafee.oval:def:242646	Configure MachineKey Validation Method
oval:com.mcafee.oval:def:241534	Configure Forms Authentication to Use Cookies
oval:com.mcafee.oval:def:241545	Configure Anonymous User Identity to Use Application Pool Identity
oval:com.mcafee.oval:def:242654	Hide Custom Errors from Displaying Remotely
oval:com.mcafee.oval:def:241557	Ensure that RC2 40/128 cipher is disabled
oval:com.mcafee.oval:def:242106	Ensure that PCT 1.0 Encryption Protocol is Disabled
oval:com.mcafee.oval:def:241565	Ensure that RC4 40/128 cipher is disabled
oval:com.mcafee.oval:def:242361	Ensure Double-Encoded Requests will be Rejected
oval:com.mcafee.oval:def:242709	Disable Directory Browsing
oval:com.mcafee.oval:def:242715	Disallow Unlisted File Extensions
oval:com.mcafee.oval:def:242322	Configure Global .NET Trust Level
oval:com.mcafee.oval:def:241561	Ensure that RC2 56/128 cipher is disabled
oval:com.mcafee.oval:def:242621	Disable HTTP Trace Method
oval:com.mcafee.oval:def:242101	Ensure that TLS 1.2 Encryption Protocol is Enabled
oval:com.mcafee.oval:def:242720	Hide Custom Errors from Displaying Remotely
oval:com.mcafee.oval:def:242717	Disable HTTP Trace Method
oval:com.mcafee.oval:def:242612	Ensure Configuration Attribute notListedCgisAllowed set to false
oval:com.mcafee.oval:def:240332	Disable Directory Browsing
oval:com.mcafee.oval:def:242107	Ensure that SSL 2.0 Encryption Protocol is Disabled
oval:com.mcafee.oval:def:242094	Ensure that TLS 1.0 Encryption Protocol is Enabled
oval:com.mcafee.oval:def:240339	Set Default Application Pool Identity to Least Privilege Principal
oval:com.mcafee.oval:def:241539	Configure Cookie Protection Mode for Forms Authentication
oval:com.mcafee.oval:def:242603	Ensure Configuration Attribute notListedIsapisAllowed set to false

Oval ID	Title
oval:com.mcafee.oval.gen:def:307454	httpd-debuginfo patch for Redhat EL5
oval:com.mcafee.oval:def:249542	Accept Remote rsyslog Messages Only on Designated Log Hosts
oval:com.mcafee.oval:def:246577	Check That Users Are Assigned Valid Home Directories
oval:com.mcafee.oval:def:249886	Make the Audit Configuration Immutable
oval:com.mcafee.oval:def:249942	Configuration - Set Boot Loader Password
oval:com.mcafee.oval:def:242732	Test the configuration status for - SSH PermitUserEnvironment
oval:com.mcafee.oval:def:242722	Test the status of - SSH LogLevel
oval:com.mcafee.oval:def:249406	Configure rsyslog to Send Logs to a Remote Log Host
oval:com.mcafee.oval:def:244422	Set Password Creation Requirement Parameters Using pam_cracklib - try_first_pass
oval:com.mcafee.oval:def:244340	The specified RPM package should be installed.
oval:com.mcafee.oval:def:249983	Collect Session Initiation Information
oval:com.mcafee.oval:def:249879	Enable Auditing for Processes That Start Prior to auditd
oval:com.mcafee.oval:def:401598	Configure Software Updates - Verify that gpgcheck is Globally Activated
oval:com.mcafee.oval:def:250048	Test the configuration status for - SELinux policy
oval:com.mcafee.oval:def:242756	Remove OS Information from Login Warning Banners - /etc/issue
oval:com.mcafee.oval:def:250013	Configure SELinux - SELinux - enforcing should not be disabled in /boot/grub/grub.conf
oval:com.mcafee.oval:def:249650	Keep All Auditing Information
oval:com.mcafee.oval:def:249385	Test the group owner of the file - /boot/grub/grub.conf
oval:com.mcafee.oval:def:242750	Test if the system login warning banner text is set correctly - /etc/issue.net
oval:com.mcafee.oval:def:249902	Collect Changes to System Administration Scope (sudoers)
oval:com.mcafee.oval:def:242766	Remove OS Information from Login Warning Banners - /etc/issue.net
oval:com.mcafee.oval:def:242747	Test the status of - SSH Access Limit
oval:com.mcafee.oval:def:402020	Test the configuration status for - SELinux state
oval:com.mcafee.oval:def:242727	Test the status of - SSH MaxAuthTries
oval:com.mcafee.oval:def:402023	Advanced Intrusion Detection Environment - Implement Periodic Execution of File Integrity
oval:com.mcafee.oval:def:402022	Configure SELinux - SELinux should not be disabled in /boot/grub/grub.conf
oval:com.mcafee.oval:def:242757	Remove OS Information from Login Warning Banners - /etc/motd
oval:com.mcafee.oval:def:249384	Test the owner of the file - /boot/grub/grub.conf
oval:com.mcafee.oval:def:245566	Disable Avahi Server - Remove zeroconf
oval:com.mcafee.oval:def:249973	Record Events That Modify the System's Mandatory Access Controls
oval:com.mcafee.oval:def:402385	Service - rhnsd - running state
oval:com.mcafee.oval:def:244653	Set Password Creation Requirement Parameters Using pam_cracklib - lcredit

Oval ID	Title
oval:com.mcafee.oval:def:246586	Check for the presence of user .rhosts files
oval:com.mcafee.oval:def:244428	Set Password Creation Requirement Parameters Using pam_cracklib - retry
oval:com.mcafee.oval:def:244412	Set Password Creation Requirement Parameters Using pam_cracklib - minlen
oval:com.mcafee.oval:def:249628	Configure Audit Log Storage Size
oval:com.mcafee.oval:def:242772	Test the configuration status for - duration of inactive user accounts lock
oval:com.mcafee.oval:def:249998	Test the enable / disable status for -PRELINKING
oval:com.mcafee.oval:def:242742	Test the status of - SSH ClientAliveCountMax
oval:com.mcafee.oval:def:246542	Check for the presence of user .netrc files
oval:com.mcafee.oval:def:249338	Service - rsyslog - running state
oval:com.mcafee.oval:def:249386	Test the permissions of the file - /boot/grub/grub.conf
oval:com.mcafee.oval:def:243250	Test the configuration status of Mail Transfer Agent (MTA) for local-only mode
oval:com.mcafee.oval:def:246594	Test the permissions on user .netrc files
oval:com.mcafee.oval:def:246548	Check for the presence of user .forward files
oval:com.mcafee.oval:def:242776	The specified RPM package should NOT be installed.
oval:com.mcafee.oval:def:249935	Test the enable / disable status for -Interactive Boot
oval:com.mcafee.oval:def:249889	Collect System Administrator Actions (sudolog)
oval:com.mcafee.oval:def:244738	Restrict Access to the su Command - Users list in the wheel statement - /etc/group
oval:com.mcafee.oval:def:242737	Test the status of - SSH ClientAliveInterval
oval:com.mcafee.oval:def:246602	Test the permissions on user dot files
oval:com.mcafee.oval:def:249962	Record Events That Modify User/Group Information
oval:com.mcafee.oval:def:402388	Additional Process Hardening - Restrict Core Dumps
oval:com.mcafee.oval:def:402411	filesystem Configuration - Disable Mounting of freevxfs filesystems
oval:com.mcafee.oval:def:402414	filesystem Configuration - Disable Mounting of hfsplus filesystems
oval:com.mcafee.oval:def:402413	filesystem Configuration - Disable Mounting of hfs filesystems
oval:com.mcafee.oval:def:402412	filesystem Configuration - Disable Mounting of jffs2 filesystems
oval:com.mcafee.oval:def:402415	filesystem Configuration - Disable Mounting of squashfs filesystems
oval:com.mcafee.oval:def:244331	Use Only Approved Cipher in Counter Mode
oval:com.mcafee.oval:def:402405	Additional Process Hardening - Restrict Core Dumps - kernel.randomize_va_space
oval:com.mcafee.oval:def:402512	Record Events That Modify the System's Network Environment
oval:com.mcafee.oval:def:402416	filesystem Configuration - Disable Mounting of udf filesystems
oval:com.mcafee.oval:def:402478	Record Events That Modify Date and Time Information
oval:com.mcafee.oval:def:402665	Uncommon Network Protocols - Disable SCTP
oval:com.mcafee.oval:def:402664	Uncommon Network Protocols - Disable DCCP

Oval ID	Title
oval:com.mcafee.oval:def:402389	Additional Process Hardening - Restrict Core Dumps - fs.suid_dumpable
oval:com.mcafee.oval:def:402666	Uncommon Network Protocols - Disable RDS
oval:com.mcafee.oval:def:402667	Uncommon Network Protocols - Disable TIPC
oval:com.mcafee.oval:def:402410	filesystem Configuration - Disable Mounting of cramfs filesystems
oval:com.mcafee.oval:def:402530	Collect Successful File System Mounts
oval:com.mcafee.oval.gen:def:316059	kernel-abi-whitelists patch for Redhat EL6
oval:com.mcafee.oval:def:405194	Check Permissions on User Home Directories
oval:com.mcafee.oval:def:403352	Collect Kernel Module Loading and Unloading
oval:com.mcafee.oval:def:244364	Upgrade Password Hashing Algorithm
oval:com.mcafee.oval:def:403369	Collect Discretionary Access Control Permission Modification Events
oval:com.mcafee.oval:def:403363	Collect File Deletion Events by User
oval:com.mcafee.oval:def:403335	Disable System on Audit Log Full
oval:com.mcafee.oval:def:405727	Test SSH Banner
oval:com.mcafee.oval:def:403368	Collect Unsuccessful Unauthorized Access Attempts to Files
oval:com.mcafee.oval:def:2487772	Test the permissions of the file -/etc/shadow-
oval:com.mcafee.oval:def:2487726	Test the enable or disable status for - net.ipv4.tcp_syncookies
oval:com.mcafee.oval:def:2487763	Test the group owner of the file - /etc/passwd-
oval:com.mcafee.oval:def:421720	Oracle Solaris 10 - 151145-01, vntsd vcc Patch
oval:com.mcafee.oval:def:421711	Oracle Solaris 10 - 150400-11, Kernel Patch
oval:com.mcafee.oval:def:432815	Single user mode password request Status
oval:com.mcafee.oval:def:429107	xinetd based service - discard-udp - running state
oval:com.mcafee.oval.gen:def:327735	java-1.8.0-openjdk patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327739	java-1.8.0-openjdk-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327743	java-1.8.0-openjdk-demo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327747	java-1.8.0-openjdk-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327751	java-1.8.0-openjdk-headless patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327755	java-1.8.0-openjdk-javadoc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327759	java-1.8.0-openjdk-src patch for Redhat EL6
oval:com.mcafee.oval:def:558900	Oracle Solaris 10 - 150312-06, iscsi patch
oval:com.mcafee.oval:def:558899	Oracle Solaris 10 - 150400-16, Kernel patch
oval:com.mcafee.oval:def:634949	Check status of wireless network interfaces
oval:com.mcafee.oval:def:958916	Oracle Solaris 10 - 150400-10, Kernel Patch
oval:com.mcafee.oval:def:924462	Set Password Creation Requirement Parameters Using pam_pwquality - try_first_pass

Oval ID	Title
oval:com.mcafee.oval:def:909805	Enable Auditing for Processes That Start Prior to auditd
oval:com.mcafee.oval:def:2487655	Filesystem Configuration - Set noexec option for Partitions
oval:com.mcafee.oval:def:924471	Set Password Creation Requirement Parameters Using pam_pwquality - dcredit
oval:com.mcafee.oval:def:924469	Set Password Creation Requirement Parameters Using pam_pwquality - ocredit
oval:com.mcafee.oval:def:634931	Test the owner of the file - /boot/grub2/grub.cfg
oval:com.mcafee.oval:def:634891	Configure SELinux - SELinux should not be disabled in /boot/grub2/grub.cfg
oval:com.mcafee.oval:def:924463	Set Password Creation Requirement Parameters Using pam_pwquality - retry
oval:com.mcafee.oval:def:634932	Test the group owner of the file - /boot/grub2/grub.cfg
oval:com.mcafee.oval:def:919577	Set default umask for users - /etc/bashrc
oval:com.mcafee.oval:def:924470	Set Password Creation Requirement Parameters Using pam_pwquality - minlen
oval:com.mcafee.oval:def:909811	Enable Auditing for Processes That Start Prior to auditd
oval:com.mcafee.oval:def:924473	Set Password Creation Requirement Parameters Using pam_pwquality - lcredit
oval:com.mcafee.oval:def:924472	Set Password Creation Requirement Parameters Using pam_pwquality - ucredit
oval:com.mcafee.oval:def:634937	Test the permissions of the file - /boot/grub2/grub.cfg
oval:com.mcafee.oval:def:634939	Set Boot Loader Password
oval:com.mcafee.oval:def:634894	Configure SELinux - SELinux - enforcing should not be disabled in /boot/grub2/grub.cfg
oval:com.mcafee.oval.gen:def:330333	httpd patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330336	httpd-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330339	httpd-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330342	httpd-manual patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330345	httpd-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330348	mod_ldap patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330352	mod_proxy_html patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330356	mod_session patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330360	mod_ssl patch for Redhat EL7
oval:com.mcafee.oval:def:1001481	Configure Network Time Protocol (NTP) in /etc/sysconfig/ntpd
oval:com.mcafee.oval.gen:def:333650	thunderbird patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333653	thunderbird-debuginfo patch for Redhat EL7
oval:com.mcafee.oval:def:1385043	Collect Successful File System Mounts
oval:com.mcafee.oval:def:1385051	Collect File Deletion Events by User
oval:com.mcafee.oval:def:1385056	Collect Discretionary Access Control Permission Modification Events
oval:com.mcafee.oval:def:1385069	Collect Unsuccessful Unauthorized Access Attempts to Files
oval:com.mcafee.oval:def:1405031	Oracle Solaris 10 - 150400-23, Kernel patch

Oval ID	Title
oval:com.mcafee.oval:def:1416697	Configure maxQueryString Request Filter
oval:com.mcafee.oval:def:1416665	Configure maxAllowedContentLength Request Filter
oval:com.mcafee.oval:def:1416676	Ensure Double-Encoded Requests will be Rejected
oval:com.mcafee.oval:def:1416683	Configure maxURL Request Filter
oval:com.mcafee.oval:def:1416713	Disallow non-ASCII Characters in URLs
oval:com.mcafee.oval:def:1416682	Configure maxURL Request Filter
oval:com.mcafee.oval:def:1416714	Disallow non-ASCII Characters in URLs
oval:com.mcafee.oval:def:1416698	Configure maxQueryString Request Filter
oval:com.mcafee.oval.gen:def:335671	java-1.8.0-openjdk patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335674	java-1.8.0-openjdk-accessibility patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335678	java-1.8.0-openjdk-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335681	java-1.8.0-openjdk-demo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335684	java-1.8.0-openjdk-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335687	java-1.8.0-openjdk-headless patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335690	java-1.8.0-openjdk-javadoc patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335693	java-1.8.0-openjdk-src patch for Redhat EL7
oval:com.mcafee.oval:def:1412157	Ensure that SSL 3.0 Encryption Protocol is Disabled
oval:com.mcafee.oval:def:1412148	Ensure that AES 128/128 cipher is enabled
oval:com.mcafee.oval:def:1412154	Ensure that RC4 128/128 cipher is disabled
oval:com.mcafee.oval:def:1412435	xinetd based service - discard tcp - running state
oval:com.mcafee.oval:def:1780028	Patches for DSA-3236-1 for Debian 8
oval:com.mcafee.oval:def:2487824	Ensure authentication required for single user mode
oval:com.mcafee.oval:def:2487756	Test the enable or disable status for - net.ipv6.conf.default.disable_ipv6
oval:com.mcafee.oval:def:1958144	Patches for CESA-2015-1699 for CentOS 6
oval:com.mcafee.oval:def:1412475	Oracle Solaris 10 - 150400-27, kernel patch
oval:com.mcafee.oval.gen:def:346452	java-1.8.0-openjdk-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:346456	java-1.8.0-openjdk-demo-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:346460	java-1.8.0-openjdk-devel-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:346464	java-1.8.0-openjdk-headless-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:346468	java-1.8.0-openjdk-javadoc-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:346472	java-1.8.0-openjdk-src-debug patch for Redhat EL6
oval:com.mcafee.oval:def:2227599	Patches for DSA-3394-1 for Debian 8
oval:com.mcafee.oval.gen:def:350355	java-1.8.0-openjdk-accessibility-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350359	java-1.8.0-openjdk-debug patch for Redhat EL7

Oval ID	Title
oval:com.mcafee.oval.gen:def:350362	java-1.8.0-openjdk-demo-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350365	java-1.8.0-openjdk-devel-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350368	java-1.8.0-openjdk-headless-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350371	java-1.8.0-openjdk-javadoc-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350374	java-1.8.0-openjdk-src-debug patch for Redhat EL7
oval:com.mcafee.oval:def:2487520	Test the configuration status of Mail Transfer Agent (MTA) for local-only mode
oval:com.mcafee.oval:def:2487680	Test the enable or disable status for - net.ipv4.conf.default.accept_redirects
oval:com.mcafee.oval:def:2487485	Test if the system logon banner is set correctly - /etc/dconf/db/gdm.d/
oval:com.mcafee.oval:def:2626743	Patches for DSA-3482-1 for Debian 8
oval:com.mcafee.oval:def:2487779	Test the owner of the file - /etc/group-
oval:com.mcafee.oval:def:2488153	Configure Network Time Protocol (NTP) in /etc/ntp.conf
oval:com.mcafee.oval:def:2487609	Oracle Solaris 10 - 150400-35, kernel patch
oval:com.mcafee.oval:def:2487855	Password history should be set to an appropriate value
oval:com.mcafee.oval:def:2487644	Filesystem Configuration - Create Separate Partitions
oval:com.mcafee.oval:def:1412361	Set Password Creation Requirement Parameters Using pam_cracklib in password-auth file - lcredit
oval:com.mcafee.oval:def:2487770	Test the group owner of the file - /etc/shadow-
oval:com.mcafee.oval:def:1412335	The specified RPM packages should NOT be installed.
oval:com.mcafee.oval:def:1412333	Configure Network Time Protocol (NTP) - ntp.conf server
oval:com.mcafee.oval:def:1412356	Collect Changes to System Administration Scope (sudoers.d)
oval:com.mcafee.oval:def:1412358	Set Password Creation Requirement Parameters Using pam_cracklib in password-auth file - dcredit
oval:com.mcafee.oval:def:2487751	Test the enable or disable status for - net.ipv6.conf.all.disable_ipv6
oval:com.mcafee.oval:def:2487711	Test the enable or disable status for - net.ipv4.icmp_ignore_bogus_error_responses
oval:com.mcafee.oval:def:2487829	Ensure only approved MAC algorithms are used
oval:com.mcafee.oval:def:1412350	Test if only approved MAC algorithms are used
oval:com.mcafee.oval:def:2487665	Test the enable or disable status for - net.ipv4.conf.all.accept_source_route
oval:com.mcafee.oval:def:1412352	Test the configuration status for - duration of inactive user accounts lock
oval:com.mcafee.oval:def:2487660	Test the enable or disable status for - net.ipv4.conf.default.send_redirects
oval:com.mcafee.oval:def:1412382	Configure the loopback interface traffic - OUTPUT
oval:com.mcafee.oval:def:2487800	Ensure rsyslog default file permissions are configured in /etc/rsyslog.conf
oval:com.mcafee.oval:def:2487675	Test the enable or disable status for - net.ipv4.conf.all.accept_redirects
oval:com.mcafee.oval:def:2487731	Test the enable or disable status for - net.ipv6.conf.all.accept_ra
oval:com.mcafee.oval:def:2487700	Test the enable or disable status for - net.ipv4.conf.default.log_martians

Oval ID	Title
oval:com.mcafee.oval:def:2487652	Filesystem Configuration - Set nosuid option for Partitions
oval:com.mcafee.oval:def:2487833	Set default umask for users - all the files in /etc/bashrc file
oval:com.mcafee.oval:def:2487746	Test the enable or disable status for - net.ipv6.conf.default.accept_redirects
oval:com.mcafee.oval:def:2487788	Test the owner of the file - /etc/gshadow-
oval:com.mcafee.oval:def:2487705	Test the enable or disable status for - net.ipv4.icmp_echo_ignore_broadcasts
oval:com.mcafee.oval:def:1412357	Set Password Creation Requirement Parameters Using pam_cracklib in password-auth file - minlen
oval:com.mcafee.oval:def:2487881	Check That Users Are Assigned Valid Home Directories
oval:com.mcafee.oval:def:1412330	filesystem Configuration - Disable Mounting of vfat filesystems
oval:com.mcafee.oval:def:1412364	Password history should be set to an appropriate value in /etc/pam.d/password-auth file
oval:com.mcafee.oval:def:1412363	Set Password Creation Requirement Parameters Using pam_cracklib in password-auth file - try_first_pass
oval:com.mcafee.oval:def:2487685	Test the enable or disable status for - net.ipv4.conf.all.secure_redirects
oval:com.mcafee.oval:def:2487721	Test the enable or disable status for - net.ipv4.conf.default.rp_filter
oval:com.mcafee.oval:def:2487786	Test the permissions of the file -/etc/gshadow-
oval:com.mcafee.oval:def:2487736	Test the enable or disable status for - net.ipv6.conf.default.accept_ra
oval:com.mcafee.oval:def:1412371	Configure Network Time Protocol (NTP) - ntp.conf client
oval:com.mcafee.oval:def:2487814	Ensure GDM login banner is configured in /etc/dconf/profile/gdm
oval:com.mcafee.oval:def:2487695	Test the enable or disable status for - net.ipv4.conf.all.log_martians
oval:com.mcafee.oval:def:2487649	Filesystem Configuration - Set nodev option for Partitions
oval:com.mcafee.oval:def:2487806	Test the owner of the files - /var/log/*
oval:com.mcafee.oval:def:2487762	Test the permissions of the file -/etc/passwd-
oval:com.mcafee.oval:def:2487761	Test the owner of the file - /etc/passwd-
oval:com.mcafee.oval:def:2487771	Test the owner of the file - /etc/shadow-
oval:com.mcafee.oval:def:2487802	Test the group owner of the files - /var/log/*
oval:com.mcafee.oval:def:2487670	Test the enable or disable status for - net.ipv4.conf.default.accept_source_route
oval:com.mcafee.oval:def:2487562	Configure Network Time Protocol (NTP) in /etc/sysconfig/chronyd
oval:com.mcafee.oval:def:2487929	Collect Login and Logout Events
oval:com.mcafee.oval:def:1412359	Set Password Creation Requirement Parameters Using pam_cracklib in password-auth file - ocredit
oval:com.mcafee.oval:def:1412362	Set Password Creation Requirement Parameters Using pam_cracklib in password-auth file - retry
oval:com.mcafee.oval:def:2487787	Test the group owner of the file - /etc/gshadow-
oval:com.mcafee.oval:def:2487741	Test the enable or disable status for - net.ipv6.conf.all.accept_redirects
oval:com.mcafee.oval:def:2487716	Test the enable or disable status for - net.ipv4.conf.all.rp_filter

Oval ID	Title
oval:com.mcafee.oval:def:1412360	Set Password Creation Requirement Parameters Using pam_cracklib in password-auth file - ucredit
oval:com.mcafee.oval:def:2487561	Test the enable or disable status for - net.ipv4.ip_forward
oval:com.mcafee.oval:def:2487690	Test the enable or disable status for - net.ipv4.conf.default.secure_redirects
oval:com.mcafee.oval:def:2487556	Test the enable or disable status for - net.ipv4.conf.all.send_redirects
oval:com.mcafee.oval:def:1412381	Configure the loopback interface traffic - DROP
oval:com.mcafee.oval:def:2487821	Ensure password hashing algorithm is set to SHA-512
oval:com.mcafee.oval:def:2487780	Test the permissions of the file -/etc/group-
oval:com.mcafee.oval:def:1412336	Service - slapd - running state
oval:com.mcafee.oval:def:2487849	Set Password Creation Requirement Parameters Using pam_pwquality - try_first_pass in /etc/pam.d/password-auth file
oval:com.mcafee.oval:def:2487566	Configure Network Time Protocol (NTP) in /etc/chrony.conf
oval:com.mcafee.oval:def:2487778	Test the group owner of the file - /etc/group-
oval:com.mcafee.oval:def:1412365	Upgrade Password Hashing Algorithm in /etc/pam.d/password-auth file
oval:com.mcafee.oval:def:1412355	Configuration - Disable IPv6
oval:com.mcafee.oval:def:2487808	Test the permissions of the files - /var/log/*
oval:com.mcafee.oval:def:2486121	MS16-088 - Security Update for Microsoft Office Web Apps Server 2013 SP1 (KB3115289)
oval:com.mcafee.oval:def:2486100	MS16-088 - Security Update for Microsoft Office Excel 2016 (KB3115272)
oval:com.mcafee.oval:def:2486105	MS16-088 - Security Update for Microsoft Office Word 2016 (KB3115301)
oval:com.mcafee.oval:def:2486096	MS16-088 - Security Update for Microsoft PowerPoint 2013 Service Pack 1 (KB3115254)
oval:com.mcafee.oval:def:2486082	MS16-088 - Security Update for Microsoft Office Excel 2010 SP2 (KB3115322)
oval:com.mcafee.oval:def:2486085	MS16-088 - Security Update for Microsoft Office Outlook 2010 SP2 (KB3115246)
oval:com.mcafee.oval:def:2486131	MS16-088 - Security Update for Microsoft Office SharePoint Foundation 2013 SP1 (KB3115294)
oval:com.mcafee.oval:def:2486119	MS16-088 - Security Update for Microsoft Office Web Apps 2010 SP2 (KB3115318)
oval:com.mcafee.oval:def:2486080	MS16-088 - Security Update for Microsoft Office Word 2007 SP3 (KB3115311)
oval:com.mcafee.oval:def:2486135	MS16-088 - Security Update for Microsoft Office SharePoint Server 2016 (KB3115299)
oval:com.mcafee.oval:def:2486117	MS16-088 - Security Update for Microsoft Office Sharepoint Server 2013 SP1 Word Automation Services (KB3115285)
oval:com.mcafee.oval:def:2486112	MS16-088 - Security Update for Microsoft Office Excel Viewer 2007 Service Pack 3 (KB3115114)
oval:com.mcafee.oval:def:2486169	MS16-088 - Security Update for Microsoft Office Word Viewer 2003 (KB3115393)
oval:com.mcafee.oval:def:2486091	MS16-088 - Security Update for Microsoft Office Excel 2013 SP1 (KB3115262)
oval:com.mcafee.oval:def:2486127	MS16-088 - Security Update for Microsoft SharePoint Server 2010 SP2 (KB3114890)

Oval ID	Title
oval:com.mcafee.oval:def:2486115	MS16-088 - Security Update for Microsoft Office Sharepoint Server 2010 SP2 Word Automation Services (KB3115312)
oval:com.mcafee.oval:def:2486089	MS16-088 - Security Update for Microsoft Office Word 2010 SP2 (KB3115317)
oval:com.mcafee.oval:def:2486094	MS16-088 - Security Update for Microsoft Office Outlook 2013 SP1 (KB3115259)
oval:com.mcafee.oval:def:2486077	MS16-088 -Security Update for Microsoft Office Excel 2007 Service Pack 3 (KB3115306)
oval:com.mcafee.oval:def:2486106	MS16-088 - Security Update for Microsoft Office Compatibility Pack SP3 (KB3115308)
oval:com.mcafee.oval:def:2486170	MS16-088 - Security Update for Microsoft Office Word Viewer 2003 (KB3115395)
oval:com.mcafee.oval:def:2486087	MS16-088 - Security Update for Microsoft Office PowerPoint 2010 SP2 (KB3115118)
oval:com.mcafee.oval:def:2486103	MS16-088 - Security Update for Microsoft Office Outlook 2016 (KB3115279)
oval:com.mcafee.oval:def:2486109	MS16-088 - Security Update for Microsoft Office Compatibility Pack SP3 (KB3115309)
oval:com.mcafee.oval:def:2486126	MS16-088 - Security Update for Microsoft SharePoint Foundation 2010 SP2 (KB3114890)
oval:com.mcafee.oval:def:2486132	MS16-088 - Security Update for Microsoft Office SharePoint Server 2013 SP1 (KB3115294)
oval:com.mcafee.oval:def:2486123	MS16-088 - Security Update for Microsoft Office Online Server (KB3115386)
oval:com.mcafee.oval:def:2486098	MS16-088 - Security Update for Microsoft Office Word 2013 SP1 (KB3115292)
oval:com.mcafee.oval.gen:def:361098	MS16-094 Security Update for Windows Server 2012 R2 (KB3172727)
oval:com.mcafee.oval.gen:def:361099	MS16-094 Security Update for Windows Server 2012 (KB3172727)
oval:com.mcafee.oval.gen:def:361100	MS16-094 Security Update for Windows 8.1 for x64-based Systems (KB3172727)
oval:com.mcafee.oval.gen:def:361101	MS16-094 Security Update for Windows 8.1 (KB3172727)
oval:com.mcafee.oval.gen:def:361105	MS16-093 Security Update for Adobe Flash Player for Windows 10 Version 1511 for x64-based Systems (KB3174060)
oval:com.mcafee.oval.gen:def:361106	MS16-093 Security Update for Adobe Flash Player for Windows 10 (KB3174060)
oval:com.mcafee.oval.gen:def:361107	MS16-093 Security Update for Adobe Flash Player for Windows 10 for x64-based Systems (KB3174060)
oval:com.mcafee.oval.gen:def:361108	MS16-093 Security Update for Adobe Flash Player for Windows 10 Version 1511 (KB3174060)
oval:com.mcafee.oval.gen:def:361111	MS16-093 Security Update for Adobe Flash Player for Windows Server 2012 (KB3174060)
oval:com.mcafee.oval.gen:def:361112	MS16-093 Security Update for Adobe Flash Player for Windows Server 2012 R2 (KB3174060)
oval:com.mcafee.oval.gen:def:361113	MS16-093 Security Update for Adobe Flash Player for Windows 8.1 for x64-based Systems (KB3174060)
oval:com.mcafee.oval.gen:def:361114	MS16-093 Security Update for Adobe Flash Player for Windows 8.1 (KB3174060)
oval:com.mcafee.oval.gen:def:361118	MS16-092 Security Update for Windows 8.1 for x64-based Systems (KB3170377)
oval:com.mcafee.oval.gen:def:361119	MS16-092 Security Update for Windows 8.1 (KB3170377)

Oval ID	Title
oval:com.mcafee.oval.gen:def:361120	MS16-092 Security Update for Windows Server 2012 R2 (KB3170377)
oval:com.mcafee.oval.gen:def:361121	MS16-092 Security Update for Windows Server 2012 (KB3170377)
oval:com.mcafee.oval.gen:def:361132	MS16-091 Security Update for Microsoft .NET Framework 2.0 SP2 on Windows Vista SP2 and Windows Server 2008 SP2 for x64 (KB3163244)
oval:com.mcafee.oval.gen:def:361133	MS16-091 Security Update for Microsoft .NET Framework 2.0 SP2 on Windows Vista SP2 and Windows Server 2008 SP2 (KB3163244)
oval:com.mcafee.oval.gen:def:361137	MS16-091 Security Update for Microsoft .NET Framework 3.5 on Windows Server 2012 for x64 (KB3163246)
oval:com.mcafee.oval.gen:def:361142	MS16-091 Security Update for Microsoft .NET Framework 4.6 on Windows 7, Windows Vista, Server 2008, Server 2008 R2 for x64 (KB3164025)
oval:com.mcafee.oval.gen:def:361143	MS16-091 Security Update for Microsoft .NET Framework 4.6 on Windows Vista, Windows 7, Server 2008 (KB3164025)
oval:com.mcafee.oval.gen:def:361158	MS16-091 Security Update for Microsoft .NET Framework 4.5.2 on Windows Server 2012 for x64 (KB3163250)
oval:com.mcafee.oval.gen:def:361185	MS16-091 Security Update for Microsoft .NET Framework 4.5.2 on Windows Vista, Windows 7, Server 2008 (KB3163251)
oval:com.mcafee.oval.gen:def:361206	MS16-091 Security Update for Microsoft .NET Framework 4.5.2 on Windows 7, Vista, Server 2008, and Server 2008 R2 for x64 (KB3163251)
oval:com.mcafee.oval.gen:def:361210	MS16-091 Security Update for Microsoft .NET Framework 4.5.2 on Windows 8.1 and Windows Server 2012 R2 for x64 (KB3163291)
oval:com.mcafee.oval.gen:def:361211	MS16-091 Security Update for Microsoft .NET Framework 4.5.2 on Windows 8.1 (KB3163291)
oval:com.mcafee.oval.gen:def:361215	MS16-091 Security Update for Microsoft .NET Framework 3.5 on Windows 8.1 (KB3163247)
oval:com.mcafee.oval.gen:def:361216	MS16-091 Security Update for Microsoft .NET Framework 3.5 on Windows 8.1 and Windows Server 2012 R2 for x64 (KB3163247)
oval:com.mcafee.oval.gen:def:361220	MS16-091 Security Update for Microsoft .NET Framework 3.5.1 on Windows 7 SP1 (KB3163245)
oval:com.mcafee.oval.gen:def:361221	MS16-091 Security Update for Microsoft .NET Framework 3.5.1 on Windows 7 and Windows Server 2008 R2 SP1 for x64-based Systems (KB3163245)
oval:com.mcafee.oval.gen:def:361225	MS16-090 Security Update for Windows 7 for x64-based Systems (KB3168965)
oval:com.mcafee.oval.gen:def:361226	MS16-090 Security Update for Windows Server 2008 R2 x64 Edition (KB3168965)
oval:com.mcafee.oval.gen:def:361228	MS16-090 Security Update for Windows 7 (KB3168965)
oval:com.mcafee.oval.gen:def:361230	MS16-090 Security Update for Windows Vista (KB3168965)
oval:com.mcafee.oval.gen:def:361231	MS16-090 Security Update for Windows Server 2012 R2 (KB3168965)
oval:com.mcafee.oval.gen:def:361232	MS16-090 Security Update for Windows Server 2012 (KB3168965)
oval:com.mcafee.oval.gen:def:361233	MS16-090 Security Update for Windows Server 2008 x64 Edition (KB3168965)
oval:com.mcafee.oval.gen:def:361234	MS16-090 Security Update for Windows Server 2008 (KB3168965)
oval:com.mcafee.oval.gen:def:361235	MS16-090 Security Update for Windows 8.1 (KB3168965)
oval:com.mcafee.oval.gen:def:361236	MS16-090 Security Update for Windows 8.1 for x64-based Systems (KB3168965)

Oval ID	Title
oval:com.mcafee.oval.gen:def:361237	MS16-090 Security Update for Windows Vista for x64-based Systems (KB3168965)
oval:com.mcafee.oval.gen:def:361241	MS16-087 Security Update for Windows Vista for x64-based Systems (KB3170455)
oval:com.mcafee.oval.gen:def:361242	MS16-087 Security Update for Windows Server 2008 R2 x64 Edition (KB3170455)
oval:com.mcafee.oval.gen:def:361243	MS16-087 Security Update for Windows 7 for x64-based Systems (KB3170455)
oval:com.mcafee.oval.gen:def:361244	MS16-087 Security Update for Windows Server 2008 x64 Edition (KB3170455)
oval:com.mcafee.oval.gen:def:361245	MS16-087 Security Update for Windows Server 2012 (KB3170455)
oval:com.mcafee.oval.gen:def:361246	MS16-087 Security Update for Windows Server 2008 (KB3170455)
oval:com.mcafee.oval.gen:def:361247	MS16-087 Security Update for Windows 8.1 (KB3170455)
oval:com.mcafee.oval.gen:def:361248	MS16-087 Security Update for Windows Vista (KB3170455)
oval:com.mcafee.oval.gen:def:361250	MS16-087 Security Update for Windows 8.1 for x64-based Systems (KB3170455)
oval:com.mcafee.oval.gen:def:361252	MS16-087 Security Update for Windows Server 2012 R2 (KB3170455)
oval:com.mcafee.oval.gen:def:361253	MS16-087 Security Update for Windows 7 (KB3170455)
oval:com.mcafee.oval.gen:def:361257	MS16-086 Security Update for Windows Server 2008 x64 Edition (KB3169659)
oval:com.mcafee.oval.gen:def:361258	MS16-086 Security Update for Windows Vista (KB3169659)
oval:com.mcafee.oval.gen:def:361259	MS16-086 Security Update for Windows Server 2008 (KB3169659)
oval:com.mcafee.oval.gen:def:361260	MS16-086 Security Update for Windows Vista for x64-based Systems (KB3169659)
oval:com.mcafee.oval.gen:def:361264	MS16-084 Cumulative Update for Windows 10 (KB3163912)
oval:com.mcafee.oval.gen:def:361265	MS16-084 Cumulative Update for Windows 10 for x64-based Systems (KB3163912)
oval:com.mcafee.oval.gen:def:361271	MS16-084 Cumulative Security Update for Internet Explorer 10 for Windows Server 2012 (KB3170106)
oval:com.mcafee.oval.gen:def:361272	MS16-084 Cumulative Security Update for Internet Explorer 11 for Windows Server 2008 R2 for x64-based Systems (KB3170106)
oval:com.mcafee.oval.gen:def:361273	MS16-084 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 x64 Edition (KB3170106)
oval:com.mcafee.oval.gen:def:361274	MS16-084 Cumulative Security Update for Internet Explorer 11 for Windows 8.1 (KB3170106)
oval:com.mcafee.oval.gen:def:361275	MS16-084 Cumulative Security Update for Internet Explorer 11 for Windows Server 2012 R2 (KB3170106)
oval:com.mcafee.oval.gen:def:361276	MS16-084 Cumulative Security Update for Internet Explorer 11 for Windows 7 for x64-based Systems (KB3170106)
oval:com.mcafee.oval.gen:def:361277	MS16-084 Cumulative Security Update for Internet Explorer 11 for Windows 8.1 for x64-based Systems (KB3170106)
oval:com.mcafee.oval.gen:def:361278	MS16-084 Cumulative Security Update for Internet Explorer 9 for Windows Vista for x64-based Systems (KB3170106)
oval:com.mcafee.oval.gen:def:361279	MS16-084 Cumulative Security Update for Internet Explorer 11 for Windows 7 (KB3170106)

Oval ID	Title
oval:com.mcafee.oval.gen:def:361280	MS16-084 Cumulative Security Update for Internet Explorer 9 for Windows Vista (KB3170106)
oval:com.mcafee.oval.gen:def:361281	MS16-084 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 (KB3170106)
oval:com.mcafee.oval.gen:def:361285	MS16-084 Cumulative Update for Windows 10 Version 1511 for x64-based Systems (KB3172985)
oval:com.mcafee.oval.gen:def:361286	MS16-084 Cumulative Update for Windows 10 Version 1511 (KB3172985)

Updated Benchmarks

Benchmark ID	Title
MicrosoftIIS7CISBenchmark	Microsoft IIS 7 CIS Benchmark
WindowsServer2008-800-53	Windows Server 2008 - NIST 800-53 Benchmark
AppleMacOSXPatchPolicy	Apple Mac OSX Patch Policy
McAfee-CIS-Windows-7	Windows 7 CIS Benchmark
OracleLinux6CISBenchmark	Oracle Linux 6 CIS Benchmark
CentOSLinux7CISBenchmark	CentOS 7 CIS Benchmark
RedhatEnterpriseLinux6CISBenchmark	Redhat Enterprise Linux 6 CIS Benchmark
OracleLinux7CISBenchmark	Oracle Linux 7 CIS Benchmark
CentOS6CISBenchmark	CentOS 6 CIS Benchmark
RedhatEnterpriseLinux7CISBenchmark	Redhat Enterprise Linux 7 CIS Benchmark
AIXPatchPolicy	AIX Patch Policy
CentOSPatchPolicy	CentOS Patch Policy
OracleLinuxPatchPolicy	Oracle Linux Patch Policy
DebianPatchPolicy	Debian Patch Policy
RedhatPatchPolicy	Redhat and CentOS Patch Policy
Solaris11PatchPolicy	Oracle Solaris 11 Patch Policy
OracleSolarisPatchPolicy	Oracle Solaris Patch Policy

McAfee Technical Support

PrimeSupport ServicePortal:

<https://support.mcafee.com>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright © 2016 McAfee, LLC www.mcafee.com

McAfee and the McAfee logo, McAfee Active Protection, ePolicy Orchestrator, McAfee ePO, Foundstone, McAfee LiveSafe, McAfee QuickClean, McAfee SECURE, SecureOS, McAfee Shredder, SiteAdvisor, McAfee Stinger, TrustedSource, VirusScan are trademarks of McAfee LLC or its subsidiaries in the US and other countries. Other marks and brands may be claimed as the property of others.