



McAfee Policy Auditor/McAfee NAC Content Update Summary

| Product / Version | Content Version |
|-------------------------------|-----------------|
| McAfee Policy Auditor 5.x/6.x | 1129 |
| McAfee NAC 3.x | 1129 |

New Checks

| Oval ID | Title |
|----------------------------------------|--------------------------------------------------------------------------------|
| oval:com.mcafee.oval.common:def:406021 | Adobe Shockwave Player Security Update 12.1.0.150 for APSPB14-10 Vulnerability |
| oval:com.mcafee.oval.common:def:406047 | Google Chrome Security Update 33.0.1750.146 for Windows |
| oval:com.mcafee.oval.gen:def:320274 | openldap-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:320277 | libtiff-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:320280 | postgresql-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:320283 | udisks patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:320287 | udisks-debuginfo patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:320291 | udisks-devel patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:320295 | udisks-devel-docs patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:320299 | samba-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:320305 | Test for xen-kmp-pae On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320309 | Test for xen-libs On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320313 | Test for xen-kmp-default On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320317 | Test for xen-tools-domU On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320321 | Test for xen-doc-html On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320325 | Test for xen On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320329 | Test for xen-tools On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320333 | Test for xen-doc-pdf On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320337 | Test for xen-libs-32bit On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320341 | Test for libMagickCore1 On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320345 | Test for libMagickCore1-32bit On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320349 | Test for python-doc-pdf On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320353 | Test for python-doc On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320357 | Test for python-demo On SUSE Linux Enterprise Server 11 SP3 |

| Oval ID | Title |
|-------------------------------------|------------------------------------------------------------------------|
| oval:com.mcafee.oval.gen:def:320361 | Test for python-idle On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320365 | Test for python-base On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320369 | Test for python On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320373 | Test for python-gdbm On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320377 | Test for python-curses On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320381 | Test for libpython2_6-1_0 On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320385 | Test for python-xml On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320389 | Test for python-tk On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320393 | Test for python-32bit On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320397 | Test for python-base-32bit On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320401 | Test for libpython2_6-1_0-32bit On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320405 | Test for openssl-certs On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320409 | Test for libgnutls26 On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320413 | Test for gnutls On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320417 | Test for libgnutls-extra26 On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320421 | Test for libgnutls26-32bit On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320425 | Test for libvirt-client-32bit On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320429 | Test for libvirt On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320433 | Test for libvirt-lock-sanlock On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320437 | Test for libvirt-python On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320441 | Test for libvirt-doc On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320445 | Test for libvirt-client On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320449 | Test for java-1_6_0-ibm-alsa On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320453 | Test for java-1_6_0-ibm-plugin On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320457 | Test for java-1_6_0-ibm On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320461 | Test for java-1_6_0-ibm-fonts On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval.gen:def:320465 | Test for java-1_6_0-ibm-jdbc On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval:def:244364 | Upgrade Password Hashing Algorithm |
| oval:com.mcafee.oval:def:402595 | The operating system installed on the system is CentOS 6 |
| oval:com.mcafee.oval:def:402596 | The operating system installed on the system is CentOS 6 for x86 |
| oval:com.mcafee.oval:def:402597 | The operating system installed on the system is CentOS 6 for x64 |
| oval:com.mcafee.oval:def:403335 | Disable System on Audit Log Full |
| oval:com.mcafee.oval:def:403352 | Collect Kernel Module Loading and Unloading |
| oval:com.mcafee.oval:def:403363 | Collect File Deletion Events by User |

| Oval ID | Title |
|---------------------------------|--------------------------------------------------------------------------------|
| oval:com.mcafee.oval:def:403368 | Collect Unsuccessful Unauthorized Access Attempts to Files |
| oval:com.mcafee.oval:def:403369 | Collect Discretionary Access Control Permission Modification Events |
| oval:com.mcafee.oval:def:403391 | Configuration - Disable IPv6 |
| oval:com.mcafee.oval:def:403406 | Configure syslog to Send Logs to a Remote Log Host |
| oval:com.mcafee.oval:def:403419 | Collect Login and Logout Events |
| oval:com.mcafee.oval:def:403422 | Collect Session Initiation Information |
| oval:com.mcafee.oval:def:403423 | Collect Kernel Module Loading and Unloading |
| oval:com.mcafee.oval:def:403426 | Test if Syslogd accepts remote messages for each host designated as a log host |
| oval:com.mcafee.oval:def:403427 | Test if Syslogd accepts remote messages if not designated as a log host |
| oval:com.mcafee.oval:def:405075 | Configure /etc/rsyslog.conf - Rules for logging |
| oval:com.mcafee.oval:def:405134 | Configure logrotate |
| oval:com.mcafee.oval:def:405139 | Check the enable/disable status of IPv6 |
| oval:com.mcafee.oval:def:405194 | Check Permissions on User Home Directories |
| oval:com.mcafee.oval:def:405583 | DSA-2864-1 postgresql-8.4 -- several vulnerabilities |
| oval:com.mcafee.oval:def:405666 | DSA-2869-1 gnutls26 -- incorrect certificate verification |
| oval:com.mcafee.oval:def:405726 | DSA-2868-1 php5 -- denial of service |
| oval:com.mcafee.oval:def:405727 | Test SSH Banner |
| oval:com.mcafee.oval:def:405793 | Auditing and Logging: Enable Auditing of Process and Privilege Events |
| oval:com.mcafee.oval:def:405870 | DSA-2872-1 udisks -- several vulnerabilities |
| oval:com.mcafee.oval:def:405882 | DSA-2871-1 wireshark -- several vulnerabilities |
| oval:com.mcafee.oval:def:405886 | DSA-2870-1 libyaml-libyaml-perl -- heap-based buffer overflow |
| oval:com.mcafee.oval:def:405914 | DSA-2873-1 file -- several vulnerabilities |
| oval:com.mcafee.oval:def:405956 | DSA-2878-1 virtualbox -- security update |
| oval:com.mcafee.oval:def:405972 | DSA-2877-1 lighttpd -- security update |
| oval:com.mcafee.oval:def:406012 | DSA-2876-1 cups -- security update |
| oval:com.mcafee.oval:def:406020 | DSA-2874-1 mutt -- security update |
| oval:com.mcafee.oval:def:406021 | Adobe Shockwave Player Security Update 12.1.0.150 for APSPB14-10 Vulnerability |
| oval:com.mcafee.oval:def:406024 | APSPB14-10 Adobe Shockwave Player Security Update 12.1.0.150 for Mac OS |
| oval:com.mcafee.oval:def:406038 | DSA-2879-1 libssh -- security update |
| oval:com.mcafee.oval:def:406039 | Test the enable / disable status for - UsePrivilegeSeparation |
| oval:com.mcafee.oval:def:406044 | Apple Mac OSX 10.7/ 10.8 - Security Update 2014-001 |
| oval:com.mcafee.oval:def:406047 | Google Chrome Security Update 33.0.1750.146 for Windows |
| oval:com.mcafee.oval:def:406051 | Apple Mac OSX 10.8.5 - Supplemental Update |
| oval:com.mcafee.oval:def:406054 | Test the configuration status of Mail Transfer Agent (MTA) |

| Oval ID | Title |
|---------------------------------|--------------------------------------------------------|
| oval:com.mcafee.oval:def:406057 | Set Lockout for Failed Password Attempts - pam_tally2 |
| oval:com.mcafee.oval:def:406060 | Configure /etc/syslog.conf - Rules for logging |
| oval:com.mcafee.oval:def:406074 | DSA-2867-1 otrs2 -- several vulnerabilities |
| oval:com.mcafee.oval:def:406075 | Test the owner of the file - /var/log/unused.log |
| oval:com.mcafee.oval:def:406080 | Test the group owner of the file - /var/log/kern.log |
| oval:com.mcafee.oval:def:406081 | Test the permissions of the file - /var/log/kern.log |
| oval:com.mcafee.oval:def:406083 | Test the permissions of the file - /var/log/daemon.log |
| oval:com.mcafee.oval:def:406096 | Test the group owner of the file - /var/log/daemon.log |
| oval:com.mcafee.oval:def:406097 | Test the owner of the file - /var/log/daemon.log |
| oval:com.mcafee.oval:def:406098 | Test the permissions of the file - /var/log/unused.log |
| oval:com.mcafee.oval:def:406099 | Test the group owner of the file - /var/log/unused.log |
| oval:com.mcafee.oval:def:406100 | Test the owner of the file - /var/log/kern.log |
| oval:com.mcafee.oval:def:406129 | Test the owner of the file - /var/log/syslog |
| oval:com.mcafee.oval:def:406130 | Test the permissions of the file - /var/log/syslog |
| oval:com.mcafee.oval:def:406132 | Test the group owner of the file - /var/log/syslog |
| oval:com.mcafee.oval:def:406133 | Test the permissions of the file - /var/log/messages |
| oval:com.mcafee.oval:def:406139 | Test the owner of the /var/log/messages file |
| oval:com.mcafee.oval:def:406140 | Test the group owner of the file -/var/log/messages |
| oval:com.mcafee.oval:def:406426 | Patches for CESA-2013-0270 for CentOS 5 |
| oval:com.mcafee.oval:def:406438 | Patches for CESA-2012-0745 for CentOS 5 |
| oval:com.mcafee.oval:def:406467 | Patches for CESA-2013-0815 for CentOS 6 |
| oval:com.mcafee.oval:def:406479 | Patches for CESA-2013-0124 for CentOS 5 |
| oval:com.mcafee.oval:def:406501 | Patches for CESA-2012-1323 for CentOS 5 |
| oval:com.mcafee.oval:def:406528 | Patches for CESA-2012-0137 for CentOS 6 |
| oval:com.mcafee.oval:def:406540 | Patches for CESA-2013-1505 for CentOS 6 |
| oval:com.mcafee.oval:def:406547 | Patches for CESA-2013-1505 for CentOS 5 |
| oval:com.mcafee.oval:def:406591 | Patches for CESA-2013-0271 for CentOS 6 |
| oval:com.mcafee.oval:def:406604 | Patches for CESA-2013-0271 for CentOS 5 |
| oval:com.mcafee.oval:def:406610 | Patches for CESA-2012-0731 for CentOS 6 |
| oval:com.mcafee.oval:def:406614 | Patches for CESA-2012-0731 for CentOS 5 |
| oval:com.mcafee.oval:def:406650 | Patches for CESA-2013-0821 for CentOS 6 |
| oval:com.mcafee.oval:def:406653 | Patches for CESA-2013-0821 for CentOS 5 |
| oval:com.mcafee.oval:def:406661 | Patches for CESA-2013-0131 for CentOS 5 |
| oval:com.mcafee.oval:def:406674 | Patches for CESA-2012-1122 for CentOS 5 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:406717 | Patches for CESA-2013-1480 for CentOS 6 |
| oval:com.mcafee.oval:def:406720 | Patches for CESA-2013-1480 for CentOS 5 |
| oval:com.mcafee.oval:def:406723 | Patches for CESA-2013-0272 for CentOS 6 |
| oval:com.mcafee.oval:def:406725 | Patches for CESA-2013-0272 for CentOS 5 |
| oval:com.mcafee.oval:def:406734 | Patches for CESA-2012-0744 for CentOS 6 |
| oval:com.mcafee.oval:def:406757 | Patches for CESA-2013-0820 for CentOS 6 |
| oval:com.mcafee.oval:def:406762 | Patches for CESA-2013-0820 for CentOS 5 |
| oval:com.mcafee.oval:def:406774 | Patches for CESA-2013-0121 for CentOS 5 |
| oval:com.mcafee.oval:def:406778 | Patches for CESA-2012-0143 for CentOS 6 |
| oval:com.mcafee.oval:def:406782 | Patches for CESA-2012-0143 for CentOS 5 |
| oval:com.mcafee.oval:def:406788 | Patches for CESA-2012-1132 for CentOS 6 |
| oval:com.mcafee.oval:def:406797 | Patches for CESA-2013-1474 for CentOS 5 |
| oval:com.mcafee.oval:def:406805 | Patches for CESA-2012-0730 for CentOS 5 |
| oval:com.mcafee.oval:def:406838 | Patches for CESA-2013-0129 for CentOS 5 |
| oval:com.mcafee.oval:def:406846 | Patches for CESA-2012-0317 for CentOS 6 |
| oval:com.mcafee.oval:def:406850 | Patches for CESA-2012-0317 for CentOS 5 |
| oval:com.mcafee.oval:def:406858 | Patches for CESA-2012-1043 for CentOS 5 |
| oval:com.mcafee.oval:def:406868 | Patches for CESA-2012-1131 for CentOS 6 |
| oval:com.mcafee.oval:def:406915 | Patches for CESA-2012-0743 for CentOS 6 |
| oval:com.mcafee.oval:def:407091 | Patches for CESA-2013-0126 for CentOS 5 |
| oval:com.mcafee.oval:def:407097 | Patches for CESA-2012-0136 for CentOS 6 |
| oval:com.mcafee.oval:def:407101 | Patches for CESA-2012-0136 for CentOS 5 |
| oval:com.mcafee.oval:def:407123 | Patches for CESA-2012-1036 for CentOS 5 |
| oval:com.mcafee.oval:def:407128 | Patches for CESA-2012-1130 for CentOS 5 |
| oval:com.mcafee.oval:def:407189 | Patches for CESA-2012-0729 for CentOS 6 |
| oval:com.mcafee.oval:def:407224 | Patches for CESA-2013-0165 for CentOS 6 |
| oval:com.mcafee.oval:def:407231 | Patches for CESA-2013-0165 for CentOS 5 |
| oval:com.mcafee.oval:def:407234 | Patches for CESA-2012-0140 for CentOS 6 |
| oval:com.mcafee.oval:def:407249 | Patches for CESA-2012-1037 for CentOS 6 |
| oval:com.mcafee.oval:def:407263 | Patches for CESA-2012-1037 for CentOS 5 |
| oval:com.mcafee.oval:def:407277 | Patches for CESA-2012-1123 for CentOS 6 |
| oval:com.mcafee.oval:def:407289 | Patches for CESA-2012-1123 for CentOS 5 |
| oval:com.mcafee.oval:def:407338 | Patches for CESA-2013-0133 for CentOS 5 |
| oval:com.mcafee.oval:def:407343 | Patches for CESA-2012-1116 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:407346 | Patches for CESA-2012-1116 for CentOS 5 |
| oval:com.mcafee.oval:def:407422 | Patches for CESA-2013-0123 for CentOS 5 |
| oval:com.mcafee.oval:def:407442 | Patches for CESA-2013-0218 for CentOS 6 |
| oval:com.mcafee.oval:def:407466 | Patches for CESA-2013-0130 for CentOS 5 |
| oval:com.mcafee.oval:def:407499 | Patches for CESA-2013-0213 for CentOS 6 |
| oval:com.mcafee.oval:def:407514 | Patches for CESA-2013-0120 for CentOS 5 |
| oval:com.mcafee.oval:def:407534 | Patches for CESA-2012-0721 for CentOS 5 |
| oval:com.mcafee.oval:def:407614 | Patches for CESA-2013-0215 for CentOS 6 |
| oval:com.mcafee.oval:def:407632 | Patches for CESA-2013-0128 for CentOS 5 |
| oval:com.mcafee.oval:def:407654 | Patches for CESA-2013-0897 for CentOS 6 |
| oval:com.mcafee.oval:def:407664 | Patches for CESA-2012-0715 for CentOS 6 |
| oval:com.mcafee.oval:def:407667 | Patches for CESA-2012-0715 for CentOS 5 |
| oval:com.mcafee.oval:def:407693 | Patches for CESA-2013-0214 for CentOS 5 |
| oval:com.mcafee.oval:def:407728 | Patches for CESA-2012-0153 for CentOS 5 |
| oval:com.mcafee.oval:def:407735 | Patches for CESA-2013-0883 for CentOS 6 |
| oval:com.mcafee.oval:def:407740 | Patches for CESA-2013-0883 for CentOS 5 |
| oval:com.mcafee.oval:def:407765 | Patches for CESA-2012-0710 for CentOS 6 |
| oval:com.mcafee.oval:def:407771 | Patches for CESA-2012-0710 for CentOS 5 |
| oval:com.mcafee.oval:def:407808 | Patches for CESA-2013-0219 for CentOS 6 |
| oval:com.mcafee.oval:def:407815 | Patches for CESA-2013-0135 for CentOS 5 |
| oval:com.mcafee.oval:def:407827 | Patches for CESA-2013-0896 for CentOS 6 |
| oval:com.mcafee.oval:def:407843 | Patches for CESA-2012-0717 for CentOS 5 |
| oval:com.mcafee.oval:def:407878 | Patches for CESA-2013-0216 for CentOS 6 |
| oval:com.mcafee.oval:def:407883 | Patches for CESA-2013-0216 for CentOS 5 |
| oval:com.mcafee.oval:def:407893 | Patches for CESA-2013-0125 for CentOS 5 |
| oval:com.mcafee.oval:def:407897 | Patches for CESA-2013-0868 for CentOS 6 |
| oval:com.mcafee.oval:def:407911 | Patches for CESA-2012-0716 for CentOS 6 |
| oval:com.mcafee.oval:def:407921 | Patches for CESA-2012-0716 for CentOS 5 |
| oval:com.mcafee.oval:def:407934 | Patches for CESA-2013-0217 for CentOS 6 |
| oval:com.mcafee.oval:def:407939 | Patches for CESA-2013-0132 for CentOS 5 |
| oval:com.mcafee.oval:def:407954 | Patches for CESA-2013-0898 for CentOS 5 |
| oval:com.mcafee.oval:def:407976 | Patches for CESA-2013-0696 for CentOS 6 |
| oval:com.mcafee.oval:def:407982 | Patches for CESA-2013-0696 for CentOS 5 |
| oval:com.mcafee.oval:def:408009 | Patches for CESA-2013-0884 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:408027 | Patches for CESA-2013-0697 for CentOS 6 |
| oval:com.mcafee.oval:def:408029 | Patches for CESA-2013-0697 for CentOS 5 |
| oval:com.mcafee.oval:def:408037 | Patches for CESA-2013-0122 for CentOS 5 |
| oval:com.mcafee.oval:def:408043 | Patches for CESA-2012-0468 for CentOS 6 |
| oval:com.mcafee.oval:def:408047 | Patches for CESA-2012-0468 for CentOS 5 |
| oval:com.mcafee.oval:def:408067 | Patches for CESA-2013-0870 for CentOS 5 |
| oval:com.mcafee.oval:def:408086 | Patches for CESA-2013-0714 for CentOS 6 |
| oval:com.mcafee.oval:def:408091 | Patches for CESA-2013-0127 for CentOS 5 |
| oval:com.mcafee.oval:def:408109 | Patches for CESA-2012-0466 for CentOS 5 |
| oval:com.mcafee.oval:def:408128 | Patches for CESA-2013-1829 for CentOS 6 |
| oval:com.mcafee.oval:def:408134 | Patches for CESA-2012-1234 for CentOS 6 |
| oval:com.mcafee.oval:def:408155 | Patches for CESA-2013-0869 for CentOS 6 |
| oval:com.mcafee.oval:def:408182 | Patches for CESA-2013-0169 for CentOS 6 |
| oval:com.mcafee.oval:def:408202 | Patches for CESA-2012-0465 for CentOS 6 |
| oval:com.mcafee.oval:def:408210 | Patches for CESA-2012-0465 for CentOS 5 |
| oval:com.mcafee.oval:def:408243 | Patches for CESA-2012-1045 for CentOS 5 |
| oval:com.mcafee.oval:def:408246 | Patches for CESA-2013-1823 for CentOS 6 |
| oval:com.mcafee.oval:def:408249 | Patches for CESA-2013-1823 for CentOS 5 |
| oval:com.mcafee.oval:def:408254 | Patches for CESA-2012-1236 for CentOS 5 |
| oval:com.mcafee.oval:def:408355 | Patches for CESA-2012-1102 for CentOS 6 |
| oval:com.mcafee.oval:def:408366 | Patches for CESA-2012-1102 for CentOS 5 |
| oval:com.mcafee.oval:def:408390 | Patches for CESA-2012-0880 for CentOS 6 |
| oval:com.mcafee.oval:def:408395 | Patches for CESA-2012-1054 for CentOS 5 |
| oval:com.mcafee.oval:def:408445 | Patches for CESA-2013-1813 for CentOS 6 |
| oval:com.mcafee.oval:def:408489 | Patches for CESA-2013-1813 for CentOS 5 |
| oval:com.mcafee.oval:def:408499 | Patches for CESA-2012-1256 for CentOS 6 |
| oval:com.mcafee.oval:def:408504 | Patches for CESA-2012-1256 for CentOS 5 |
| oval:com.mcafee.oval:def:408518 | Patches for CESA-2013-1806 for CentOS 6 |
| oval:com.mcafee.oval:def:408528 | Patches for CESA-2013-1806 for CentOS 5 |
| oval:com.mcafee.oval:def:408541 | Patches for CESA-2012-0467 for CentOS 6 |
| oval:com.mcafee.oval:def:408546 | Patches for CESA-2012-0467 for CentOS 5 |
| oval:com.mcafee.oval:def:408568 | Patches for CESA-2012-1098 for CentOS 6 |
| oval:com.mcafee.oval:def:408581 | Patches for CESA-2012-0973 for CentOS 6 |
| oval:com.mcafee.oval:def:408605 | Patches for CESA-2012-1047 for CentOS 5 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:408614 | Patches for CESA-2013-1850 for CentOS 6 |
| oval:com.mcafee.oval:def:408622 | Patches for CESA-2012-1235 for CentOS 5 |
| oval:com.mcafee.oval:def:408630 | Patches for CESA-2013-1803 for CentOS 6 |
| oval:com.mcafee.oval:def:408653 | Patches for CESA-2012-1097 for CentOS 5 |
| oval:com.mcafee.oval:def:408662 | Patches for CESA-2012-0748 for CentOS 6 |
| oval:com.mcafee.oval:def:408708 | Patches for CESA-2013-1814 for CentOS 5 |
| oval:com.mcafee.oval:def:408714 | Patches for CESA-2012-1255 for CentOS 6 |
| oval:com.mcafee.oval:def:408718 | Patches for CESA-2012-1255 for CentOS 5 |
| oval:com.mcafee.oval:def:408724 | Patches for CESA-2013-1804 for CentOS 5 |
| oval:com.mcafee.oval:def:408753 | Patches for CESA-2012-0939 for CentOS 6 |
| oval:com.mcafee.oval:def:408769 | Patches for CESA-2013-1801 for CentOS 6 |
| oval:com.mcafee.oval:def:408781 | Patches for CESA-2013-1790 for CentOS 5 |
| oval:com.mcafee.oval:def:408791 | Patches for CESA-2012-1009 for CentOS 6 |
| oval:com.mcafee.oval:def:408800 | Patches for CESA-2013-1812 for CentOS 6 |
| oval:com.mcafee.oval:def:408803 | Patches for CESA-2013-1812 for CentOS 5 |
| oval:com.mcafee.oval:def:408833 | Patches for CESA-2013-1805 for CentOS 6 |
| oval:com.mcafee.oval:def:408880 | Patches for CESA-2012-0451 for CentOS 6 |
| oval:com.mcafee.oval:def:408891 | Patches for CESA-2012-0451 for CentOS 5 |
| oval:com.mcafee.oval:def:408920 | Patches for CESA-2012-0774 for CentOS 6 |
| oval:com.mcafee.oval:def:408935 | Patches for CESA-2013-1791 for CentOS 5 |
| oval:com.mcafee.oval:def:408959 | Patches for CESA-2013-1436 for CentOS 6 |
| oval:com.mcafee.oval:def:408965 | Patches for CESA-2012-0902 for CentOS 6 |
| oval:com.mcafee.oval:def:408981 | Patches for CESA-2013-1426 for CentOS 6 |
| oval:com.mcafee.oval:def:408991 | Patches for CESA-2013-0942 for CentOS 6 |
| oval:com.mcafee.oval:def:408998 | Patches for CESA-2013-0942 for CentOS 5 |
| oval:com.mcafee.oval:def:409006 | Patches for CESA-2012-0813 for CentOS 6 |
| oval:com.mcafee.oval:def:409061 | Patches for CESA-2013-0188 for CentOS 6 |
| oval:com.mcafee.oval:def:409068 | Patches for CESA-2013-1447 for CentOS 5 |
| oval:com.mcafee.oval:def:409155 | Patches for CESA-2012-1068 for CentOS 6 |
| oval:com.mcafee.oval:def:409204 | Patches for CESA-2013-0199 for CentOS 6 |
| oval:com.mcafee.oval:def:409208 | Patches for CESA-2013-1441 for CentOS 6 |
| oval:com.mcafee.oval:def:409222 | Patches for CESA-2013-0246 for CentOS 5 |
| oval:com.mcafee.oval:def:409236 | Patches for CESA-2012-1580 for CentOS 6 |
| oval:com.mcafee.oval:def:409248 | Patches for CESA-2012-0899 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:409475 | Patches for CESA-2012-0705 for CentOS 6 |
| oval:com.mcafee.oval:def:409554 | Patches for CESA-2012-0705 for CentOS 5 |
| oval:com.mcafee.oval:def:409565 | Patches for CESA-2013-0189 for CentOS 5 |
| oval:com.mcafee.oval:def:409587 | Patches for CESA-2013-0250 for CentOS 6 |
| oval:com.mcafee.oval:def:409590 | Patches for CESA-2013-0250 for CentOS 5 |
| oval:com.mcafee.oval:def:409599 | Patches for CESA-2012-1590 for CentOS 6 |
| oval:com.mcafee.oval:def:409603 | Patches for CESA-2012-1590 for CentOS 5 |
| oval:com.mcafee.oval:def:409619 | Patches for CESA-2012-1061 for CentOS 5 |
| oval:com.mcafee.oval:def:409653 | Patches for CESA-2013-0180 for CentOS 5 |
| oval:com.mcafee.oval:def:409660 | Patches for CESA-2013-0245 for CentOS 6 |
| oval:com.mcafee.oval:def:409680 | Patches for CESA-2012-0876 for CentOS 6 |
| oval:com.mcafee.oval:def:409702 | Patches for CESA-2013-0168 for CentOS 5 |
| oval:com.mcafee.oval:def:409706 | Patches for CESA-2013-1409 for CentOS 6 |
| oval:com.mcafee.oval:def:409717 | Patches for CESA-2013-0223 for CentOS 6 |
| oval:com.mcafee.oval:def:409737 | Patches for CESA-2012-0862 for CentOS 6 |
| oval:com.mcafee.oval:def:409747 | Patches for CESA-2013-0241 for CentOS 5 |
| oval:com.mcafee.oval:def:409762 | Patches for CESA-2012-1064 for CentOS 6 |
| oval:com.mcafee.oval:def:409765 | Patches for CESA-2012-0085 for CentOS 5 |
| oval:com.mcafee.oval:def:409809 | Patches for CESA-2012-1269 for CentOS 6 |
| oval:com.mcafee.oval:def:409816 | Patches for CESA-2013-0247 for CentOS 6 |
| oval:com.mcafee.oval:def:409823 | Patches for CESA-2013-0247 for CentOS 5 |
| oval:com.mcafee.oval:def:409856 | Patches for CESA-2012-0810 for CentOS 6 |
| oval:com.mcafee.oval:def:409961 | Patches for CESA-2012-0958 for CentOS 6 |
| oval:com.mcafee.oval:def:410007 | Patches for CESA-2013-1144 for CentOS 6 |
| oval:com.mcafee.oval:def:410035 | Patches for CESA-2012-1046 for CentOS 6 |
| oval:com.mcafee.oval:def:410038 | Patches for CESA-2012-0080 for CentOS 6 |
| oval:com.mcafee.oval:def:410044 | Patches for CESA-2013-0827 for CentOS 6 |
| oval:com.mcafee.oval:def:410048 | Patches for CESA-2013-0827 for CentOS 5 |
| oval:com.mcafee.oval:def:410065 | Patches for CESA-2013-1418 for CentOS 6 |
| oval:com.mcafee.oval:def:410105 | Patches for CESA-2013-1140 for CentOS 6 |
| oval:com.mcafee.oval:def:410111 | Patches for CESA-2013-1140 for CentOS 5 |
| oval:com.mcafee.oval:def:410118 | Patches for CESA-2012-0811 for CentOS 6 |
| oval:com.mcafee.oval:def:410146 | Patches for CESA-2012-0093 for CentOS 6 |
| oval:com.mcafee.oval:def:410167 | Patches for CESA-2012-0093 for CentOS 5 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:410174 | Patches for CESA-2013-0831 for CentOS 6 |
| oval:com.mcafee.oval:def:410198 | Patches for CESA-2013-1156 for CentOS 6 |
| oval:com.mcafee.oval:def:410204 | Patches for CESA-2013-1156 for CentOS 5 |
| oval:com.mcafee.oval:def:410254 | Patches for CESA-2012-0841 for CentOS 6 |
| oval:com.mcafee.oval:def:410266 | Patches for CESA-2012-0095 for CentOS 6 |
| oval:com.mcafee.oval:def:410271 | Patches for CESA-2012-0095 for CentOS 5 |
| oval:com.mcafee.oval:def:410282 | Patches for CESA-2013-0830 for CentOS 6 |
| oval:com.mcafee.oval:def:410302 | Patches for CESA-2013-1142 for CentOS 6 |
| oval:com.mcafee.oval:def:410305 | Patches for CESA-2013-1142 for CentOS 5 |
| oval:com.mcafee.oval:def:410323 | Patches for CESA-2012-0874 for CentOS 6 |
| oval:com.mcafee.oval:def:410350 | Patches for CESA-2012-0079 for CentOS 6 |
| oval:com.mcafee.oval:def:410356 | Patches for CESA-2012-0079 for CentOS 5 |
| oval:com.mcafee.oval:def:410372 | Patches for CESA-2012-0699 for CentOS 6 |
| oval:com.mcafee.oval:def:410377 | Patches for CESA-2012-0699 for CentOS 5 |
| oval:com.mcafee.oval:def:410392 | Patches for CESA-2012-0884 for CentOS 6 |
| oval:com.mcafee.oval:def:410397 | Patches for CESA-2013-0144 for CentOS 6 |
| oval:com.mcafee.oval:def:410403 | Patches for CESA-2013-0144 for CentOS 5 |
| oval:com.mcafee.oval:def:410426 | Patches for CESA-2012-0092 for CentOS 5 |
| oval:com.mcafee.oval:def:410459 | Patches for CESA-2012-0690 for CentOS 5 |
| oval:com.mcafee.oval:def:410475 | Patches for CESA-2012-0796 for CentOS 6 |
| oval:com.mcafee.oval:def:410478 | Patches for CESA-2013-0145 for CentOS 6 |
| oval:com.mcafee.oval:def:410481 | Patches for CESA-2013-0145 for CentOS 5 |
| oval:com.mcafee.oval:def:410522 | Patches for CESA-2012-0987 for CentOS 6 |
| oval:com.mcafee.oval:def:410558 | Patches for CESA-2012-0997 for CentOS 6 |
| oval:com.mcafee.oval:def:410570 | Patches for CESA-2013-0847 for CentOS 5 |
| oval:com.mcafee.oval:def:410655 | Patches for CESA-2012-0683 for CentOS 6 |
| oval:com.mcafee.oval:def:410678 | Patches for CESA-2013-0983 for CentOS 6 |
| oval:com.mcafee.oval:def:410683 | Patches for CESA-2013-0983 for CentOS 5 |
| oval:com.mcafee.oval:def:410696 | Patches for CESA-2013-1114 for CentOS 6 |
| oval:com.mcafee.oval:def:410706 | Patches for CESA-2012-0676 for CentOS 5 |
| oval:com.mcafee.oval:def:410804 | Patches for CESA-2013-0982 for CentOS 6 |
| oval:com.mcafee.oval:def:410807 | Patches for CESA-2013-0982 for CentOS 5 |
| oval:com.mcafee.oval:def:410815 | Patches for CESA-2013-1100 for CentOS 6 |
| oval:com.mcafee.oval:def:410833 | Patches for CESA-2012-0678 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:410847 | Patches for CESA-2012-0678 for CentOS 5 |
| oval:com.mcafee.oval:def:410868 | Patches for CESA-2012-0387 for CentOS 6 |
| oval:com.mcafee.oval:def:410874 | Patches for CESA-2012-0387 for CentOS 5 |
| oval:com.mcafee.oval:def:410885 | Patches for CESA-2013-0981 for CentOS 6 |
| oval:com.mcafee.oval:def:410890 | Patches for CESA-2013-0981 for CentOS 5 |
| oval:com.mcafee.oval:def:410900 | Patches for CESA-2013-1115 for CentOS 5 |
| oval:com.mcafee.oval:def:410908 | Patches for CESA-2012-0509 for CentOS 6 |
| oval:com.mcafee.oval:def:410920 | Patches for CESA-2012-0677 for CentOS 5 |
| oval:com.mcafee.oval:def:410928 | Patches for CESA-2012-0397 for CentOS 5 |
| oval:com.mcafee.oval:def:410965 | Patches for CESA-2012-0393 for CentOS 6 |
| oval:com.mcafee.oval:def:411025 | Patches for CESA-2013-1049 for CentOS 6 |
| oval:com.mcafee.oval:def:411046 | Patches for CESA-2013-1049 for CentOS 5 |
| oval:com.mcafee.oval:def:411048 | Patches for CESA-2012-0388 for CentOS 6 |
| oval:com.mcafee.oval:def:411050 | Patches for CESA-2012-0388 for CentOS 5 |
| oval:com.mcafee.oval:def:411095 | Patches for CESA-2013-1050 for CentOS 5 |
| oval:com.mcafee.oval:def:411100 | Patches for CESA-2012-0407 for CentOS 6 |
| oval:com.mcafee.oval:def:411104 | Patches for CESA-2012-0407 for CentOS 5 |
| oval:com.mcafee.oval:def:411163 | Patches for CESA-2013-1034 for CentOS 5 |
| oval:com.mcafee.oval:def:411181 | Patches for CESA-2013-1121 for CentOS 5 |
| oval:com.mcafee.oval:def:411204 | Patches for CESA-2012-1211 for CentOS 6 |
| oval:com.mcafee.oval:def:411207 | Patches for CESA-2012-1211 for CentOS 5 |
| oval:com.mcafee.oval:def:411223 | Patches for CESA-2013-1269 for CentOS 6 |
| oval:com.mcafee.oval:def:411226 | Patches for CESA-2013-1269 for CentOS 5 |
| oval:com.mcafee.oval:def:411243 | Patches for CESA-2013-1120 for CentOS 6 |
| oval:com.mcafee.oval:def:411266 | Patches for CESA-2012-1210 for CentOS 6 |
| oval:com.mcafee.oval:def:411271 | Patches for CESA-2012-1210 for CentOS 5 |
| oval:com.mcafee.oval:def:411279 | Patches for CESA-2013-1268 for CentOS 6 |
| oval:com.mcafee.oval:def:411284 | Patches for CESA-2013-1268 for CentOS 5 |
| oval:com.mcafee.oval:def:411289 | Patches for CESA-2012-1259 for CentOS 6 |
| oval:com.mcafee.oval:def:411312 | Patches for CESA-2013-1119 for CentOS 6 |
| oval:com.mcafee.oval:def:411327 | Patches for CESA-2012-1221 for CentOS 6 |
| oval:com.mcafee.oval:def:411332 | Patches for CESA-2012-1283 for CentOS 6 |
| oval:com.mcafee.oval:def:411354 | Patches for CESA-2013-1135 for CentOS 5 |
| oval:com.mcafee.oval:def:411364 | Patches for CESA-2012-1223 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:411376 | Patches for CESA-2012-1263 for CentOS 6 |
| oval:com.mcafee.oval:def:411390 | Patches for CESA-2012-1263 for CentOS 5 |
| oval:com.mcafee.oval:def:411409 | Patches for CESA-2012-1222 for CentOS 5 |
| oval:com.mcafee.oval:def:411419 | Patches for CESA-2012-1267 for CentOS 5 |
| oval:com.mcafee.oval:def:411424 | Patches for CESA-2012-0515 for CentOS 6 |
| oval:com.mcafee.oval:def:411430 | Patches for CESA-2012-0515 for CentOS 5 |
| oval:com.mcafee.oval:def:411446 | Patches for CESA-2012-1266 for CentOS 5 |
| oval:com.mcafee.oval:def:411451 | Patches for CESA-2012-0523 for CentOS 6 |
| oval:com.mcafee.oval:def:411455 | Patches for CESA-2012-0523 for CentOS 5 |
| oval:com.mcafee.oval:def:411472 | Patches for CESA-2012-1264 for CentOS 5 |
| oval:com.mcafee.oval:def:411486 | Patches for CESA-2012-0533 for CentOS 6 |
| oval:com.mcafee.oval:def:411496 | Patches for CESA-2012-0533 for CentOS 5 |
| oval:com.mcafee.oval:def:411511 | Patches for CESA-2012-1284 for CentOS 6 |
| oval:com.mcafee.oval:def:411520 | Patches for CESA-2012-0518 for CentOS 6 |
| oval:com.mcafee.oval:def:411527 | Patches for CESA-2012-0518 for CentOS 5 |
| oval:com.mcafee.oval:def:411545 | Patches for CESA-2012-1261 for CentOS 6 |
| oval:com.mcafee.oval:def:411547 | Patches for CESA-2012-0516 for CentOS 6 |
| oval:com.mcafee.oval:def:411549 | Patches for CESA-2012-0516 for CentOS 5 |
| oval:com.mcafee.oval:def:411565 | Patches for CESA-2012-1384 for CentOS 6 |
| oval:com.mcafee.oval:def:411573 | Patches for CESA-2012-1268 for CentOS 6 |
| oval:com.mcafee.oval:def:411592 | Patches for CESA-2012-1385 for CentOS 5 |
| oval:com.mcafee.oval:def:411604 | Patches for CESA-2012-1540 for CentOS 5 |
| oval:com.mcafee.oval:def:411609 | Patches for CESA-2012-1258 for CentOS 5 |
| oval:com.mcafee.oval:def:411635 | Patches for CESA-2012-1386 for CentOS 6 |
| oval:com.mcafee.oval:def:411643 | Patches for CESA-2013-0748 for CentOS 6 |
| oval:com.mcafee.oval:def:411653 | Patches for CESA-2012-1551 for CentOS 6 |
| oval:com.mcafee.oval:def:411659 | Patches for CESA-2013-1869 for CentOS 6 |
| oval:com.mcafee.oval:def:411663 | Patches for CESA-2013-1869 for CentOS 5 |
| oval:com.mcafee.oval:def:411670 | Patches for CESA-2012-1288 for CentOS 6 |
| oval:com.mcafee.oval:def:411675 | Patches for CESA-2012-1288 for CentOS 5 |
| oval:com.mcafee.oval:def:411719 | Patches for CESA-2013-0737 for CentOS 6 |
| oval:com.mcafee.oval:def:411727 | Patches for CESA-2013-0737 for CentOS 5 |
| oval:com.mcafee.oval:def:411735 | Patches for CESA-2012-1549 for CentOS 6 |
| oval:com.mcafee.oval:def:411739 | Patches for CESA-2013-1866 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:411756 | Patches for CESA-2012-1265 for CentOS 6 |
| oval:com.mcafee.oval:def:411761 | Patches for CESA-2012-1265 for CentOS 5 |
| oval:com.mcafee.oval:def:411774 | Patches for CESA-2012-1512 for CentOS 6 |
| oval:com.mcafee.oval:def:411779 | Patches for CESA-2012-1512 for CentOS 5 |
| oval:com.mcafee.oval:def:411798 | Patches for CESA-2013-0727 for CentOS 5 |
| oval:com.mcafee.oval:def:411802 | Patches for CESA-2012-0369 for CentOS 6 |
| oval:com.mcafee.oval:def:411809 | Patches for CESA-2013-1861 for CentOS 6 |
| oval:com.mcafee.oval:def:411815 | Patches for CESA-2013-1861 for CentOS 5 |
| oval:com.mcafee.oval:def:411845 | Patches for CESA-2013-0747 for CentOS 5 |
| oval:com.mcafee.oval:def:411855 | Patches for CESA-2012-0376 for CentOS 6 |
| oval:com.mcafee.oval:def:411863 | Patches for CESA-2012-0376 for CentOS 5 |
| oval:com.mcafee.oval:def:411873 | Patches for CESA-2013-1868 for CentOS 6 |
| oval:com.mcafee.oval:def:411882 | Patches for CESA-2013-1868 for CentOS 5 |
| oval:com.mcafee.oval:def:411897 | Patches for CESA-2012-1201 for CentOS 5 |
| oval:com.mcafee.oval:def:411912 | Patches for CESA-2013-0742 for CentOS 6 |
| oval:com.mcafee.oval:def:411923 | Patches for CESA-2012-0350 for CentOS 6 |
| oval:com.mcafee.oval:def:411941 | Patches for CESA-2012-1174 for CentOS 5 |
| oval:com.mcafee.oval:def:411978 | Patches for CESA-2012-1207 for CentOS 5 |
| oval:com.mcafee.oval:def:412041 | Patches for CESA-2012-1206 for CentOS 6 |
| oval:com.mcafee.oval:def:412061 | Patches for CESA-2012-1202 for CentOS 6 |
| oval:com.mcafee.oval:def:412099 | Patches for CESA-2013-1292 for CentOS 5 |
| oval:com.mcafee.oval:def:412108 | Patches for CESA-2012-1208 for CentOS 6 |
| oval:com.mcafee.oval:def:412199 | Patches for CESA-2012-0545 for CentOS 5 |
| oval:com.mcafee.oval:def:412255 | Patches for CESA-2012-0547 for CentOS 5 |
| oval:com.mcafee.oval:def:412283 | Patches for CESA-2012-0544 for CentOS 6 |
| oval:com.mcafee.oval:def:412291 | Patches for CESA-2013-1273 for CentOS 6 |
| oval:com.mcafee.oval:def:412355 | Patches for CESA-2012-0546 for CentOS 6 |
| oval:com.mcafee.oval:def:412376 | Patches for CESA-2012-0546 for CentOS 5 |
| oval:com.mcafee.oval:def:412392 | Patches for CESA-2013-1270 for CentOS 6 |
| oval:com.mcafee.oval:def:412454 | Patches for CESA-2013-1274 for CentOS 6 |
| oval:com.mcafee.oval:def:412500 | Patches for CESA-2013-1272 for CentOS 6 |
| oval:com.mcafee.oval:def:412525 | Patches for CESA-2012-1180 for CentOS 6 |
| oval:com.mcafee.oval:def:412540 | Patches for CESA-2013-1282 for CentOS 6 |
| oval:com.mcafee.oval:def:412560 | Patches for CESA-2012-1156 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:412582 | Patches for CESA-2012-1181 for CentOS 5 |
| oval:com.mcafee.oval:def:412662 | Patches for CESA-2013-1452 for CentOS 6 |
| oval:com.mcafee.oval:def:412665 | Patches for CESA-2013-1452 for CentOS 5 |
| oval:com.mcafee.oval:def:412695 | Patches for CESA-2014-0255 for CentOS 6 |
| oval:com.mcafee.oval:def:412703 | Patches for CESA-2014-0255 for CentOS 5 |
| oval:com.mcafee.oval:def:412709 | Patches for CESA-2013-1459 for CentOS 6 |
| oval:com.mcafee.oval:def:412712 | Patches for CESA-2013-1459 for CentOS 5 |
| oval:com.mcafee.oval:def:412737 | Patches for CESA-2014-0266 for CentOS 5 |
| oval:com.mcafee.oval:def:412749 | Patches for CESA-2013-1449 for CentOS 5 |
| oval:com.mcafee.oval:def:412767 | Patches for CESA-2012-0571 for CentOS 6 |
| oval:com.mcafee.oval:def:412774 | Patches for CESA-2013-1457 for CentOS 6 |
| oval:com.mcafee.oval:def:412778 | Patches for CESA-2013-1457 for CentOS 5 |
| oval:com.mcafee.oval:def:412795 | Patches for CESA-2013-1451 for CentOS 6 |
| oval:com.mcafee.oval:def:412816 | Patches for CESA-2013-0517 for CentOS 6 |
| oval:com.mcafee.oval:def:412835 | Patches for CESA-2013-1213 for CentOS 5 |
| oval:com.mcafee.oval:def:412840 | Patches for CESA-2013-1458 for CentOS 5 |
| oval:com.mcafee.oval:def:412848 | Patches for CESA-2013-0609 for CentOS 6 |
| oval:com.mcafee.oval:def:412858 | Patches for CESA-2013-1192 for CentOS 6 |
| oval:com.mcafee.oval:def:412865 | Patches for CESA-2013-0587 for CentOS 6 |
| oval:com.mcafee.oval:def:412870 | Patches for CESA-2013-0587 for CentOS 5 |
| oval:com.mcafee.oval:def:412892 | Patches for CESA-2013-0669 for CentOS 6 |
| oval:com.mcafee.oval:def:412904 | Patches for CESA-2013-0612 for CentOS 6 |
| oval:com.mcafee.oval:def:412980 | Patches for CESA-2013-0668 for CentOS 6 |
| oval:com.mcafee.oval:def:412985 | Patches for CESA-2013-0668 for CentOS 5 |
| oval:com.mcafee.oval:def:412992 | Patches for CESA-2013-0602 for CentOS 6 |
| oval:com.mcafee.oval:def:413013 | Patches for CESA-2013-0683 for CentOS 5 |
| oval:com.mcafee.oval:def:413017 | Patches for CESA-2013-0523 for CentOS 6 |
| oval:com.mcafee.oval:def:413034 | Patches for CESA-2013-0771 for CentOS 6 |
| oval:com.mcafee.oval:def:413038 | Patches for CESA-2013-0771 for CentOS 5 |
| oval:com.mcafee.oval:def:413043 | Patches for CESA-2013-0503 for CentOS 6 |
| oval:com.mcafee.oval:def:413061 | Patches for CESA-2013-0770 for CentOS 6 |
| oval:com.mcafee.oval:def:413068 | Patches for CESA-2013-0770 for CentOS 5 |
| oval:com.mcafee.oval:def:413075 | Patches for CESA-2013-0605 for CentOS 6 |
| oval:com.mcafee.oval:def:413123 | Patches for CESA-2013-0769 for CentOS 5 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:413134 | Patches for CESA-2013-0567 for CentOS 6 |
| oval:com.mcafee.oval:def:413142 | Patches for CESA-2014-0044 for CentOS 6 |
| oval:com.mcafee.oval:def:413188 | Patches for CESA-2013-0772 for CentOS 6 |
| oval:com.mcafee.oval:def:413196 | Patches for CESA-2013-0751 for CentOS 6 |
| oval:com.mcafee.oval:def:413200 | Patches for CESA-2013-0526 for CentOS 6 |
| oval:com.mcafee.oval:def:413207 | Patches for CESA-2014-0026 for CentOS 6 |
| oval:com.mcafee.oval:def:413263 | Patches for CESA-2013-0744 for CentOS 6 |
| oval:com.mcafee.oval:def:413276 | Patches for CESA-2013-0516 for CentOS 6 |
| oval:com.mcafee.oval:def:413284 | Patches for CESA-2014-0043 for CentOS 6 |
| oval:com.mcafee.oval:def:413306 | Patches for CESA-2012-1426 for CentOS 6 |
| oval:com.mcafee.oval:def:413322 | Patches for CESA-2013-0753 for CentOS 6 |
| oval:com.mcafee.oval:def:413338 | Patches for CESA-2013-0506 for CentOS 6 |
| oval:com.mcafee.oval:def:413345 | Patches for CESA-2014-0027 for CentOS 5 |
| oval:com.mcafee.oval:def:413361 | Patches for CESA-2012-1455 for CentOS 6 |
| oval:com.mcafee.oval:def:413379 | Patches for CESA-2013-0608 for CentOS 5 |
| oval:com.mcafee.oval:def:413386 | Patches for CESA-2013-0752 for CentOS 5 |
| oval:com.mcafee.oval:def:413398 | Patches for CESA-2012-1459 for CentOS 6 |
| oval:com.mcafee.oval:def:413412 | Patches for CESA-2013-0519 for CentOS 6 |
| oval:com.mcafee.oval:def:413430 | Patches for CESA-2012-1445 for CentOS 5 |
| oval:com.mcafee.oval:def:413503 | Patches for CESA-2013-0509 for CentOS 6 |
| oval:com.mcafee.oval:def:413510 | Patches for CESA-2012-1434 for CentOS 6 |
| oval:com.mcafee.oval:def:413515 | Patches for CESA-2012-1482 for CentOS 6 |
| oval:com.mcafee.oval:def:413521 | Patches for CESA-2012-1482 for CentOS 5 |
| oval:com.mcafee.oval:def:413533 | Patches for CESA-2013-0599 for CentOS 5 |
| oval:com.mcafee.oval:def:413538 | Patches for CESA-2012-1483 for CentOS 6 |
| oval:com.mcafee.oval:def:413540 | Patches for CESA-2012-1483 for CentOS 5 |
| oval:com.mcafee.oval:def:413573 | Patches for CESA-2013-0589 for CentOS 6 |
| oval:com.mcafee.oval:def:413590 | Patches for CESA-2013-0621 for CentOS 5 |
| oval:com.mcafee.oval:def:413597 | Patches for CESA-2013-1778 for CentOS 6 |
| oval:com.mcafee.oval:def:413602 | Patches for CESA-2013-1778 for CentOS 5 |
| oval:com.mcafee.oval:def:413634 | Patches for CESA-2013-0611 for CentOS 5 |
| oval:com.mcafee.oval:def:413638 | Patches for CESA-2013-1779 for CentOS 6 |
| oval:com.mcafee.oval:def:413641 | Patches for CESA-2013-1779 for CentOS 5 |
| oval:com.mcafee.oval:def:413667 | Patches for CESA-2012-1151 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:413672 | Patches for CESA-2013-0628 for CentOS 6 |
| oval:com.mcafee.oval:def:413699 | Patches for CESA-2013-0522 for CentOS 6 |
| oval:com.mcafee.oval:def:413707 | Patches for CESA-2014-0305 for CentOS 5 |
| oval:com.mcafee.oval:def:413742 | Patches for CESA-2013-0512 for CentOS 6 |
| oval:com.mcafee.oval:def:413763 | Patches for CESA-2014-0311 for CentOS 5 |
| oval:com.mcafee.oval:def:413796 | Patches for CESA-2013-0502 for CentOS 6 |
| oval:com.mcafee.oval:def:413801 | Patches for CESA-2014-0292 for CentOS 6 |
| oval:com.mcafee.oval:def:413828 | Patches for CESA-2013-0614 for CentOS 6 |
| oval:com.mcafee.oval:def:413832 | Patches for CESA-2013-0614 for CentOS 5 |
| oval:com.mcafee.oval:def:413836 | Patches for CESA-2014-0304 for CentOS 6 |
| oval:com.mcafee.oval:def:413852 | Patches for CESA-2013-0604 for CentOS 5 |
| oval:com.mcafee.oval:def:413864 | Patches for CESA-2014-0285 for CentOS 5 |
| oval:com.mcafee.oval:def:414085 | Patches for CESA-2012-1135 for CentOS 6 |
| oval:com.mcafee.oval:def:414091 | Patches for CESA-2014-0015 for CentOS 6 |
| oval:com.mcafee.oval:def:414107 | Patches for CESA-2012-1462 for CentOS 6 |
| oval:com.mcafee.oval:def:414113 | Patches for CESA-2013-0525 for CentOS 6 |
| oval:com.mcafee.oval:def:414120 | Patches for CESA-2014-0103 for CentOS 6 |
| oval:com.mcafee.oval:def:414123 | Patches for CESA-2014-0310 for CentOS 6 |
| oval:com.mcafee.oval:def:414141 | Patches for CESA-2012-1141 for CentOS 6 |
| oval:com.mcafee.oval:def:414152 | Patches for CESA-2013-0911 for CentOS 6 |
| oval:com.mcafee.oval:def:414156 | Patches for CESA-2014-0018 for CentOS 6 |
| oval:com.mcafee.oval:def:414160 | Patches for CESA-2014-0018 for CentOS 5 |
| oval:com.mcafee.oval:def:414178 | Patches for CESA-2012-1461 for CentOS 6 |
| oval:com.mcafee.oval:def:414193 | Patches for CESA-2013-0515 for CentOS 6 |
| oval:com.mcafee.oval:def:414200 | Patches for CESA-2014-0126 for CentOS 6 |
| oval:com.mcafee.oval:def:414208 | Patches for CESA-2014-0293 for CentOS 6 |
| oval:com.mcafee.oval:def:414215 | Patches for CESA-2012-1140 for CentOS 5 |
| oval:com.mcafee.oval:def:414218 | Patches for CESA-2014-0016 for CentOS 5 |
| oval:com.mcafee.oval:def:414231 | Patches for CESA-2012-1416 for CentOS 6 |
| oval:com.mcafee.oval:def:414234 | Patches for CESA-2013-0505 for CentOS 6 |
| oval:com.mcafee.oval:def:414246 | Patches for CESA-2014-0108 for CentOS 5 |
| oval:com.mcafee.oval:def:414251 | Patches for CESA-2014-0222 for CentOS 6 |
| oval:com.mcafee.oval:def:414330 | Patches for CESA-2012-1136 for CentOS 5 |
| oval:com.mcafee.oval:def:414341 | Patches for CESA-2012-1413 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:414344 | Patches for CESA-2012-1413 for CentOS 5 |
| oval:com.mcafee.oval:def:414353 | Patches for CESA-2013-0528 for CentOS 6 |
| oval:com.mcafee.oval:def:414359 | Patches for CESA-2014-0127 for CentOS 6 |
| oval:com.mcafee.oval:def:414365 | Patches for CESA-2014-0246 for CentOS 6 |
| oval:com.mcafee.oval:def:414368 | Patches for CESA-2012-1139 for CentOS 6 |
| oval:com.mcafee.oval:def:414373 | Patches for CESA-2013-1182 for CentOS 6 |
| oval:com.mcafee.oval:def:414384 | Patches for CESA-2012-0481 for CentOS 6 |
| oval:com.mcafee.oval:def:414390 | Patches for CESA-2012-1407 for CentOS 6 |
| oval:com.mcafee.oval:def:414395 | Patches for CESA-2012-1407 for CentOS 5 |
| oval:com.mcafee.oval:def:414416 | Patches for CESA-2013-0508 for CentOS 6 |
| oval:com.mcafee.oval:def:414426 | Patches for CESA-2014-0164 for CentOS 6 |
| oval:com.mcafee.oval:def:414438 | Patches for CESA-2014-0249 for CentOS 5 |
| oval:com.mcafee.oval:def:414461 | Patches for CESA-2012-1149 for CentOS 5 |
| oval:com.mcafee.oval:def:414468 | Patches for CESA-2013-0274 for CentOS 5 |
| oval:com.mcafee.oval:def:414479 | Patches for CESA-2013-1173 for CentOS 6 |
| oval:com.mcafee.oval:def:414492 | Patches for CESA-2012-0474 for CentOS 5 |
| oval:com.mcafee.oval:def:414506 | Patches for CESA-2012-1418 for CentOS 6 |
| oval:com.mcafee.oval:def:414510 | Patches for CESA-2013-0568 for CentOS 6 |
| oval:com.mcafee.oval:def:414514 | Patches for CESA-2013-0568 for CentOS 5 |
| oval:com.mcafee.oval:def:414518 | Patches for CESA-2014-0174 for CentOS 5 |
| oval:com.mcafee.oval:def:414523 | Patches for CESA-2014-0247 for CentOS 5 |
| oval:com.mcafee.oval:def:414535 | Patches for CESA-2013-0275 for CentOS 6 |
| oval:com.mcafee.oval:def:414542 | Patches for CESA-2013-0275 for CentOS 5 |
| oval:com.mcafee.oval:def:414554 | Patches for CESA-2012-0480 for CentOS 5 |
| oval:com.mcafee.oval:def:414572 | Patches for CESA-2012-1364 for CentOS 5 |
| oval:com.mcafee.oval:def:414583 | Patches for CESA-2013-0496 for CentOS 6 |
| oval:com.mcafee.oval:def:414595 | Patches for CESA-2014-0159 for CentOS 6 |
| oval:com.mcafee.oval:def:414599 | Patches for CESA-2014-0223 for CentOS 5 |
| oval:com.mcafee.oval:def:414612 | Patches for CESA-2013-0273 for CentOS 6 |
| oval:com.mcafee.oval:def:414623 | Patches for CESA-2013-0964 for CentOS 6 |
| oval:com.mcafee.oval:def:414634 | Patches for CESA-2012-0475 for CentOS 6 |
| oval:com.mcafee.oval:def:414645 | Patches for CESA-2012-1361 for CentOS 6 |
| oval:com.mcafee.oval:def:414649 | Patches for CESA-2012-1361 for CentOS 5 |
| oval:com.mcafee.oval:def:414655 | Patches for CESA-2013-0588 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:414660 | Patches for CESA-2013-0588 for CentOS 5 |
| oval:com.mcafee.oval:def:414671 | Patches for CESA-2013-1051 for CentOS 6 |
| oval:com.mcafee.oval:def:414678 | Patches for CESA-2014-0163 for CentOS 5 |
| oval:com.mcafee.oval:def:414694 | Patches for CESA-2012-0059 for CentOS 6 |
| oval:com.mcafee.oval:def:414701 | Patches for CESA-2013-0958 for CentOS 5 |
| oval:com.mcafee.oval:def:414705 | Patches for CESA-2012-1351 for CentOS 6 |
| oval:com.mcafee.oval:def:414708 | Patches for CESA-2012-1351 for CentOS 5 |
| oval:com.mcafee.oval:def:414713 | Patches for CESA-2013-0277 for CentOS 6 |
| oval:com.mcafee.oval:def:414724 | Patches for CESA-2013-1090 for CentOS 6 |
| oval:com.mcafee.oval:def:414735 | Patches for CESA-2013-1090 for CentOS 5 |
| oval:com.mcafee.oval:def:414738 | Patches for CESA-2014-0175 for CentOS 6 |
| oval:com.mcafee.oval:def:414756 | Patches for CESA-2012-0070 for CentOS 5 |
| oval:com.mcafee.oval:def:414763 | Patches for CESA-2013-0957 for CentOS 6 |
| oval:com.mcafee.oval:def:414768 | Patches for CESA-2012-1350 for CentOS 6 |
| oval:com.mcafee.oval:def:414773 | Patches for CESA-2012-1350 for CentOS 5 |
| oval:com.mcafee.oval:def:414776 | Patches for CESA-2013-0499 for CentOS 6 |
| oval:com.mcafee.oval:def:414780 | Patches for CESA-2014-0185 for CentOS 6 |
| oval:com.mcafee.oval:def:414784 | Patches for CESA-2014-0185 for CentOS 5 |
| oval:com.mcafee.oval:def:414797 | Patches for CESA-2012-0062 for CentOS 6 |
| oval:com.mcafee.oval:def:414805 | Patches for CESA-2013-0689 for CentOS 6 |
| oval:com.mcafee.oval:def:414818 | Patches for CESA-2012-1362 for CentOS 6 |
| oval:com.mcafee.oval:def:414821 | Patches for CESA-2012-1362 for CentOS 5 |
| oval:com.mcafee.oval:def:414834 | Patches for CESA-2013-0640 for CentOS 5 |
| oval:com.mcafee.oval:def:414855 | Patches for CESA-2012-0058 for CentOS 6 |
| oval:com.mcafee.oval:def:414980 | Patches for CESA-2013-0685 for CentOS 6 |
| oval:com.mcafee.oval:def:414984 | Patches for CESA-2013-0685 for CentOS 5 |
| oval:com.mcafee.oval:def:415020 | Patches for CESA-2012-1359 for CentOS 6 |
| oval:com.mcafee.oval:def:415026 | Patches for CESA-2013-0521 for CentOS 6 |
| oval:com.mcafee.oval:def:415038 | Patches for CESA-2012-0069 for CentOS 6 |
| oval:com.mcafee.oval:def:415045 | Patches for CESA-2013-0690 for CentOS 5 |
| oval:com.mcafee.oval:def:415075 | Patches for CESA-2012-1366 for CentOS 6 |
| oval:com.mcafee.oval:def:415101 | Patches for CESA-2013-0511 for CentOS 6 |
| oval:com.mcafee.oval:def:415107 | Patches for CESA-2013-0687 for CentOS 6 |
| oval:com.mcafee.oval:def:415131 | Patches for CESA-2012-1363 for CentOS 6 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:415141 | Patches for CESA-2012-1363 for CentOS 5 |
| oval:com.mcafee.oval:def:415147 | Patches for CESA-2013-0581 for CentOS 6 |
| oval:com.mcafee.oval:def:415152 | Patches for CESA-2013-0581 for CentOS 5 |
| oval:com.mcafee.oval:def:415190 | Patches for CESA-2013-0514 for CentOS 6 |
| oval:com.mcafee.oval:def:415203 | Patches for CESA-2012-1089 for CentOS 6 |
| oval:com.mcafee.oval:def:415206 | Patches for CESA-2012-1089 for CentOS 5 |
| oval:com.mcafee.oval:def:415220 | Patches for CESA-2014-0186 for CentOS 5 |
| oval:com.mcafee.oval:def:415249 | Patches for CESA-2013-0504 for CentOS 6 |
| oval:com.mcafee.oval:def:415338 | Patches for CESA-2012-0411 for CentOS 5 |
| oval:com.mcafee.oval:def:415346 | Patches for CESA-2012-0126 for CentOS 5 |
| oval:com.mcafee.oval:def:415356 | Patches for CESA-2012-1088 for CentOS 6 |
| oval:com.mcafee.oval:def:415361 | Patches for CESA-2012-1088 for CentOS 5 |
| oval:com.mcafee.oval:def:415368 | Patches for CESA-2014-0097 for CentOS 6 |
| oval:com.mcafee.oval:def:415375 | Patches for CESA-2014-0097 for CentOS 5 |
| oval:com.mcafee.oval:def:415387 | Patches for CESA-2014-0211 for CentOS 6 |
| oval:com.mcafee.oval:def:415401 | Patches for CESA-2014-0211 for CentOS 5 |
| oval:com.mcafee.oval:def:415421 | Patches for CESA-2013-0594 for CentOS 5 |
| oval:com.mcafee.oval:def:415432 | Patches for CESA-2012-0428 for CentOS 5 |
| oval:com.mcafee.oval:def:415435 | Patches for CESA-2012-0103 for CentOS 5 |
| oval:com.mcafee.oval:def:415438 | Patches for CESA-2012-1081 for CentOS 6 |
| oval:com.mcafee.oval:def:415441 | Patches for CESA-2012-1081 for CentOS 5 |
| oval:com.mcafee.oval:def:415445 | Patches for CESA-2014-0151 for CentOS 6 |
| oval:com.mcafee.oval:def:415455 | Patches for CESA-2014-0206 for CentOS 5 |
| oval:com.mcafee.oval:def:415466 | Patches for CESA-2013-0276 for CentOS 6 |
| oval:com.mcafee.oval:def:415475 | Patches for CESA-2012-0426 for CentOS 6 |
| oval:com.mcafee.oval:def:415480 | Patches for CESA-2012-0426 for CentOS 5 |
| oval:com.mcafee.oval:def:415492 | Patches for CESA-2012-0052 for CentOS 6 |
| oval:com.mcafee.oval:def:415504 | Patches for CESA-2012-1091 for CentOS 6 |
| oval:com.mcafee.oval:def:415516 | Patches for CESA-2014-0139 for CentOS 6 |
| oval:com.mcafee.oval:def:415527 | Patches for CESA-2014-0139 for CentOS 5 |
| oval:com.mcafee.oval:def:415569 | Patches for CESA-2012-0019 for CentOS 6 |
| oval:com.mcafee.oval:def:415592 | Patches for CESA-2012-0019 for CentOS 5 |
| oval:com.mcafee.oval:def:415595 | Patches for CESA-2013-0627 for CentOS 6 |
| oval:com.mcafee.oval:def:415598 | Patches for CESA-2013-0627 for CentOS 5 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:415605 | Patches for CESA-2012-0410 for CentOS 6 |
| oval:com.mcafee.oval:def:415615 | Patches for CESA-2012-0105 for CentOS 6 |
| oval:com.mcafee.oval:def:415636 | Patches for CESA-2012-0033 for CentOS 5 |
| oval:com.mcafee.oval:def:415645 | Patches for CESA-2012-1090 for CentOS 5 |
| oval:com.mcafee.oval:def:415648 | Patches for CESA-2014-0133 for CentOS 6 |
| oval:com.mcafee.oval:def:415651 | Patches for CESA-2014-0133 for CentOS 5 |
| oval:com.mcafee.oval:def:415699 | Patches for CESA-2012-0018 for CentOS 6 |
| oval:com.mcafee.oval:def:415718 | Patches for CESA-2013-0520 for CentOS 6 |
| oval:com.mcafee.oval:def:415724 | Patches for CESA-2012-0429 for CentOS 6 |
| oval:com.mcafee.oval:def:415731 | Patches for CESA-2012-0128 for CentOS 6 |
| oval:com.mcafee.oval:def:415737 | Patches for CESA-2012-0060 for CentOS 5 |
| oval:com.mcafee.oval:def:415739 | Patches for CESA-2014-0132 for CentOS 6 |
| oval:com.mcafee.oval:def:415741 | Patches for CESA-2014-0132 for CentOS 5 |
| oval:com.mcafee.oval:def:415762 | Patches for CESA-2013-0500 for CentOS 6 |
| oval:com.mcafee.oval:def:415770 | Patches for CESA-2012-0427 for CentOS 6 |
| oval:com.mcafee.oval:def:415777 | Patches for CESA-2012-0127 for CentOS 5 |
| oval:com.mcafee.oval:def:415782 | Patches for CESA-2012-0050 for CentOS 6 |
| oval:com.mcafee.oval:def:415800 | Patches for CESA-2012-0007 for CentOS 5 |
| oval:com.mcafee.oval:def:415808 | Patches for CESA-2013-0550 for CentOS 6 |
| oval:com.mcafee.oval:def:415820 | Patches for CESA-2012-0107 for CentOS 5 |
| oval:com.mcafee.oval:def:415827 | Patches for CESA-2012-0051 for CentOS 5 |
| oval:com.mcafee.oval:def:415852 | Patches for CESA-2013-0630 for CentOS 6 |
| oval:com.mcafee.oval:def:415868 | Patches for CESA-2012-0017 for CentOS 5 |
| oval:com.mcafee.oval:def:415872 | Patches for CESA-2013-0590 for CentOS 6 |
| oval:com.mcafee.oval:def:415895 | Patches for CESA-2013-0656 for CentOS 6 |
| oval:com.mcafee.oval:def:415910 | Patches for CESA-2013-0580 for CentOS 6 |
| oval:com.mcafee.oval:def:415916 | Patches for CESA-2013-0580 for CentOS 5 |
| oval:com.mcafee.oval:def:415928 | Patches for CESA-2013-1166 for CentOS 5 |
| oval:com.mcafee.oval:def:415940 | Patches for CESA-2013-1475 for CentOS 6 |
| oval:com.mcafee.oval:def:415954 | Patches for CESA-2013-1475 for CentOS 5 |
| oval:com.mcafee.oval:def:415972 | Patches for CESA-2013-0646 for CentOS 6 |
| oval:com.mcafee.oval:def:415983 | Patches for CESA-2013-0646 for CentOS 5 |
| oval:com.mcafee.oval:def:415990 | Patches for CESA-2013-1014 for CentOS 6 |
| oval:com.mcafee.oval:def:415997 | Patches for CESA-2013-1014 for CentOS 5 |

| Oval ID | Title |
|---------------------------------|-----------------------------------------|
| oval:com.mcafee.oval:def:416035 | Patches for CESA-2012-1327 for CentOS 5 |
| oval:com.mcafee.oval:def:416046 | Patches for CESA-2013-0623 for CentOS 6 |
| oval:com.mcafee.oval:def:416052 | Patches for CESA-2013-1500 for CentOS 6 |
| oval:com.mcafee.oval:def:416057 | Patches for CESA-2012-0321 for CentOS 6 |
| oval:com.mcafee.oval:def:416082 | Patches for CESA-2013-0663 for CentOS 6 |
| oval:com.mcafee.oval:def:416100 | Patches for CESA-2012-1304 for CentOS 6 |
| oval:com.mcafee.oval:def:416107 | Patches for CESA-2013-0603 for CentOS 5 |
| oval:com.mcafee.oval:def:416111 | Patches for CESA-2013-1476 for CentOS 6 |
| oval:com.mcafee.oval:def:416116 | Patches for CESA-2013-1476 for CentOS 5 |
| oval:com.mcafee.oval:def:416134 | Patches for CESA-2012-0324 for CentOS 6 |
| oval:com.mcafee.oval:def:416150 | Patches for CESA-2012-0135 for CentOS 6 |
| oval:com.mcafee.oval:def:416173 | Patches for CESA-2012-1326 for CentOS 6 |
| oval:com.mcafee.oval:def:416184 | Patches for CESA-2013-0134 for CentOS 5 |
| oval:com.mcafee.oval:def:416188 | Patches for CESA-2013-0807 for CentOS 5 |
| oval:com.mcafee.oval:def:416192 | Patches for CESA-2013-1473 for CentOS 6 |
| oval:com.mcafee.oval:def:416193 | Patch for AIX openssl advisory6 |
| oval:com.mcafee.oval:def:416196 | Patch for AIX java jan 2014 advisory |

Updated Checks

| Oval ID | Title |
|--------------------------------|--------------------------------------------------------|
| oval:com.mcafee.oval:def:8158 | Service - yum-updatesd - running state |
| oval:com.mcafee.oval:def:8092 | Service - syslog - running state |
| oval:com.mcafee.oval:def:8040 | Service - rpcidmapd - running state |
| oval:com.mcafee.oval:def:8027 | Service - rpcgssd - running state |
| oval:com.mcafee.oval:def:7997 | Service - portmap - running state |
| oval:com.mcafee.oval:def:7203 | Password policy, Minimum password age - PASS_MIN_DAYS |
| oval:com.mcafee.oval:def:7199 | Password policy, Maximum password age - PASS_MAX_DAYS |
| oval:com.mcafee.oval:def:7984 | Service - nfslock - running state |
| oval:com.mcafee.oval:def:6946 | Test the permissions of the file - /etc/shadow |
| oval:com.mcafee.oval:def:92727 | Test the permissions of the files - /var/log/messages* |
| oval:com.mcafee.oval:def:6922 | Test the permissions of the file - /etc/passwd |
| oval:com.mcafee.oval:def:6910 | Test the permissions of the file - /etc/gshadow |
| oval:com.mcafee.oval:def:6898 | Test the permissions of the file - /etc/group |
| oval:com.mcafee.oval:def:6894 | Test the permissions of the file - /etc/crontab |

| Oval ID | Title |
|---------------------------------------|---------------------------------------------------------------------------------|
| oval:com.mcafee.oval:def:6890 | Test the permissions of the directory - /etc/cron.weekly |
| oval:com.mcafee.oval:def:6886 | Test the permissions of the directory - /etc/cron.monthly |
| oval:com.mcafee.oval:def:6882 | Test the permissions of the directory - /etc/cron.hourly |
| oval:com.mcafee.oval:def:6878 | Test the permissions of the directory - /etc/cron.daily |
| oval:com.mcafee.oval:def:6874 | Test the permissions of the directory - /etc/cron.d |
| oval:com.mcafee.oval:def:6870 | Test the permissions of the file - /etc/anacrontab |
| oval:com.mcafee.oval:def:7807 | Service - cups - running state |
| oval:com.mcafee.oval:def:7768 | Service - avahi-daemon - running state |
| oval:com.mcafee.oval:def:7742 | Service - auditd - running state |
| oval:com.mcafee.oval:def:6835 | Root is the only account with uid zero. |
| oval:com.mcafee.oval:def:6801 | Set Password Creation Requirement Parameters Using pam_cracklib - ocredit |
| oval:com.mcafee.oval:def:7276 | Test the group owner of the file - /etc/cron.allow |
| oval:com.mcafee.oval:def:7245 | Test the group owner of the file - /etc/at.allow |
| oval:com.mcafee.oval:def:5870 | The root account can be directly logged into from other than the system console |
| oval:com.mcafee.oval:def:6356 | The ftpusers file should restrict the nobody account as appropriate. |
| oval:com.mcafee.oval:def:6362 | The ftpusers file should restrict the nobody4 account as appropriate. |
| oval:com.mcafee.oval:def:6359 | The ftpusers file should restrict the noaccess account as appropriate. |
| oval:com.mcafee.oval:def:215318 | Password request to login - PASSREQ |
| oval:com.mcafee.oval:def:6365 | PAM Rhosts support should be disabled. |
| oval:com.mcafee.oval:def:232425 | Test the permissions of the file - users dot-netrc file |
| oval:com.mcafee.oval:def:8853 | xinetd based service - echo - running state |
| oval:com.mcafee.oval:def:8873 | xinetd based service - echo-udp - running state |
| oval:com.mcafee.oval:def:8865 | xinetd based service - daytime - running state |
| oval:com.mcafee.oval:def:8875 | xinetd based service - daytime-udp - running state |
| oval:com.mcafee.oval:def:8856 | xinetd based service - chargen - running state |
| oval:com.mcafee.oval:def:8874 | xinetd based service - chargen-udp - running state |
| oval:com.mcafee.oval:def:200803100004 | Test if the system login banner text is set correctly - /etc/issue |
| oval:com.mcafee.oval:def:200803070538 | Password policy, Password warning age - PASS_WARN_AGE |
| oval:com.mcafee.oval:def:200802250160 | Test the owner of the file - /etc/shadow |
| oval:com.mcafee.oval:def:200802290140 | Test the group owner of the file - /etc/shadow |
| oval:com.mcafee.oval:def:200802250144 | Test the owner of the file - /etc/passwd |
| oval:com.mcafee.oval:def:200802290144 | Test the group owner of the file - /etc/passwd |
| oval:com.mcafee.oval:def:200802250140 | Test the owner of the file - /etc/gshadow |
| oval:com.mcafee.oval:def:200802290148 | Test the group owner of the file - /etc/gshadow |

| Oval ID | Title |
|---------------------------------------|------------------------------------------------------------------------------|
| oval:com.mcafee.oval:def:200802250132 | Test the owner of the file - /etc/group |
| oval:com.mcafee.oval:def:200802290128 | Test the group owner of the file - /etc/group |
| oval:com.mcafee.oval:def:200802250128 | Test the owner of the file - /etc/crontab |
| oval:com.mcafee.oval:def:200802290132 | Test the group owner of the file - /etc/crontab |
| oval:com.mcafee.oval:def:200802250124 | Test the owner of the directory - /etc/cron.weekly |
| oval:com.mcafee.oval:def:200802290112 | Test the group owner of the directory - /etc/cron.weekly |
| oval:com.mcafee.oval:def:200802250120 | Test the owner of the directory - /etc/cron.monthly |
| oval:com.mcafee.oval:def:200802290116 | Test the group owner of the directory - /etc/cron.monthly |
| oval:com.mcafee.oval:def:200802250116 | Test the owner of the directory - /etc/cron.hourly |
| oval:com.mcafee.oval:def:78712 | Test the permissions of the file - /etc/issue |
| oval:com.mcafee.oval:def:200802290120 | Test the group owner of the directory - /etc/cron.hourly |
| oval:com.mcafee.oval:def:200802250112 | Test the owner of directory - /etc/cron.daily |
| oval:com.mcafee.oval:def:200802290100 | Test the group owner of directory - /etc/cron.daily |
| oval:com.mcafee.oval:def:200802250108 | Test the owner of the directory - /etc/cron.d |
| oval:com.mcafee.oval:def:200802250104 | Test the owner of the file - /etc/anacrontab |
| oval:com.mcafee.oval:def:200802290108 | Test the group owner of the file - /etc/anacrontab |
| oval:com.mcafee.oval:def:8665 | Test the enable or disable status for - SSH X11 forwarding |
| oval:com.mcafee.oval:def:8666 | Test the enable / disable status for - SSH integration with .rhosts |
| oval:com.mcafee.oval:def:200803050006 | Test the enable / disable status for - SSH host-based authentication |
| oval:com.mcafee.oval:def:200803050260 | Service - rpcsvcgssd - running state |
| oval:com.mcafee.oval:def:200803050011 | Test the enable / disable status for - Root login via SSH |
| oval:com.mcafee.oval:def:50114 | Limit access to the root account from su |
| oval:com.mcafee.oval:def:79005 | Test the enable / disable status for - net.ipv4.conf.all.accept_source_route |
| oval:com.mcafee.oval:def:8756 | Service - iptables - running state |
| oval:com.mcafee.oval:def:8744 | Service - ip6tables - running state |
| oval:com.mcafee.oval:def:200803030108 | Test the enable / disable status for - net.ipv4.icmp_echo_ignore_broadcasts |
| oval:com.mcafee.oval:def:200803030076 | Test the enable / disable status for - net.ipv4.conf.all.send_redirects |
| oval:com.mcafee.oval:def:200803050164 | Service - crond - running state |
| oval:com.mcafee.oval:def:200803070017 | Avahi Server - Check Responses TTL Field |
| oval:com.mcafee.oval:def:200803040021 | Avahi Server - Disable Publishing |
| oval:com.mcafee.oval:def:200803040016 | Avahi Server - Restrict Published Information |
| oval:com.mcafee.oval:def:200803050150 | Service - anacron - running state |
| oval:com.mcafee.oval:def:200803030006 | Test the enable / disable status for - net.ipv4.conf.all.secure_redirects |
| oval:com.mcafee.oval:def:215332 | Test if kernel non-executable user stack protection is enabled or disabled |

| Oval ID | Title |
|--------------------------------|----------------------------------------------------------------------------------|
| oval:com.mcafee.oval:def:78877 | Test the owner of the file - /etc/motd |
| oval:com.mcafee.oval:def:50620 | Test the enable / disable status for - net.ipv4.ip_forward |
| oval:com.mcafee.oval:def:50617 | Test the enable / disable status for - net.ipv4.conf.default.secure_redirects |
| oval:com.mcafee.oval:def:50614 | Test the enable / disable status for - net.ipv4.conf.default.accept_redirects |
| oval:com.mcafee.oval:def:50583 | Test the enable or disable status for - net.ipv4.conf.all.accept_redirects |
| oval:com.mcafee.oval:def:50638 | Test the enable / disable status for - net.ipv4.tcp_syncookies |
| oval:com.mcafee.oval:def:50586 | Test the enable / disable status for - net.ipv4.conf.default.rp_filter |
| oval:com.mcafee.oval:def:50612 | Test the enable / disable status for - net.ipv4.conf.default.accept_source_route |
| oval:com.mcafee.oval:def:50580 | Test the enable / disable status for - net.ipv4.conf.all.rp_filter |
| oval:com.mcafee.oval:def:50610 | Test the enable / disable status for - net.ipv4.conf.all.log_martians |
| oval:com.mcafee.oval:def:50671 | Test if the Access control files contain a plus sign - /etc/shadow |
| oval:com.mcafee.oval:def:50674 | Test if the Access control files contain a plus sign - /etc/passwd |
| oval:com.mcafee.oval:def:50676 | Test if the Access control files contain a plus sign - /etc/group |
| oval:com.mcafee.oval:def:34419 | postgresql-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34423 | postgresql-pl patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34426 | postgresql-server patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34429 | postgresql-test patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34432 | postgresql patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34435 | postgresql-contrib patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34438 | postgresql-docs patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34441 | postgresql-libs patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34444 | postgresql-python patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34447 | postgresql-tcl patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34461 | firefox patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34529 | php patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34533 | php-bcmath patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34536 | php-cli patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34539 | php-common patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34542 | php-dba patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34545 | php-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34548 | php-gd patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34551 | php-imap patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34554 | php-ldap patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34557 | php-mbstring patch for Redhat EL5 and CentOS 5 |

| Oval ID | Title |
|-------------------------------------|---------------------------------------------------------------------------|
| oval:com.mcafee.oval:def:34560 | php-mysql patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34563 | php-ncurses patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34566 | php-odbc patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34569 | php-pdo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34572 | php-pgsql patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34575 | php-snmp patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34578 | php-soap patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34581 | php-xml patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34584 | php-xmlrpc patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34871 | kernel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34875 | kernel-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:319729 | Test for xen-kmp-default On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval:def:34878 | kernel-doc patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34881 | kernel-headers patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:34884 | kernel-xen patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:319713 | Test for xen-kmp-pae On SUSE Linux Enterprise Server 11 SP3 |
| oval:com.mcafee.oval:def:34887 | kernel-xen-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:35259 | samba patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:35262 | samba-client patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:35264 | samba-common patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:35266 | samba-swat patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:35381 | openldap-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:35384 | openldap-servers patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:35386 | openldap-servers-sql patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:35388 | compat-openldap patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:35391 | openldap patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:35393 | openldap-clients patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:37072 | kernel-PAE-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:37463 | kernel-PAE patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:37467 | kernel-debug patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:37470 | kernel-debug-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:51110 | Set Password Creation Requirement Parameters Using pam_cracklib - ucredit |
| oval:com.mcafee.oval:def:54325 | Set Password Creation Requirement Parameters Using pam_cracklib - dcredit |
| oval:com.mcafee.oval:def:54360 | Password history should be set to an appropriate value |

| Oval ID | Title |
|-------------------------------------|---------------------------------------------------------------|
| oval:com.mcafee.oval:def:117172 | libtiff-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:117175 | libtiff patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:117570 | gnutls-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:117573 | gnutls patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:117575 | gnutls-utils patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:119710 | sudo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:291013 | firefox patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291135 | postgresql patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291138 | postgresql-contrib patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291141 | postgresql-debuginfo patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291145 | postgresql-devel patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291016 | firefox-debuginfo patch for Redhat EL6 |
| oval:com.mcafee.oval:def:251580 | mod_dav_svn patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:251583 | subversion patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:251585 | subversion-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:251587 | subversion-javahl patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:251590 | subversion-perl patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:251592 | subversion-ruby patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:244697 | Set Lockout for Failed Password Attempts - pam_faillock |
| oval:com.mcafee.oval:def:79037 | Avahi Server - Prevent Other Programs from Using Avahi's Port |
| oval:com.mcafee.oval.gen:def:275771 | postgresql84-devel patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275775 | postgresql84-plperl patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275779 | postgresql84-plpython patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275783 | postgresql84-pltcl patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275787 | postgresql84-server patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275791 | postgresql84-test patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275795 | postgresql84 patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275799 | postgresql84-contrib patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275803 | postgresql84-docs patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275807 | postgresql84-libs patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275811 | postgresql84-python patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275815 | postgresql84-tcl patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275819 | libsmbclient patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:275823 | libsmbclient-devel patch for Redhat EL5 and CentOS 5 |

| Oval ID | Title |
|-------------------------------------|------------------------------------------------------------------------------|
| oval:com.mcafee.oval.gen:def:276001 | openldap-servers-overlays patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:282298 | Test for evolution-data-server On Suse Linux Enterprise server(x86 platform) |
| oval:com.mcafee.oval.gen:def:283013 | Test for audiofile-devel On Suse Linux Enterprise server(x86 platform) |
| oval:com.mcafee.oval.gen:def:283072 | Test for cups On Suse Linux Enterprise server(x86 platform) |
| oval:com.mcafee.oval.gen:def:283073 | Test for cups-client On Suse Linux Enterprise server(x86 platform) |
| oval:com.mcafee.oval.gen:def:283074 | Test for cups-devel On Suse Linux Enterprise server(x86 platform) |
| oval:com.mcafee.oval.gen:def:283075 | Test for cups-libs On Suse Linux Enterprise server(x86 platform) |
| oval:com.mcafee.oval.gen:def:283122 | Test for libxml2-devel On Suse Linux Enterprise server(x86 platform) |
| oval:com.mcafee.oval:def:78873 | Test the owner of the file - /etc/issue |
| oval:com.mcafee.oval:def:78697 | Test the permissions of the file - /etc/at.allow |
| oval:com.mcafee.oval:def:78708 | Test the permissions of the file - /etc/hosts.allow |
| oval:com.mcafee.oval:def:77441 | Service - rpcbind - running state |
| oval:com.mcafee.oval:def:78787 | Test the group owner of the file - /etc/hosts.deny |
| oval:com.mcafee.oval:def:78813 | Test the group owner of the file - /etc/ssh/sshd_config |
| oval:com.mcafee.oval:def:78791 | Test the group owner of the file - /etc/issue |
| oval:com.mcafee.oval:def:78733 | Test the permissions of the file - /etc/ssh/sshd_config |
| oval:com.mcafee.oval:def:78795 | Test the group owner of the file - /etc/motd |
| oval:com.mcafee.oval:def:78870 | Test the owner of the file - /etc/hosts.deny |
| oval:com.mcafee.oval:def:78859 | Test the owner of the file - /etc/at.allow |
| oval:com.mcafee.oval:def:78869 | Test the owner of the file - /etc/hosts.allow |
| oval:com.mcafee.oval:def:79006 | Test the enable / disable status for - net.ipv4.conf.default.send_redirects |
| oval:com.mcafee.oval:def:78792 | Test the group owner of the file - /etc/issue.net |
| oval:com.mcafee.oval:def:78861 | Test the owner of the file - /etc/cron.allow |
| oval:com.mcafee.oval:def:78874 | Test the owner of the file - /etc/issue.net |
| oval:com.mcafee.oval:def:94431 | Test the owner of the /var/log/messages files |
| oval:com.mcafee.oval:def:97902 | Test the enable / disable status for - SSH Permit Empty Passwords |
| oval:com.mcafee.oval:def:78713 | Test the permissions of the file - /etc/issue.net |
| oval:com.mcafee.oval:def:78699 | Test the permissions of the file - /etc/cron.allow |
| oval:com.mcafee.oval:def:78707 | Test the permissions of the file - /etc/hosts.deny |
| oval:com.mcafee.oval:def:78840 | Test the group owner of the directory - /etc/cron.d |
| oval:com.mcafee.oval:def:78786 | Test the group owner of the file - /etc/hosts.allow |
| oval:com.mcafee.oval:def:94377 | Test the group owner of the files -/var/log/messages |
| oval:com.mcafee.oval:def:78890 | Test the owner of the file - /etc/ssh/sshd_config |
| oval:com.mcafee.oval:def:78716 | Test the permissions of the file - /etc/motd |

| Oval ID | Title |
|-------------------------------------|----------------------------------------------------------------------------------------------------|
| oval:com.mcafee.oval:def:215319 | Passwords reuse - HISTORY should be set as appropriate. |
| oval:com.mcafee.oval:def:215260 | Minimum password age - MINWEEKS |
| oval:com.mcafee.oval:def:215603 | Test if the system login banner text is set correctly - /etc/motd |
| oval:com.mcafee.oval:def:215346 | Test if only root user is listed in cron.allow file |
| oval:com.mcafee.oval:def:215323 | MINALPHA value should be set appropriately in /etc/default/passwd |
| oval:com.mcafee.oval:def:215261 | Test if threshold for consecutive failed login attempts - RETRIES is set as appropriate |
| oval:com.mcafee.oval:def:215258 | Maximum password age - MAXWEEKS |
| oval:com.mcafee.oval:def:215455 | Retry limit for account lockout - LOCK_AFTER_RETRIES should be enabled or disabled as appropriate. |
| oval:com.mcafee.oval:def:215303 | Test if umask is set properly in /etc/default/login |
| oval:com.mcafee.oval:def:215333 | Test if kernel non-executable user stack protection log is enabled or disabled |
| oval:com.mcafee.oval:def:216661 | Minimum password length - PASSLENGTH |
| oval:com.mcafee.oval:def:215327 | MINNONALPHA value should be set appropriately in /etc/default/passwd |
| oval:com.mcafee.oval:def:216520 | Service - telnet - running state |
| oval:com.mcafee.oval.gen:def:291148 | postgresql-docs patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291151 | postgresql-libs patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291154 | postgresql-plperl patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291158 | postgresql-plpython patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291162 | postgresql-pltcl patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291166 | postgresql-server patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291169 | postgresql-test patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291254 | libtiff patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291257 | libtiff-debuginfo patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291261 | libtiff-devel patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291264 | libtiff-static patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291278 | thunderbird patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:291281 | thunderbird-debuginfo patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:292335 | mod_dav_svn patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:292338 | subversion patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:292341 | subversion-debuginfo patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:292345 | subversion-devel patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:292348 | subversion-gnome patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:292352 | subversion-javahl patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:292355 | subversion-kde patch for Redhat EL6 |

| Oval ID | Title |
|-------------------------------------|-------------------------------------------------------------------------------------------|
| oval:com.mcafee.oval.gen:def:292359 | subversion-perl patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:292362 | subversion-ruby patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:292365 | subversion-svn2cl patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:293358 | mutt patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:293361 | mutt-debuginfo patch for Redhat EL6 |
| oval:com.mcafee.oval:def:231616 | Password policy - NAMECHECK - login name checking |
| oval:com.mcafee.oval:def:231137 | Test If file exists - /etc/hosts.allow |
| oval:com.mcafee.oval:def:230332 | Test the enable / disable status for - SSH PermitRootLogin |
| oval:com.mcafee.oval:def:230327 | Test the enable / disable status for - SSH Banner |
| oval:com.mcafee.oval:def:229222 | Test the permissions of the file - /var/log/syslog |
| oval:com.mcafee.oval:def:231422 | Test If file exists - /etc/cron.d/at.deny |
| oval:com.mcafee.oval:def:231414 | Test the group owner of the file - /etc/cron.d/at.allow |
| oval:com.mcafee.oval:def:230333 | Test the configuration status for - SSH Protocol |
| oval:com.mcafee.oval:def:230329 | Test the configuration status for - SSH MaxAuthTries |
| oval:com.mcafee.oval:def:230463 | Service - automount - running state |
| oval:com.mcafee.oval:def:231418 | Test the owner of the file - /etc/cron.d/cron.allow |
| oval:com.mcafee.oval:def:230889 | nobody access for RPC encryption key storage should be set as appropriate. |
| oval:com.mcafee.oval:def:231299 | Test if the system login banner text is set correctly in /etc/issue |
| oval:com.mcafee.oval:def:229221 | Test the owner of the file - /var/log/syslog |
| oval:com.mcafee.oval:def:231421 | Test the permissions of the file - /etc/cron.d/cron.allow |
| oval:com.mcafee.oval:def:230326 | Test the enable / disable status for - SSH X11 forwarding |
| oval:com.mcafee.oval:def:230478 | Service - RPC Encryption Key - running state |
| oval:com.mcafee.oval:def:230471 | Service - Local sendmail - running state |
| oval:com.mcafee.oval:def:231420 | Test the permissions of the file - /etc/cron.d/at.allow |
| oval:com.mcafee.oval:def:231423 | Test If file exists - /etc/cron.d/cron.deny |
| oval:com.mcafee.oval:def:230890 | Test the group owner of the account - root |
| oval:com.mcafee.oval:def:231618 | Password policy - DICTIONDBDIR - path for dictionary lookups |
| oval:com.mcafee.oval:def:231617 | Password policy - WHITESPACE - determines if whitespace character are allowed in password |
| oval:com.mcafee.oval:def:231133 | Test if the telnet daemon banner is set correctly in /etc/default/telnetd |
| oval:com.mcafee.oval:def:231138 | Test If file exists - /etc/hosts.deny |
| oval:com.mcafee.oval:def:230328 | Test the enable / disable status for - SSH IgnoreRhosts |
| oval:com.mcafee.oval:def:231619 | Password policy - DICTIIONLIST - List of dictionary files |
| oval:com.mcafee.oval:def:231620 | Password policy - MINDIFF - Minimum difference required between old and new password |

| Oval ID | Title |
|-------------------------------------|---------------------------------------------------------------------------------------------|
| oval:com.mcafee.oval:def:231417 | Test the owner of the file - /etc/cron.d/at.allow |
| oval:com.mcafee.oval:def:231621 | Password policy - MINLOWER - Minimum number of lowercase letters required for a password |
| oval:com.mcafee.oval:def:231622 | Password policy - MINUPPER - Minimum number of upper case letters required for a password. |
| oval:com.mcafee.oval:def:231415 | Test the group owner of the file - /etc/cron.d/cron.allow |
| oval:com.mcafee.oval:def:231324 | Configuration - TCP sequence number generation should be set appropriately. |
| oval:com.mcafee.oval:def:229220 | Test the group owner of the file - /var/log/syslog |
| oval:com.mcafee.oval:def:230331 | Test the enable / disable status for - SSH PermitEmptyPasswords |
| oval:com.mcafee.oval:def:231802 | Set msg n as default for all users in /etc/profile |
| oval:com.mcafee.oval:def:230474 | Service - NIS Server - running state |
| oval:com.mcafee.oval:def:231753 | Password policy - WARNWEEKS - number of weeks that must pass since the last password change |
| oval:com.mcafee.oval:def:231803 | Set msg n as default for all users in /etc/.login |
| oval:com.mcafee.oval:def:231839 | Configuration status for - failed login delay |
| oval:com.mcafee.oval:def:232462 | Test the permissions on user dot files |
| oval:com.mcafee.oval:def:232428 | verify if users are assigned home directories |
| oval:com.mcafee.oval:def:232491 | Test the configuration status for - lock inactive user accounts |
| oval:com.mcafee.oval:def:218148 | Service - NIS client daemon - running state |
| oval:com.mcafee.oval.gen:def:299116 | gnutls patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:299119 | gnutls-debuginfo patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:299123 | gnutls-devel patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:299126 | gnutls-guile patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:299130 | gnutls-utils patch for Redhat EL6 |
| oval:com.mcafee.oval:def:234140 | Password policy - MAXREPEATS - Maximum number of allowable consecutive repeating characters |
| oval:com.mcafee.oval:def:236198 | Adobe Reader Security Update 10.1.4 for vulnerability APSB12-16 for Mac OS |
| oval:com.mcafee.oval:def:236469 | All GIDs referenced in the /etc/passwd file must be defined in the /etc/group file. |
| oval:com.mcafee.oval:def:238498 | No accounts with empty password fields |
| oval:com.mcafee.oval:def:238335 | Test if the file - /etc/at.allow exists |
| oval:com.mcafee.oval:def:238336 | Test if the file - /etc/cron.allow exists |
| oval:com.mcafee.oval:def:239206 | Test the existence of the file - /etc/at.deny |
| oval:com.mcafee.oval:def:239207 | Test the existence of the file - /etc/cron.deny |
| oval:com.mcafee.oval.gen:def:302872 | 389-ds-base patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:302876 | 389-ds-base-debuginfo patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:302880 | 389-ds-base-devel patch for Redhat EL6 |

| Oval ID | Title |
|-------------------------------------|----------------------------------------------------------------------------|
| oval:com.mcafee.oval.gen:def:302884 | 389-ds-base-libs patch for Redhat EL6 |
| oval:com.mcafee.oval.gen:def:305895 | kernel-xen-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:305870 | gnutils-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:305881 | kernel-PAE-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:305885 | kernel-debug-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:305888 | kernel-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:305891 | kernel-debuginfo-common patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:306904 | subversion-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval.gen:def:306894 | firefox-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:246613 | Ensure root PATH Integrity |
| oval:com.mcafee.oval.gen:def:311601 | php-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:249222 | Test the permissions of the directory - /var/cores or /var/share/cores |
| oval:com.mcafee.oval:def:245557 | The default GNOME screenlock timeout should be set appropriately. |
| oval:com.mcafee.oval:def:244690 | Enable a Warning Banner for the FTP service |
| oval:com.mcafee.oval:def:249618 | verify if defined user home directories exists on the system |
| oval:com.mcafee.oval:def:244063 | Service - GNOME Display Manager - running state |
| oval:com.mcafee.oval:def:244307 | Auditing and Logging: Ensure CIS audit class is created |
| oval:com.mcafee.oval:def:249223 | Test the owner of the directory - /var/cores or /var/share/cores |
| oval:com.mcafee.oval:def:245547 | The ftpusers file should restrict the aiuser account as appropriate. |
| oval:com.mcafee.oval:def:245560 | The GNOME screenlock should be enabled or disabled as appropriate |
| oval:com.mcafee.oval:def:244286 | Auditing and Logging: Enable Auditing of File Metadata Modification Events |
| oval:com.mcafee.oval:def:245563 | The default GNOME screenlock timeout should be set appropriately. |
| oval:com.mcafee.oval:def:249224 | Test the group owner of the directory -/var/cores or /var/share/cores |
| oval:com.mcafee.oval:def:244723 | Autologin capabilities from GNOME desktop should be disabled |
| oval:com.mcafee.oval:def:249619 | Test the permissions of the directory - user home directories |
| oval:com.mcafee.oval:def:245550 | Set default file creation mask for FTP users |
| oval:com.mcafee.oval:def:244285 | Auditing and Logging: Enable Auditing of Incoming Network Connections |
| oval:com.mcafee.oval:def:244075 | Service - Apache 2.2 HTTP server - running state |
| oval:com.mcafee.oval:def:244706 | Enable a warning banner for the GNOME service |
| oval:com.mcafee.oval:def:244067 | Service - NIS Domain initialization - running state |
| oval:com.mcafee.oval:def:249542 | Accept Remote rsyslog Messages Only on Designated Log Hosts |
| oval:com.mcafee.oval:def:246577 | Check That Users Are Assigned Valid Home Directories |
| oval:com.mcafee.oval:def:249886 | Make the Audit Configuration Immutable |
| oval:com.mcafee.oval:def:249942 | Configuration - Set Boot Loader Password |

| Oval ID | Title |
|-------------------------------------|-------------------------------------------------------------------------------------------|
| oval:com.mcafee.oval.gen:def:315223 | sudo-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:242732 | Test the configuration status for - SSH PermitUserEnvironment |
| oval:com.mcafee.oval:def:243237 | Configure Network Time Protocol (NTP) |
| oval:com.mcafee.oval:def:242722 | Test the status of - SSH LogLevel |
| oval:com.mcafee.oval:def:249937 | Filesystem Configuration - Create Separate Partition for /home |
| oval:com.mcafee.oval:def:249406 | Configure rsyslog to Send Logs to a Remote Log Host |
| oval:com.mcafee.oval:def:244422 | Set Password Creation Requirement Parameters Using pam_cracklib - try_first_pass |
| oval:com.mcafee.oval:def:244340 | The specified RPM package should be installed. |
| oval:com.mcafee.oval:def:248531 | Disable IPv6 Redirect Acceptance - net.ipv6.conf.all.accept_redirects |
| oval:com.mcafee.oval:def:249983 | Collect Session Initiation Information |
| oval:com.mcafee.oval:def:249938 | Filesystem Configuration - Create Separate Partition for /tmp |
| oval:com.mcafee.oval:def:249879 | Enable Auditing for Processes That Start Prior to auditd |
| oval:com.mcafee.oval:def:245583 | Test the enable / disable status for - net.ipv4.icmp_ignore_bogus_error_responses |
| oval:com.mcafee.oval:def:249940 | Filesystem Configuration - Create Separate Partition for /var/log |
| oval:com.mcafee.oval:def:249941 | Filesystem Configuration - Create Separate Partition for /var/log/audit |
| oval:com.mcafee.oval:def:401598 | Configure Software Updates - Verify that gpgcheck is Globally Activated |
| oval:com.mcafee.oval:def:250048 | Test the configuration status for - SELinux policy |
| oval:com.mcafee.oval:def:242756 | Remove OS Information from Login Warning Banners - /etc/issue |
| oval:com.mcafee.oval:def:250013 | Configure SELinux - SELinux - enforcing should not be disabled in /boot/grub/grub.conf |
| oval:com.mcafee.oval:def:249650 | Keep All Auditing Information |
| oval:com.mcafee.oval:def:249385 | Test the group owner of the file - /boot/grub/grub.conf |
| oval:com.mcafee.oval:def:242750 | Test if the system login warning banner text is set correctly - /etc/issue.net |
| oval:com.mcafee.oval:def:249902 | Collect Changes to System Administration Scope (sudoers) |
| oval:com.mcafee.oval:def:242766 | Remove OS Information from Login Warning Banners - /etc/issue.net |
| oval:com.mcafee.oval:def:242747 | Test the status of - SSH Access Limit |
| oval:com.mcafee.oval:def:402020 | Test the configuration status for - SELinux state |
| oval:com.mcafee.oval:def:246520 | Check That Reserved UIDs Are Assigned to System Accounts |
| oval:com.mcafee.oval:def:242802 | Test X Windows - status |
| oval:com.mcafee.oval:def:245574 | X Window System - Verify for the list of packages |
| oval:com.mcafee.oval:def:242727 | Test the status of - SSH MaxAuthTries |
| oval:com.mcafee.oval:def:402023 | Advanced Intrusion Detection Environment - Implement Periodic Execution of File Integrity |
| oval:com.mcafee.oval:def:402022 | Configure SELinux - SELinux should not be disabled in /boot/grub/grub.conf |

| Oval ID | Title |
|---------------------------------|--------------------------------------------------------------------------------|
| oval:com.mcafee.oval:def:249936 | Test the enable / disable status for - Single user mode password request |
| oval:com.mcafee.oval:def:250220 | Filesystem Configuration - Set nodev option for Partitions in /etc/fstab |
| oval:com.mcafee.oval:def:242757 | Remove OS Information from Login Warning Banners - /etc/motd |
| oval:com.mcafee.oval:def:246562 | Check that the defined home directories exist |
| oval:com.mcafee.oval:def:249384 | Test the owner of the file - /boot/grub/grub.conf |
| oval:com.mcafee.oval:def:245566 | Disable Avahi Server - Remove zeroconf |
| oval:com.mcafee.oval:def:249973 | Record Events That Modify the System's Mandatory Access Controls |
| oval:com.mcafee.oval:def:402385 | Service - rhnsd - running state |
| oval:com.mcafee.oval:def:249939 | Filesystem Configuration - Create Separate Partition for /var |
| oval:com.mcafee.oval:def:248532 | Disable IPv6 Redirect Acceptance - net.ipv6.conf.default.accept_redirects |
| oval:com.mcafee.oval:def:244653 | Set Password Creation Requirement Parameters Using pam_cracklib - lcredit |
| oval:com.mcafee.oval:def:244664 | Set Strong Password Creation Policy Using pam_passwdqc |
| oval:com.mcafee.oval:def:248527 | IPv6 Router Advertisements - net.ipv6.conf.default.accept_ra |
| oval:com.mcafee.oval:def:246586 | Check for the presence of user .rhosts files |
| oval:com.mcafee.oval:def:244428 | Set Password Creation Requirement Parameters Using pam_cracklib - retry |
| oval:com.mcafee.oval:def:242788 | xinetd based service - tcpmux-server - running state |
| oval:com.mcafee.oval:def:250219 | Filesystem Configuration - Set nosuid option for Partitions in /etc/fstab |
| oval:com.mcafee.oval:def:244412 | Set Password Creation Requirement Parameters Using pam_cracklib - minlen |
| oval:com.mcafee.oval:def:248533 | IPv6 Router Advertisements - net.ipv6.conf.all.accept_ra |
| oval:com.mcafee.oval:def:249628 | Configure Audit Log Storage Size |
| oval:com.mcafee.oval:def:242772 | Test the configuration status for - duration of inactive user accounts lock |
| oval:com.mcafee.oval:def:245578 | Test the enable / disable status for - net.ipv4.conf.default.log_martians |
| oval:com.mcafee.oval:def:249998 | Test the enable / disable status for -PRELINKING |
| oval:com.mcafee.oval:def:242742 | Test the status of - SSH ClientAliveCountMax |
| oval:com.mcafee.oval:def:246542 | Check for the presence of user .netrc files |
| oval:com.mcafee.oval:def:249338 | Service - rsyslog - running state |
| oval:com.mcafee.oval:def:249386 | Test the permissions of the file - /boot/grub/grub.conf |
| oval:com.mcafee.oval:def:243250 | Test the configuration status of Mail Transfer Agent (MTA) for local-only mode |
| oval:com.mcafee.oval:def:246594 | Test the permissions on user .netrc files |
| oval:com.mcafee.oval:def:242799 | Set daemon umask for all processes starting at the boot time |
| oval:com.mcafee.oval:def:246548 | Check for the presence of user .forward files |
| oval:com.mcafee.oval:def:242776 | The specified RPM package should NOT be installed. |
| oval:com.mcafee.oval:def:249935 | Test the enable / disable status for -Interactive Boot |
| oval:com.mcafee.oval:def:249889 | Collect System Administrator Actions (sudolog) |

| Oval ID | Title |
|-------------------------------------|------------------------------------------------------------------------------------|
| oval:com.mcafee.oval:def:250218 | Filesystem Configuration - Set noexec option for Partitions in /etc/fstab |
| oval:com.mcafee.oval:def:244738 | Restrict Access to the su Command - Users list in the wheel statement - /etc/group |
| oval:com.mcafee.oval:def:242737 | Test the status of - SSH ClientAliveInterval |
| oval:com.mcafee.oval:def:249976 | Collect Login and Logout Events |
| oval:com.mcafee.oval:def:246602 | Test the permissions on user dot files |
| oval:com.mcafee.oval:def:249962 | Record Events That Modify User/Group Information |
| oval:com.mcafee.oval:def:402388 | Additional Process Hardening - Restrict Core Dumps |
| oval:com.mcafee.oval:def:402411 | filesystem Configuration - Disable Mounting of freevxfs filesystems |
| oval:com.mcafee.oval:def:402414 | filesystem Configuration - Disable Mounting of hfsplus filesystems |
| oval:com.mcafee.oval:def:402413 | filesystem Configuration - Disable Mounting of hfs filesystems |
| oval:com.mcafee.oval:def:402412 | filesystem Configuration - Disable Mounting of jffs2 filesystems |
| oval:com.mcafee.oval:def:402415 | filesystem Configuration - Disable Mounting of squashfs filesystems |
| oval:com.mcafee.oval:def:244331 | Use Only Approved Cipher in Counter Mode |
| oval:com.mcafee.oval:def:402405 | Additional Process Hardening - Restrict Core Dumps - kernel.randomize_va_space |
| oval:com.mcafee.oval:def:402512 | Record Events That Modify the System's Network Environment |
| oval:com.mcafee.oval:def:402400 | Additional Process Hardening - Restrict Core Dumps - kernel.exec-shield |
| oval:com.mcafee.oval:def:402416 | filesystem Configuration - Disable Mounting of udf filesystems |
| oval:com.mcafee.oval:def:402478 | Record Events That Modify Date and Time Information |
| oval:com.mcafee.oval.gen:def:315797 | postgresql84-debuginfo patch for Redhat EL5 and CentOS 5 |
| oval:com.mcafee.oval:def:402665 | Uncommon Network Protocols - Disable SCTP |
| oval:com.mcafee.oval:def:402664 | Uncommon Network Protocols - Disable DCCP |
| oval:com.mcafee.oval:def:402389 | Additional Process Hardening - Restrict Core Dumps - fs.suid_dumpable |
| oval:com.mcafee.oval:def:402666 | Uncommon Network Protocols - Disable RDS |
| oval:com.mcafee.oval:def:402667 | Uncommon Network Protocols - Disable TIPC |
| oval:com.mcafee.oval:def:402410 | filesystem Configuration - Disable Mounting of cramfs filesystems |
| oval:com.mcafee.oval:def:250231 | Filesystem Configuration - Bind Mount the /var/tmp directory to /tmp in/etc/fstab |
| oval:com.mcafee.oval:def:402530 | Collect Successful File System Mounts |

New Benchmarks

| Benchmark ID | Title |
|---------------------|------------------------|
| CentOSPatchPolicy | CentOS Patch Policy |
| CentOS6CISBenchmark | CentOS 6 CIS Benchmark |

Updated Benchmarks

| Benchmark ID | Title |
|------------------------------------|----------------------------------------------------|
| Solaris11PatchPolicy | Oracle Solaris 11 Patch Policy |
| AdobeMacBulletinBenchmark2013 | Adobe Mac Bulletin Benchmark 2013 |
| McAfee-CIS-Windows-XP | Windows CIS Benchmark |
| AdobeMacBulletinBenchmark2012 | Adobe Mac Bulletin Benchmark 2012 |
| AdobeMacBulletinBenchmark2014 | Adobe Mac Bulletin Benchmark 2014 |
| AdobeWindowsBulletinBenchmark2014 | Adobe Windows Bulletin Benchmark 2014 |
| AppleMacOSXPatchPolicy | Apple Mac OSX Patch Policy |
| RedhatPatchPolicy | Redhat and CentOS Patch Policy |
| SusePatchPolicy | Suse Patch Policy |
| DebianPatchPolicy | Debian Patch Policy |
| OracleSolaris11CISBenchmark | Oracle Solaris 11 CIS Benchmark |
| RedhatEnterpriseLinux6CISBenchmark | Redhat Enterprise Linux 6 CIS Benchmark |
| RedhatEnterpriseLinux5CISBenchmark | Redhat Enterprise and CentOS Linux 5 CIS Benchmark |
| AIXPatchPolicy | AIX Patch Policy |

McAfee Technical Support

PrimeSupport ServicePortal: <https://mysupport.nai.com/login.asp>

Multi-National Phone Support: <http://www.mcafeesecurity.com/us/contact/home.htm>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright 2007-2014 McAfee, Inc.
 McAfee is a registered trademark of McAfee, Inc. and/or its affiliates.