



## McAfee Policy Auditor/McAfee NAC Content Update Summary

Product / Version	Content Version
McAfee Policy Auditor 5.x/6.x	1130
McAfee NAC 3.x	1130

### New Checks

Oval ID	Title
oval:com.mcafee.oval.common:def:416197	Mozilla Firefox Security Update 28.0 for Windows
oval:com.mcafee.oval.common:def:416208	Mozilla Firefox ESR Security Update 24.4 for Windows
oval:com.mcafee.oval.common:def:416223	Mozilla Thunderbird Security Update 24.4 for Windows
oval:com.mcafee.oval.common:def:416281	Google Chrome Security Update 33.0.1750.149 for Windows
oval:com.mcafee.oval.common:def:416314	APSB14-09 Vulnerability Security Update 13.0.0.182 for Adobe Flash Player
oval:com.mcafee.oval.common:def:416321	APSB14-09 Vulnerability Security Update 11.7.700.275 for Adobe Flash Player
oval:com.mcafee.oval.gen:def:320469	MS14-019 Security Update for Windows Vista (KB2922229)
oval:com.mcafee.oval.gen:def:320470	MS14-019 Security Update for Windows 8 for x64-based Systems (KB2922229)
oval:com.mcafee.oval.gen:def:320471	MS14-019 Security Update for Windows 8 (KB2922229)
oval:com.mcafee.oval.gen:def:320472	MS14-019 Security Update for Windows Server 2008 R2 x64 Edition (KB2922229)
oval:com.mcafee.oval.gen:def:320473	MS14-019 Security Update for Windows Server 2008 (KB2922229)
oval:com.mcafee.oval.gen:def:320474	MS14-019 Security Update for Windows Server 2008 x64 Edition (KB2922229)
oval:com.mcafee.oval.gen:def:320475	MS14-019 Security Update for Windows Server 2012 (KB2922229)
oval:com.mcafee.oval.gen:def:320476	MS14-019 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB2922229)
oval:com.mcafee.oval.gen:def:320477	MS14-019 Security Update for Windows 7 (KB2922229)
oval:com.mcafee.oval.gen:def:320478	MS14-019 Security Update for Windows Embedded Standard 7 (KB2922229)
oval:com.mcafee.oval.gen:def:320479	MS14-019 Security Update for Windows 7 for x64-based Systems (KB2922229)
oval:com.mcafee.oval.gen:def:320480	MS14-019 Security Update for Windows Vista for x64-based Systems (KB2922229)
oval:com.mcafee.oval.gen:def:320484	MS14-019 Security Update for Windows Server 2003 (KB2922229)
oval:com.mcafee.oval.gen:def:320487	MS14-019 Security Update for Windows Server 2003 x64 Edition (KB2922229)
oval:com.mcafee.oval.gen:def:320491	MS14-019 Security Update for Windows XP (KB2922229)
oval:com.mcafee.oval.gen:def:320492	MS14-019 Security Update for Windows XP x64 Edition (KB2922229)

Oval ID	Title
oval:com.mcafee.oval.gen:def:320617	MS14-018 Cumulative Security Update for Internet Explorer 7 Dynamic Installer for Windows XP x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320670	MS14-018 Cumulative Security Update for Internet Explorer 8 Dynamic Installer for Windows Server 2003 (KB2936068)
oval:com.mcafee.oval.gen:def:320671	MS14-018 Cumulative Security Update for Internet Explorer 7 Dynamic Installer for Windows Server 2003 x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320675	MS14-018 Cumulative Security Update for Internet Explorer 8 Dynamic Installer for Windows Server 2008 x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320676	MS14-018 Cumulative Security Update for Internet Explorer 8 Dynamic Installer for Windows Vista (KB2936068)
oval:com.mcafee.oval.gen:def:320677	MS14-018 Cumulative Security Update for Internet Explorer 8 Dynamic Installer for Windows Vista for x64-based Systems (KB2936068)
oval:com.mcafee.oval.gen:def:320678	MS14-018 Cumulative Security Update for Internet Explorer 7 Dynamic Installer for Windows XP (KB2936068)
oval:com.mcafee.oval.gen:def:320679	MS14-018 Cumulative Security Update for Internet Explorer 8 Dynamic Installer for Windows Server 2008 (KB2936068)
oval:com.mcafee.oval.gen:def:320726	MS14-018 Cumulative Security Update for Internet Explorer 8 Dynamic Installer for Windows XP x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320727	MS14-018 Cumulative Security Update for Internet Explorer 8 Dynamic Installer for Windows XP (KB2936068)
oval:com.mcafee.oval.gen:def:320728	MS14-018 Cumulative Security Update for Internet Explorer 7 Dynamic Installer for Windows Server 2003 (KB2936068)
oval:com.mcafee.oval.gen:def:320729	MS14-018 Cumulative Security Update for Internet Explorer 8 Dynamic Installer for Windows Server 2003 x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320730	MS14-018 Cumulative Security Update for Internet Explorer 9 for Windows Embedded Standard 7 (KB2936068)
oval:com.mcafee.oval.gen:def:320731	MS14-018 Cumulative Security Update for Internet Explorer 7 for Windows Vista for x64-based Systems (KB2936068)
oval:com.mcafee.oval.gen:def:320732	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows 7 (KB2936068)
oval:com.mcafee.oval.gen:def:320733	MS14-018 Cumulative Security Update for Internet Explorer 9 for Windows 7 (KB2936068)
oval:com.mcafee.oval.gen:def:320734	MS14-018 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 R2 x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320735	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows Server 2008 x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320736	MS14-018 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320737	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows Vista for x64-based Systems (KB2936068)
oval:com.mcafee.oval.gen:def:320738	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows Vista (KB2936068)
oval:com.mcafee.oval.gen:def:320739	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows Embedded Standard 7 (KB2936068)

Oval ID	Title
oval:com.mcafee.oval.gen:def:320740	MS14-018 Cumulative Security Update for Internet Explorer 7 for Windows Vista (KB2936068)
oval:com.mcafee.oval.gen:def:320741	MS14-018 Cumulative Security Update for Internet Explorer 9 for Windows Vista for x64-based Systems (KB2936068)
oval:com.mcafee.oval.gen:def:320742	MS14-018 Cumulative Security Update for Internet Explorer 9 for Windows Embedded Standard 7 for x64-based Systems (KB2936068)
oval:com.mcafee.oval.gen:def:320743	MS14-018 Cumulative Security Update for Internet Explorer 9 for Windows 7 for x64-based Systems (KB2936068)
oval:com.mcafee.oval.gen:def:320744	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows 7 for x64-based Systems (KB2936068)
oval:com.mcafee.oval.gen:def:320745	MS14-018 Cumulative Security Update for Internet Explorer 7 for Windows Server 2008 x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320746	MS14-018 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 (KB2936068)
oval:com.mcafee.oval.gen:def:320747	MS14-018 Cumulative Security Update for Internet Explorer 7 for Windows Server 2008 (KB2936068)
oval:com.mcafee.oval.gen:def:320748	MS14-018 Cumulative Security Update for Internet Explorer 9 for Windows Vista (KB2936068)
oval:com.mcafee.oval.gen:def:320749	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows Embedded Standard 7 for x64-based Systems (KB2936068)
oval:com.mcafee.oval.gen:def:320750	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows Server 2008 (KB2936068)
oval:com.mcafee.oval.gen:def:320751	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows Server 2008 R2 x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320781	MS14-018 Cumulative Security Update for Internet Explorer 6 for Windows Server 2003 (KB2936068)
oval:com.mcafee.oval.gen:def:320806	MS14-018 Cumulative Security Update for Internet Explorer 6 for Windows Server 2003 x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320828	MS14-018 Cumulative Security Update for Internet Explorer 6 for Windows XP (KB2936068)
oval:com.mcafee.oval.gen:def:320829	MS14-018 Cumulative Security Update for Internet Explorer 6 for Windows XP x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320830	MS14-018 Cumulative Security Update for Internet Explorer 7 for Windows Server 2003 (KB2936068)
oval:com.mcafee.oval.gen:def:320831	MS14-018 Cumulative Security Update for Internet Explorer 7 for Windows Server 2003 x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320832	MS14-018 Cumulative Security Update for Internet Explorer 7 for Windows XP (KB2936068)
oval:com.mcafee.oval.gen:def:320833	MS14-018 Cumulative Security Update for Internet Explorer 7 for Windows XP x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320834	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows Server 2003 (KB2936068)
oval:com.mcafee.oval.gen:def:320835	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows Server 2003 x64 Edition (KB2936068)

Oval ID	Title
oval:com.mcafee.oval.gen:def:320836	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows XP (KB2936068)
oval:com.mcafee.oval.gen:def:320837	MS14-018 Cumulative Security Update for Internet Explorer 8 for Windows XP x64 Edition (KB2936068)
oval:com.mcafee.oval.gen:def:320841	MS14-018 Cumulative Security Update for Internet Explorer 11 for Windows Server 2008 R2 for x64-based Systems (KB2929437)
oval:com.mcafee.oval.gen:def:320842	MS14-018 Cumulative Security Update for Internet Explorer 11 for Windows 7 (KB2929437)
oval:com.mcafee.oval.gen:def:320843	MS14-018 Cumulative Security Update for Internet Explorer 11 for Windows 7 for x64-based Systems (KB2929437)
oval:com.mcafee.oval.gen:def:320844	MS14-018 Cumulative Security Update for Internet Explorer 11 for Windows Embedded Standard 7 (KB2929437)
oval:com.mcafee.oval.gen:def:320845	MS14-018 Cumulative Security Update for Internet Explorer 11 for Windows Embedded Standard 7 for x64-based Systems (KB2929437)
oval:com.mcafee.oval:def:416197	Mozilla Firefox Security Update 28.0 for Windows is installed or not
oval:com.mcafee.oval:def:416205	Mozilla Firefox Security Update 28.0 for Mac OS
oval:com.mcafee.oval:def:416208	Mozilla Firefox Security Update 24.4 for Windows is installed or not
oval:com.mcafee.oval:def:416214	Mozilla Firefox ESR Security Update 24.4 for Mac OS
oval:com.mcafee.oval:def:416220	Mozilla Thunderbird Security Update 24.4 for Mac OS
oval:com.mcafee.oval:def:416223	Mozilla Thunderbird Security Update 24.4 for Windows is installed or not
oval:com.mcafee.oval:def:416241	MS14-017 - Security Update for Microsoft Office Word 2003 Service Pack 3 (KB2878303)
oval:com.mcafee.oval:def:416244	MS14-017 - Security Update for Microsoft Office Word 2007 SP3 (KB2878237)
oval:com.mcafee.oval:def:416247	MS14-017 - Security Update for Microsoft Office Word 2010 SP1 and SP2 (KB2863926)
oval:com.mcafee.oval:def:416250	MS14-017 - Security Update for Microsoft Office Word 2013 and Word 2013 SP1 (KB2863910)
oval:com.mcafee.oval:def:416253	MS14-017 - Security Update for Microsoft Office Word Viewer 2003 (KB2878304)
oval:com.mcafee.oval:def:416255	MS14-017 - Security Update for Microsoft Office Compatibility Pack SP3 (KB2878236)
oval:com.mcafee.oval:def:416259	MS14-017 - Security Update for Microsoft Office Sharepoint Server 2010 SP1 and SP2 Word Automation Services (KB2878220)
oval:com.mcafee.oval:def:416262	MS14-017 - Security Update for Microsoft Office Sharepoint Server 2013 and Sharepoint Server 2013 SP1 Word Automation Services (KB2863907)
oval:com.mcafee.oval:def:416264	MS14-017 - Security Update for Microsoft Office Word Web App 2010 SP1 and SP2 (KB2878221)
oval:com.mcafee.oval:def:416266	MS14-017 - Security Update for Microsoft Office Web Apps Server 2013 (KB2878219)
oval:com.mcafee.oval:def:416274	MS14-020- Security Update for Microsoft Office Publisher 2003 Service Pack 3 (KB2878299)
oval:com.mcafee.oval:def:416277	MS14-020 - Security Update for Microsoft Office Publisher 2007 Service Pack 3 (KB2817565)

Oval ID	Title
oval:com.mcafee.oval:def:416281	Google Chrome Security Update 33.0.1750.149 for Windows
oval:com.mcafee.oval:def:416282	Apple Safari Security Update 6.1.3 for Mac OS X
oval:com.mcafee.oval:def:416314	Adobe Flash Player Security Update 13.0.0.182 for Vulnerability id APSB14-09 is installed or not
oval:com.mcafee.oval:def:416318	APSB14-09 Vulnerability Security Update 13.0.0.182 for Adobe Flash Player for Mac
oval:com.mcafee.oval:def:416321	Adobe Flash Player Security Update 11.7.700.275 for Vulnerability id APSB14-09 is installed or not
oval:com.mcafee.oval:def:416325	APSB14-09 Vulnerability Security Update 11.7.700.275 for Adobe Flash Player for Mac
oval:com.mcafee.oval:def:416331	Mount Remote Filesystems with noexec option.
oval:com.mcafee.oval:def:416339	Mount Remote Filesystems with nodev option.
oval:com.mcafee.oval:def:416340	Mount Remote Filesystems with nosuid option.

## Updated Checks

Oval ID	Title
oval:com.mcafee.oval:def:8023	Service - rhnsd - running state
oval:com.mcafee.oval:def:8145	Service - xinetd - running state
oval:com.mcafee.oval:def:92671	Test the group owner of all files present in the directory - /etc/pam.d
oval:com.mcafee.oval:def:8132	Service - xfs - running state
oval:com.mcafee.oval:def:8119	Service - vsftpd - running state
oval:com.mcafee.oval:def:7712	Test the permissions of - /etc/xinetd.conf
oval:com.mcafee.oval:def:7708	Test the owner of /etc/xinetd.conf file
oval:com.mcafee.oval:def:7674	The unix host is bootable in single user mode without a password.
oval:com.mcafee.oval:def:7666	Test the owner of /usr/sbin/traceroute file
oval:com.mcafee.oval:def:7662	Test the group owner of the file - /usr/sbin/traceroute
oval:com.mcafee.oval:def:7658	Test the permissions of - /usr/sbin/traceroute
oval:com.mcafee.oval:def:78879	Test the owner of the file - /etc/pam.d/su
oval:com.mcafee.oval:def:7626	Test the group owner of the file - /etc/syslog.conf
oval:com.mcafee.oval:def:7233	Test the permissions of the file - /etc/snmp/snmpd.conf
oval:com.mcafee.oval:def:7614	Test the owner of the file - snmpd.conf
oval:com.mcafee.oval:def:7610	Test the owner of /usr/bin/smbpasswd file
oval:com.mcafee.oval:def:7606	Test the group owner of - /usr/bin/smbpasswd
oval:com.mcafee.oval:def:8116	Test the enable / disable status for - sendmail wiz command
oval:com.mcafee.oval:def:101068	Test the permissions of the file - /etc/log.d/scripts
oval:com.mcafee.oval:def:8113	Test the enable / disable status for - sendmail help command

Oval ID	Title
oval:com.mcafee.oval:def:8108	Test the enable / disable status for - sendmail expn command
oval:com.mcafee.oval:def:8105	Test the enable / disable status for - sendmail decode command
oval:com.mcafee.oval:def:7514	Test the owner of /etc/news directory
oval:com.mcafee.oval:def:7438	Test the login delay between login prompts after a failed login set in /etc/login.defs - less than 4 seconds
oval:com.mcafee.oval:def:7402	Test the owner of the file - /etc/inetd.conf
oval:com.mcafee.oval:def:7362	Test the owner of the file - /etc/vsftpd/ftpusers
oval:com.mcafee.oval:def:7343	Test the owner of the /etc/exports file
oval:com.mcafee.oval:def:7339	Test the permissions of - smbpasswd
oval:com.mcafee.oval:def:7249	Test the existence and contents of the file - /etc/at.deny
oval:com.mcafee.oval:def:7225	Test the logging status for - Successful and unsuccessful privileged logins and logouts
oval:com.mcafee.oval:def:8079	Service - squid - running state
oval:com.mcafee.oval:def:8066	Service - smb - running state
oval:com.mcafee.oval:def:8053	Service - setroubleshoot - running state
oval:com.mcafee.oval:def:7207	Passwords can be changed more than once every 24 hours
oval:com.mcafee.oval:def:7971	Service - messagebus - running state
oval:com.mcafee.oval:def:78745	Test the permissions of the file - /etc/X11/xinit/xserverrc
oval:com.mcafee.oval:def:7958	Service - mcstrans - running state
oval:com.mcafee.oval:def:7190	Test the mesg of local initialization files -y
oval:com.mcafee.oval:def:7030	Local initialization files should have the SUID or GUID bit set
oval:com.mcafee.oval:def:7171	Test the owner of local initialization file - .login
oval:com.mcafee.oval:def:7161	Test the owner of local initialization file - .emacs
oval:com.mcafee.oval:def:7151	Test the owner of local initialization file - .dispatch
oval:com.mcafee.oval:def:7141	Test the owner of local initialization files - .bashrc
oval:com.mcafee.oval:def:7101	Test the permissions of local initialization file - .login
oval:com.mcafee.oval:def:7061	Test the permissions of - .bash_profile
oval:com.mcafee.oval:def:7051	Test the permissions of local initialization files - .bash_logout
oval:com.mcafee.oval:def:7026	Limit root login to the local console.
oval:com.mcafee.oval:def:7937	Service - kudzu - running state
oval:com.mcafee.oval:def:7898	Service - inetd - running state
oval:com.mcafee.oval:def:7885	Service - hplip - running state
oval:com.mcafee.oval:def:78756	Test the permissions of the file - /var/spool/cron/tabs/*
oval:com.mcafee.oval:def:7872	Service - hidd - running state
oval:com.mcafee.oval:def:7859	Service - haldaemon - running state

Oval ID	Title
oval:com.mcafee.oval:def:7006	Test if the Global Initialization File /etc/.login contains mesg - n
oval:com.mcafee.oval:def:7002	Test the owner of the file - /etc/environment
oval:com.mcafee.oval:def:6986	Test the group ownership of Global Initialization File /etc/bashrc
oval:com.mcafee.oval:def:7846	Service - firstboot - running state
oval:com.mcafee.oval:def:6942	Test the permissions of the directory - /etc/pki/tls/ldap
oval:com.mcafee.oval:def:92675	Test the owner of the file - /etc/security/console.perms.d/50-default.perms
oval:com.mcafee.oval:def:6938	Test the permissions of the file - /etc/pki/tls/ldap/serverkey.pem
oval:com.mcafee.oval:def:6934	Test the permissions of the file- /etc/pki/tls/ldap/servercert.pem
oval:com.mcafee.oval:def:7833	Service - dovecot - running state
oval:com.mcafee.oval:def:6867	Test the existence of the files - .forward
oval:com.mcafee.oval:def:7820	Service - dhcpd - running state
oval:com.mcafee.oval:def:6860	Test /etc/cron.allow for - Default System accounts listing
oval:com.mcafee.oval:def:6843	Ensure critical sendmail messages are logged
oval:com.mcafee.oval:def:7794	Service - cpuspeed - running state
oval:com.mcafee.oval:def:7781	Service - bluetooth - running state
oval:com.mcafee.oval:def:7755	Service - autofs - running state
oval:com.mcafee.oval:def:6831	Set the maximum number of days for a user account inactivity
oval:com.mcafee.oval:def:7729	Service - acpid - running state
oval:com.mcafee.oval:def:6822	Test the existence of a plus sign in access control files - .rhosts
oval:com.mcafee.oval:def:7252	Test the owner of the file - /etc/at.deny
oval:com.mcafee.oval:def:6970	Test the permissions of the file - /var/named/chroot/etc/named.conf
oval:com.mcafee.oval:def:5283	The snmpd.conf file is more permissive than 700
oval:com.mcafee.oval:def:5919	The services file is not owned by root
oval:com.mcafee.oval:def:5957	The syslog.conf is not owned by root
oval:com.mcafee.oval:def:6211	The loginlog file permissions should be set to 600.
oval:com.mcafee.oval:def:6320	The default CDE screenlock timeout should be set appropriately.
oval:com.mcafee.oval:def:6305	The daemon user's umask should be set appropriately.
oval:com.mcafee.oval:def:6224	The daemon debug log file (/var/log/connlog) permissions should be set to 600.
oval:com.mcafee.oval:def:6218	The cron log file permissions should be set to 600.
oval:com.mcafee.oval:def:6005	The cron.deny file is more permissive than 600
oval:com.mcafee.oval:def:6188	Files in the /var/spool/cron/crontabs/ are not owned by root
oval:com.mcafee.oval:def:5775	Files in the /var/spool/cron/crontabs/ are not group owned by root
oval:com.mcafee.oval:def:5774	Files in the /var/spool/cron/crontabs/ are more permissive than 600
oval:com.mcafee.oval:def:6017	The cron.deny is not owned by root

Oval ID	Title
oval:com.mcafee.oval:def:6229	The cron.allow file permissions should be set to 400.
oval:com.mcafee.oval:def:6245	The core dump directory permissions should be set to 700.
oval:com.mcafee.oval:def:5288	The chkconfig file is more permissive than 750
oval:com.mcafee.oval:def:6241	The audit log permissions should be set to 600.
oval:com.mcafee.oval:def:6233	The at.allow file permissions should be set to 400.
oval:com.mcafee.oval:def:5692	The at.allow file is not owned by root
oval:com.mcafee.oval:def:6314	The account lockout threshold policy should meet minimum requirements.
oval:com.mcafee.oval:def:6446	The telnet service banner should be set appropriately.
oval:com.mcafee.oval:def:79082	Test the owner of the file - /etc/gdm/prsession/default
oval:com.mcafee.oval:def:6418	Core dumps should be disabled
oval:com.mcafee.oval:def:6436	CDE should display a banner as appropriate before authentication.
oval:com.mcafee.oval:def:6181	Solaris 10 only: After three consecutive unsuccessful login attempts, the account is disabled.
oval:com.mcafee.oval:def:6162	The access control file .shosts is more permissive than 700
oval:com.mcafee.oval:def:6158	The access control file .rhosts is more permissive than 700
oval:com.mcafee.oval:def:6174	The access control file .netrc is more permissive than 700
oval:com.mcafee.oval:def:6461	The ability to login as root directly should be configured correctly.
oval:com.mcafee.oval:def:8692	Service - yppasswdd - running state
oval:com.mcafee.oval:def:200803030169	Service - ypbind - running state
oval:com.mcafee.oval:def:8857	xinetd based service - time - running state
oval:com.mcafee.oval:def:8896	xinetd based service - time-udp - running state
oval:com.mcafee.oval:def:8872	xinetd based service - tftp - running state
oval:com.mcafee.oval:def:8893	xinetd based service - telnet - running state
oval:com.mcafee.oval:def:8855	xinetd based service - talk - running state
oval:com.mcafee.oval:def:8848	xinetd based service - swat - running state
oval:com.mcafee.oval:def:8890	xinetd based service - sgi_fam - running state
oval:com.mcafee.oval:def:8889	xinetd based service - services - running state
oval:com.mcafee.oval:def:8849	Test the enable / disable status for - System accounting
oval:com.mcafee.oval:def:8866	xinetd based service - rsh - running state
oval:com.mcafee.oval:def:8892	xinetd based service - rlogin - running state
oval:com.mcafee.oval:def:8870	xinetd based service - rexec - running state
oval:com.mcafee.oval:def:8888	xinetd based service - pop3s - running state
oval:com.mcafee.oval:def:8860	xinetd based service - ntalk - running state
oval:com.mcafee.oval:def:8858	xinetd based service - ktalk - running state



Oval ID	Title
oval:com.mcafee.oval:def:8868	xinetd based service - kshell - running state
oval:com.mcafee.oval:def:8862	xinetd based service - krb5-telnet - running state
oval:com.mcafee.oval:def:8869	xinetd based service - klogin - running state
oval:com.mcafee.oval:def:8887	xinetd based service - ipop3 - running state
oval:com.mcafee.oval:def:8886	xinetd based service - ipop2 - running state
oval:com.mcafee.oval:def:8861	xinetd based service - gssftp - running state
oval:com.mcafee.oval:def:8859	xinetd based service - finger - running state
oval:com.mcafee.oval:def:8891	xinetd based service - eklogin - running state
oval:com.mcafee.oval:def:8864	xinetd based service - cups-lpd - running state
oval:com.mcafee.oval:def:8867	xinetd based service - auth - running state
oval:com.mcafee.oval:def:8895	xinetd based service - amidxtape - running state
oval:com.mcafee.oval:def:8863	xinetd based service - amandaix - running state
oval:com.mcafee.oval:def:8852	xinetd based service - amanda - running state
oval:com.mcafee.oval:def:200803050080	X Window should be disabled at system boot as appropriate
oval:com.mcafee.oval:def:8804	Service - wine - running state
oval:com.mcafee.oval:def:8726	Service - webmin - running state
oval:com.mcafee.oval:def:50095	Test that there are no user accounts with blank passwords
oval:com.mcafee.oval:def:200803070208	Time offset should not be sent by the DHCP server as appropriate
oval:com.mcafee.oval:def:200802250164	Test the owner of the file - /var/named/chroot/etc/named.conf file
oval:com.mcafee.oval:def:200802290136	Test the group owner of the file - /var/named/chroot/etc/named.conf
oval:com.mcafee.oval:def:200803070541	The Squid maximum HTTP request header length should be set to 20 KB
oval:com.mcafee.oval:def:200803070544	The Squid maximum HTTP reply header length should be set to 20 KB
oval:com.mcafee.oval:def:200803070512	The Squid EUID should be set to squid
oval:com.mcafee.oval:def:200803070515	The Squid EGID should be set to squid
oval:com.mcafee.oval:def:200803070195	The SELinux policy should be set as targeted
oval:com.mcafee.oval:def:200803050070	The requirement for a password to boot into single-user mode should be enabled
oval:com.mcafee.oval:def:200803060078	Password policy, Minimum password length - PASS_MIN_LEN
oval:com.mcafee.oval:def:200803070185	The idle time-out value for the default "/bin/tcsh" shell should meet the minimum requirements
oval:com.mcafee.oval:def:200803070176	Test if the minimum requirements for - The idle time-out value for the default "/bin/bash" shell
oval:com.mcafee.oval:def:200803100011	Test the enable / disable status for - grub boot loader password protection
oval:com.mcafee.oval:def:200803070504	Test the owner of the /var/lib/ldap/* files
oval:com.mcafee.oval:def:200803040500	Test the group owner of the directory - /etc/pki/tls/ldap
oval:com.mcafee.oval:def:78904	Test the owner of the file - /root/.cshrc

Oval ID	Title
oval:com.mcafee.oval:def:200802250152	Test the owner of the directory - /etc/pki/tls/ldap
oval:com.mcafee.oval:def:200802250100	Test the owner of the /etc/pki/tls/ldap/serverkey.pem file
oval:com.mcafee.oval:def:92705	Test the permissions of the file - /var/log/dmesg
oval:com.mcafee.oval:def:200802250156	Test the owner of the file - /etc/pki/tls/ldap/servercert.pem
oval:com.mcafee.oval:def:92673	Test the permissions of all files present in the directory - /etc/pam.d
oval:com.mcafee.oval:def:92744	Test the permissions of all the files - /var/log/vbox/
oval:com.mcafee.oval:def:79063	Test the owner of the file - /etc/cups/client.conf
oval:com.mcafee.oval:def:92683	Test the owner of the files - /var/log/boot.log*
oval:com.mcafee.oval:def:78788	Test the group owner of the file - /etc/inetd.conf
oval:com.mcafee.oval:def:78900	Test the owner of the file - /etc/X11/xdm/Xresources
oval:com.mcafee.oval:def:96238	Service - imaps - running state
oval:com.mcafee.oval:def:94384	Test the group owner of all the files -/var/log/samba/
oval:com.mcafee.oval:def:200803050090	The DHCP Client service should be disabled as appropriate for each interface.
oval:com.mcafee.oval:def:200803070400	Test the default umask for all users for the csh shell
oval:com.mcafee.oval:def:200803070171	Test the default umask for all users for the bash shell
oval:com.mcafee.oval:def:200803070405	Test if default umask for all users is set correctly
oval:com.mcafee.oval:def:200803070166	The default setting for accepting redirects from IPv6 routers should be disabled
oval:com.mcafee.oval:def:200803060093	The default number of IPv6 router solicitations for network interfaces to send should be set appropriately
oval:com.mcafee.oval:def:200803060098	The default number of IPv6 duplicate address detection solicitations for network interfaces to send per configured address should be set appropriately
oval:com.mcafee.oval:def:200803060088	The default number of global unicast IPv6 addresses allowed per network interface should be set appropriately
oval:com.mcafee.oval:def:200803070550	Test if daemon umask is set correctly
oval:com.mcafee.oval:def:200803050288	Service - tftp - running state
oval:com.mcafee.oval:def:200803070136	Test if Syslogd accepts remote messages
oval:com.mcafee.oval:def:200803070131	Test if Syslog logs are sent to remote loghost
oval:com.mcafee.oval:def:200803030157	Service - sshd - running state
oval:com.mcafee.oval:def:200803050020	Test the enable / disable status for - SSH warning banner
oval:com.mcafee.oval:def:8814	Test the enable / disable status for - SSH version 2 protocol
oval:com.mcafee.oval:def:200803060524	Squid should be configured to allow http traffic
oval:com.mcafee.oval:def:200803040101	Squid option to suppress the httpd version string should be enabled.
oval:com.mcafee.oval:def:200803040096	Squid option to show proxy client IP address in HTTP headers should be enabled or disabled.
oval:com.mcafee.oval:def:200803040091	Squid option to perform FTP sanity checks should be enabled.
oval:com.mcafee.oval:def:200803040086	Squid option to log HTTP MIME headers should be enabled.

Oval ID	Title
oval:com.mcafee.oval:def:200803040081	Squid option to ignore unknown nameservers should be enabled.
oval:com.mcafee.oval:def:200803040076	Squid option to check for RFC compliant hostnames should be enabled.
oval:com.mcafee.oval:def:200803040066	Squid option force FTP passive connections should be enabled.
oval:com.mcafee.oval:def:8800	Service - spamassassin - running state
oval:com.mcafee.oval:def:200803030150	Service - snmpd - running state
oval:com.mcafee.oval:def:200803050274	Service - smartd - running state
oval:com.mcafee.oval:def:200803050267	Service - sendmail - running state
oval:com.mcafee.oval:def:200803030140	Test the enable / disable status for - Sending ICMP redirects
oval:com.mcafee.oval:def:200803070117	SELinux state should be set appropriate
oval:com.mcafee.oval:def:200803070112	SELinux should be enabled.
oval:com.mcafee.oval:def:8796	Service - rwhod - running state
oval:com.mcafee.oval:def:8792	Service - rwalld - running state
oval:com.mcafee.oval:def:8788	Service - rusersd - running state
oval:com.mcafee.oval:def:8777	Service - rstatd - running state
oval:com.mcafee.oval:def:200803050032	Service - rsh - running state
oval:com.mcafee.oval:def:200803050039	Service - rlogin - running state
oval:com.mcafee.oval:def:200803060046	Test the enable / disable status for - Restriction of NFS clients to privileged ports
oval:com.mcafee.oval:def:8841	Removable media in /etc/fstab should have the nosuid option.
oval:com.mcafee.oval:def:8844	Removable media in /etc/fstab should have the nodev option.
oval:com.mcafee.oval:def:200803040061	Remote print browsing should be disabled.
oval:com.mcafee.oval:def:200803050253	Service - readahead_later - running state
oval:com.mcafee.oval:def:200803050246	Service - readahead_early - running state
oval:com.mcafee.oval:def:200803050025	xinetd based service - rcp - running state
oval:com.mcafee.oval:def:8768	Service - privoxy - running state
oval:com.mcafee.oval:def:50032	Prevent X Server From Listening On tcp Port 6000
oval:com.mcafee.oval:def:8708	Service - postgresql - running state
oval:com.mcafee.oval:def:200803050240	Service - pcsd - running state
oval:com.mcafee.oval:def:8770	Service - pcmcia - running state
oval:com.mcafee.oval:def:50016	Service - NIS Server Processes - running state
oval:com.mcafee.oval:def:8764	Service - oki4daemon - running state
oval:com.mcafee.oval:def:200803050233	Service - ntpd - running state
oval:com.mcafee.oval:def:200803070107	NTP servers should not be sent by the DHCP server as appropriate
oval:com.mcafee.oval:def:200803070102	NIS server should not be sent by the DHCP server as appropriate
oval:com.mcafee.oval:def:200803070097	NIS domain should not be sent by the DHCP server as appropriate

Oval ID	Title
oval:com.mcafee.oval:def:50014	Service - NFS Server processes - running state
oval:com.mcafee.oval:def:200803050219	Service - netfs - running state
oval:com.mcafee.oval:def:200803030128	Service - named - running state
oval:com.mcafee.oval:def:8712	Service - mysqld - running state
oval:com.mcafee.oval:def:200803050212	Service - microcode_ctl - running state
oval:com.mcafee.oval:def:8776	Service - mDNSResponder - running state
oval:com.mcafee.oval:def:78901	Test the owner of the file - /etc/X11/xdm/Xservers
oval:com.mcafee.oval:def:200803050205	Service - mdmonitor - running state
oval:com.mcafee.oval:def:8760	Service - mars-nwe - running state
oval:com.mcafee.oval:def:8752	Service - lvs - running state
oval:com.mcafee.oval:def:8696	Service - lpd - running state
oval:com.mcafee.oval:def:200803050050	Logins through the specified virtual console interface should be enabled.
oval:com.mcafee.oval:def:200803050055	Logins through the specified virtual console device should be enabled.
oval:com.mcafee.oval:def:200803050060	Logins through the primary console device should be enabled.
oval:com.mcafee.oval:def:200803050065	Login prompts on serial ports should be enabled.
oval:com.mcafee.oval:def:200803070092	Test the enable / disable status for - Logging of vsftpd transactions
oval:com.mcafee.oval:def:200803070087	Local user login to the vsftpd service should be disabled
oval:com.mcafee.oval:def:200803040056	The listening sendmail daemon should be disabled.
oval:com.mcafee.oval:def:200803050198	Service - ldap - running state
oval:com.mcafee.oval:def:8748	Service - kdcrotate - running state
oval:com.mcafee.oval:def:200803050184	Service - isdn - running state
oval:com.mcafee.oval:def:200803050177	Service - irqbalance - running state
oval:com.mcafee.oval:def:8736	irda service should be disabled
oval:com.mcafee.oval:def:200803070082	IPv6 privacy extensions should be configured appropriate for all interfaces
oval:com.mcafee.oval:def:8811	Test the enable or disable status for - net.ipv4.tcp_max_syn_backlog
oval:com.mcafee.oval:def:78919	Test the owner of the /etc/shells directory
oval:com.mcafee.oval:def:200803030113	Test the enable / disable status for - IP forwarding
oval:com.mcafee.oval:def:8732	Service - innd - running state
oval:com.mcafee.oval:def:200803030103	Test the enable / disable status for - net.ipv4.icmp_ignore_bogus_error_messages
oval:com.mcafee.oval:def:200803030096	Service - httpd - running state
oval:com.mcafee.oval:def:8724	Service - hpoj - running state
oval:com.mcafee.oval:def:200803050170	Service - gpm - running state
oval:com.mcafee.oval:def:200803030091	Global IPv6 initialization should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:20025	Test the existence of the file - /etc/vsftpd/ftputers

Oval ID	Title
oval:com.mcafee.oval:def:8720	Service - FreeWnn - running state
oval:com.mcafee.oval:def:200803070075	The firewall access to printing service should be disabled as appropriate
oval:com.mcafee.oval:def:200803040051	The dynamic DNS feature of the DHCP server should be disabled
oval:com.mcafee.oval:def:200803070065	Dovecot should be configured to not support pop3s protocol
oval:com.mcafee.oval:def:200803070060	Dovecot should be configured to not support pop3 protocol
oval:com.mcafee.oval:def:200803070055	Dovecot should be configured to not support imaps protocol
oval:com.mcafee.oval:def:200803070050	Dovecot should be configured to not support imap protocol
oval:com.mcafee.oval:def:200803040046	Dovecot plaintext authentication of clients should be disabled
oval:com.mcafee.oval:def:200803040041	Dovecot option to spawn a new login process per connection should be enabled
oval:com.mcafee.oval:def:200803040036	Dovecot option to drop privileges to user before executing mail process should be enabled
oval:com.mcafee.oval:def:200803070045	Domain name should not be sent by the DHCP server as appropriate
oval:com.mcafee.oval:def:200803070040	Domain name server information should not be sent by the DHCP server as appropriate
oval:com.mcafee.oval:def:50136	Test the enable / disable status for - Hotplug support
oval:com.mcafee.oval:def:50004	Disable GUI Login If Possible
oval:com.mcafee.oval:def:200803070035	DHCPDECLINE messages should be denied by the DHCP server as appropriate
oval:com.mcafee.oval:def:200803030066	Default setting for IPv6 Configuration should be enabled or disabled for network interfaces as appropriate
oval:com.mcafee.oval:def:200803030061	Default setting for autoconfiguring network interfaces using prefix information in IPv6 router advertisement should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803030046	Default setting for accepting router preference via IPv6 router advertisement should be enabled or disabled for network interfaces as appropriate
oval:com.mcafee.oval:def:200803030041	The Default setting for accepting prefix information via IPv6 router advertisement should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803030031	The Default setting for accepting a default router via IPv6 router advertisement should be enabled or disabled for network interfaces as appropriate
oval:com.mcafee.oval:def:200803070027	Default routers should not be sent by the DHCP server as appropriate
oval:com.mcafee.oval:def:200803070527	The CUPS should be denied the ability to listen for Incoming printer information
oval:com.mcafee.oval:def:200803030021	Test the enable / disable status for - Core dumps for all users
oval:com.mcafee.oval:def:50078	Configure xinetd access control
oval:com.mcafee.oval:def:8942	Configure tcp wrappers to limit access
oval:com.mcafee.oval:def:50087	Configure lilo to require a password to boot the operating system
oval:com.mcafee.oval:def:50021	Capture Messages Sent To Syslog AUTHPRIV Facility
oval:com.mcafee.oval:def:8716	Service - canna - running state
oval:com.mcafee.oval:def:200803070022	BOOTP queries should be denied by the DHCP server as appropriate
oval:com.mcafee.oval:def:200803070017	Avahi Server - Check Responses TTL Field

Oval ID	Title
oval:com.mcafee.oval:def:200803040026	Avahi publishing of workstation name should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803040021	Avahi Server - Disable Publishing
oval:com.mcafee.oval:def:200803040016	Avahi Server - Restrict Published Information
oval:com.mcafee.oval:def:200803040006	Avahi publishing hardware information should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803050157	Service - apmd - running state
oval:com.mcafee.oval:def:8700	Service - apache - running state
oval:com.mcafee.oval:def:78894	Test the owner of the file - /etc/syslog.conf
oval:com.mcafee.oval:def:200803070012	Accepting redirects from IPv6 routers should be disabled
oval:com.mcafee.oval:def:200803070007	Accepting IPv6 router advertisements should be disabled
oval:com.mcafee.oval:def:200803050075	The ability for users to perform interactive startups should be disabled.
oval:com.mcafee.oval:def:200803070001	A warning banner for all ftp users should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:8234	The Kerberos TGT Expiration warning should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:50113	Disable inetd if possible.
oval:com.mcafee.oval:def:8576	The daemon debug log file owner should be restricted.
oval:com.mcafee.oval:def:8452	The daemon debug log file group owner should be restricted.
oval:com.mcafee.oval:def:8584	Cron log file owner should be restricted.
oval:com.mcafee.oval:def:8596	The /etc/cron.d/cron.allow file should be owned by the appropriate user.
oval:com.mcafee.oval:def:8472	The /etc/cron.d/cron.allow file should be owned by the appropriate group.
oval:com.mcafee.oval:def:8572	The core dump directory owner should be restricted.
oval:com.mcafee.oval:def:8448	The core dump directory group owner should be restricted.
oval:com.mcafee.oval:def:8468	Audit log file group ownership should be restricted.
oval:com.mcafee.oval:def:8600	The /etc/cron.d/at.allow file should be owned by the appropriate user.
oval:com.mcafee.oval:def:8704	Service - tux - running state
oval:com.mcafee.oval:def:200803040071	Squid option to allow underscores in hostnames should be disabled.
oval:com.mcafee.oval:def:200803050191	Service - kdump - running state
oval:com.mcafee.oval:def:50121	A warning banner is displayed for all gui logins should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:50554	Service - zebra - running state
oval:com.mcafee.oval:def:50550	Service - ypxfrd - running state
oval:com.mcafee.oval:def:50331	xinetd based service - tcpmux-server - running state
oval:com.mcafee.oval:def:50335	xinetd based service - ekrb5-telnet - running state
oval:com.mcafee.oval:def:50546	Service - xendomains - running state
oval:com.mcafee.oval:def:50542	Service - xend - running state

Oval ID	Title
oval:com.mcafee.oval:def:50538	Service - wpa_supplicant - running state
oval:com.mcafee.oval:def:50534	Service - winbind - running state
oval:com.mcafee.oval:def:50526	Service - tog-pegasus - running state
oval:com.mcafee.oval:def:50530	Service - tomcat5 - running state
oval:com.mcafee.oval:def:50566	Service - sysstat - running state
oval:com.mcafee.oval:def:50522	Service - snmptrapd - running state
oval:com.mcafee.oval:def:50514	Service - saslauthd - running state
oval:com.mcafee.oval:def:50510	Service - ripngd - running state
oval:com.mcafee.oval:def:50505	Service - ripd - running state
oval:com.mcafee.oval:def:50558	Service - restorecond5 - running state
oval:com.mcafee.oval:def:50501	Service - rdisc - running state
oval:com.mcafee.oval:def:50497	Service - rarpd - running state
oval:com.mcafee.oval:def:50493	Service - radvd - running state
oval:com.mcafee.oval:def:50489	Service - psacct - running state
oval:com.mcafee.oval:def:50485	Service - pand - running state
oval:com.mcafee.oval:def:50481	Service - ospfd - running state
oval:com.mcafee.oval:def:50477	Service - ospf6d - running state
oval:com.mcafee.oval:def:50473	Service - openibd - running state
oval:com.mcafee.oval:def:50469	Service - nscd - running state
oval:com.mcafee.oval:def:50465	Service - NetworkManager - running state
oval:com.mcafee.oval:def:50461	Service - network - running state
oval:com.mcafee.oval:def:50457	Service - netplugd - running state
oval:com.mcafee.oval:def:50609	Test the max orphan value for - net.ipv4.tcp_max_orphans
oval:com.mcafee.oval:def:50453	Service - multipathd - running state
oval:com.mcafee.oval:def:50449	Service - mdmptd - running state
oval:com.mcafee.oval:def:50445	Service - mailman - running state
oval:com.mcafee.oval:def:50441	Service - lm_sensors - running state
oval:com.mcafee.oval:def:50437	Service - lisa - running state
oval:com.mcafee.oval:def:50433	Service - krb5kdc - running state
oval:com.mcafee.oval:def:50429	Service - krb524 - running state
oval:com.mcafee.oval:def:50425	Service - kprop - running state
oval:com.mcafee.oval:def:50421	Service - kadmin - running state
oval:com.mcafee.oval:def:50413	Service - iscsid - running state
oval:com.mcafee.oval:def:50417	Service - iscsi - running state

Oval ID	Title
oval:com.mcafee.oval:def:50409	Service - ipmi - running state
oval:com.mcafee.oval:def:50405	Service - ibmasm - running state
oval:com.mcafee.oval:def:50321	Test Global Initialization File profile to Contain mesg - n
oval:com.mcafee.oval:def:50401	Service - dund - running state
oval:com.mcafee.oval:def:50397	Service - dhcp6s - running state
oval:com.mcafee.oval:def:50393	Service - dhcdbd - running state
oval:com.mcafee.oval:def:50388	Service - dc_server - running state
oval:com.mcafee.oval:def:50384	Service - dc_client - running state
oval:com.mcafee.oval:def:50383	Service - cyrus-imapd - running state
oval:com.mcafee.oval:def:50382	Service - conman - running state
oval:com.mcafee.oval:def:50376	Service - capi - running state
oval:com.mcafee.oval:def:50363	Service - bootparamd - running state
oval:com.mcafee.oval:def:50359	Service - bgpd - running state
oval:com.mcafee.oval:def:50355	Service - avahi-dnssconfd - running state
oval:com.mcafee.oval:def:50351	Service - atd - running state
oval:com.mcafee.oval:def:50347	Service - arpwatch - running state
oval:com.mcafee.oval:def:50343	Service - arptables_jf - running state
oval:com.mcafee.oval:def:50339	Service - amd - running state
oval:com.mcafee.oval:def:92815	Test the owner of the file - /etc/mail/sendmail.cf
oval:com.mcafee.oval:def:56783	Test if the file is world writable - User dot files
oval:com.mcafee.oval:def:54958	Test the enable / disable status for - SSH version 1 protocol
oval:com.mcafee.oval:def:79050	The NFS statd port is restricted
oval:com.mcafee.oval:def:79031	Removable media in /etc/fstab should have the noexec option.
oval:com.mcafee.oval:def:79047	The NFS mountd port is restricted
oval:com.mcafee.oval:def:79051	dhcpd logging logfile name
oval:com.mcafee.oval:def:79049	The NFS statd outgoing port is restricted
oval:com.mcafee.oval:def:79048	The NFS TCP rquotad port is restricted
oval:com.mcafee.oval:def:79046	The NFS UDP lockd port is restricted
oval:com.mcafee.oval:def:79036	SSH user login idle-timeout interval
oval:com.mcafee.oval:def:79045	The NFS TCP lockd port is restricted
oval:com.mcafee.oval:def:79030	Non-root partitions in /etc/fstab should have the nodev option.
oval:com.mcafee.oval:def:79034	Gnome desktop lockout idle time
oval:com.mcafee.oval:def:76377	xinetd based service - vsftpd - running state
oval:com.mcafee.oval:def:94381	Test the group owner of the directory - /var/log/sa



Oval ID	Title
oval:com.mcafee.oval:def:79009	Test the permissions of - /etc/xinetd.d/wu-ftp
oval:com.mcafee.oval:def:78905	Test the owner of the file - /root/.tcshrc
oval:com.mcafee.oval:def:79064	Test the permissions of the file - /etc/cups/client.conf
oval:com.mcafee.oval:def:92724	Test the permissions of the file - /var/log/ksyms
oval:com.mcafee.oval:def:78903	Test the owner of the file - /root/.bash_profile
oval:com.mcafee.oval:def:96233	xinetd based service - wu-ftp - running state
oval:com.mcafee.oval:def:79095	Test the permissions of the file - /etc/pam.d/system-auth
oval:com.mcafee.oval:def:79056	Test the group owner of the file - /etc/vsftpd/ftppers
oval:com.mcafee.oval:def:78871	Test the owner of the file - /etc/init.d/syslog
oval:com.mcafee.oval:def:94447	Test the owner of all the /var/log/vbox/ files
oval:com.mcafee.oval:def:92697	Test the permissions of the files - /var/log/cron*
oval:com.mcafee.oval:def:92679	Test the group owner of the file - /etc/security/console.perms.d/50-default.perms
oval:com.mcafee.oval:def:78737	Test the permissions of the file - /etc/sysctl.conf
oval:com.mcafee.oval:def:78914	Test the owner of the /etc directory
oval:com.mcafee.oval:def:92591	Test the permissions of the directory - /tftpboot
oval:com.mcafee.oval:def:79073	Test the permissions of the file - /var/log/mailman
oval:com.mcafee.oval:def:79087	Test the group owner of the file - /etc/audit/audit.rules
oval:com.mcafee.oval:def:78740	Test the permissions of the file - /etc/vsftpd/vsftpd.conf
oval:com.mcafee.oval:def:79088	Test the owner of the file - /etc/audit/audit.rules
oval:com.mcafee.oval:def:94378	Test the group owner of the directory - /var/log/news
oval:com.mcafee.oval:def:79729	Test the group owner of the file - /etc/at.deny
oval:com.mcafee.oval:def:99850	Prevent X Server From Listening On tcp Port 6000 - /etc/sysconfig/displaymanager
oval:com.mcafee.oval:def:78925	Test the owner of the /var/spool/cron directory
oval:com.mcafee.oval:def:79080	Test the permissions of the file - /etc/security/access.conf
oval:com.mcafee.oval:def:79062	Test the group owner of the file - /etc/cups/client.conf
oval:com.mcafee.oval:def:78785	Test the group owner of the file - /etc/grub.conf
oval:com.mcafee.oval:def:79077	Test if the Access control files contain a plus sign - /etc/gshadow
oval:com.mcafee.oval:def:92711	Test the group owner of the directory - /var/log/httpd
oval:com.mcafee.oval:def:79019	Test the permissions of all files present in the directory - /etc/httpd/conf
oval:com.mcafee.oval:def:78783	Test the group owner of the file - /etc/ftpaccess
oval:com.mcafee.oval:def:76361	xinetd based service - cvs - running state
oval:com.mcafee.oval:def:79081	Test the group owner of the file - /etc/gdm/prsession/default
oval:com.mcafee.oval:def:78897	Test the owner of the file - /etc/vsftpd/vsftpd.conf
oval:com.mcafee.oval:def:78821	Test the group owner of the file - /etc/X11/xdm/kdmrc

Oval ID	Title
oval:com.mcafee.oval:def:92589	Test the group owner of the directory - /ftpboot
oval:com.mcafee.oval:def:79023	Test the group owner of the file - /usr/sbin/userhelper
oval:com.mcafee.oval:def:79060	Test the owner of the file - /etc/sysconfig/init
oval:com.mcafee.oval:def:78796	Test the group owner of the file - /etc/nsswitch.conf
oval:com.mcafee.oval:def:78715	Test the permissions of the file - /etc/login.defs
oval:com.mcafee.oval:def:79098	Test the permissions of all files present in the directory - /usr/share/man
oval:com.mcafee.oval:def:79096	Test the group owner of all files present in the directory - /usr/share/man
oval:com.mcafee.oval:def:78747	Test the permissions of the file - /root/.bashrc
oval:com.mcafee.oval:def:92726	Test the permissions of the file - /var/log/maillog*
oval:com.mcafee.oval:def:79014	Test the group owner of the directory - /etc/httpd/conf
oval:com.mcafee.oval:def:78751	Test the permissions of the file - /var/log/firewall
oval:com.mcafee.oval:def:77475	Service - ypserv - running state
oval:com.mcafee.oval:def:92699	Test the owner of the file - /var/log/dmesg
oval:com.mcafee.oval:def:78805	Test the group owner of the file - /etc/security/console.perms
oval:com.mcafee.oval:def:92734	Test the permissions of all the files - /var/log/samba/
oval:com.mcafee.oval:def:79089	Test the permissions of the file - /etc/audit/audit.rules
oval:com.mcafee.oval:def:78820	Test the group owner of the file - /etc/X11/gdm/gdm.conf
oval:com.mcafee.oval:def:78868	Test the owner of the file - /etc/grub.conf
oval:com.mcafee.oval:def:92659	Test the owner of the directory - /var/log/gdm
oval:com.mcafee.oval:def:78759	Test the permissions set on the /dev directory
oval:com.mcafee.oval:def:92667	Test the owner of all files present in the directory - /etc/pam.d
oval:com.mcafee.oval:def:78703	Test the permissions of the file - /etc/exports
oval:com.mcafee.oval:def:92689	Test the permissions of the files - /var/log/boot.log*
oval:com.mcafee.oval:def:78875	Test the owner of the file - /etc/lilo.conf
oval:com.mcafee.oval:def:78772	Test the permissions of the /var/spool/cron directory
oval:com.mcafee.oval:def:79008	Test the owner of the file - /etc/xinetd.d/wu-ftpd
oval:com.mcafee.oval:def:78743	Test the permissions of the file - /etc/X11/xdm/kdmrc
oval:com.mcafee.oval:def:78902	Test the owner of the file - /etc/X11/xinit/xserverrc
oval:com.mcafee.oval:def:79076	Test the permissions of the file - /etc/rc.d/rc.sysinit
oval:com.mcafee.oval:def:94435	Test the owner of the directory - /var/log/sa
oval:com.mcafee.oval:def:78923	Test the owner of the /sbin directory
oval:com.mcafee.oval:def:92731	Test the permissions of the directory - /var/log/sa
oval:com.mcafee.oval:def:94445	Test the owner of the /var/run/utmp file
oval:com.mcafee.oval:def:79020	Test the group owner of the file - /usr/sbin/httpd

Oval ID	Title
oval:com.mcafee.oval:def:78913	Test the owner of the /dev directory
oval:com.mcafee.oval:def:92703	Test the group owner of the file - /var/log/dmesg
oval:com.mcafee.oval:def:78736	Test the permissions of the file - /etc/syslog.conf
oval:com.mcafee.oval:def:78886	Test the owner of the file - /etc/security/limits.conf
oval:com.mcafee.oval:def:78800	Test the group owner of the file - /etc/pki/tls/ldap/serverkey.pem
oval:com.mcafee.oval:def:94434	Test the owner of the /var/log/rpmpkgs files
oval:com.mcafee.oval:def:79004	Test the permissions of the file - /var/log/syslog
oval:com.mcafee.oval:def:92715	Test the owner of all files present in the directory - /var/log/httpd
oval:com.mcafee.oval:def:78827	Test the group owner of the file - /root/.cshrc
oval:com.mcafee.oval:def:92743	Test the permissions of the directory - /var/log/vbox
oval:com.mcafee.oval:def:78915	Test the owner of the /etc/csh.cshrc file
oval:com.mcafee.oval:def:78778	Test the group owner of the file - /etc/cron.d/at.deny
oval:com.mcafee.oval:def:92583	Test the permissions of the file - /etc/sysconfig/sendmail
oval:com.mcafee.oval:def:78846	Test the group owner of the file /etc/csh.login
oval:com.mcafee.oval:def:92607	Test the permissions of the file - /usr/bin/lpr
oval:com.mcafee.oval:def:92736	Test the permissions of the file - /var/log/secure
oval:com.mcafee.oval:def:94388	Test the group owner of the directory - /var/log/squid
oval:com.mcafee.oval:def:78817	Test the group owner of the file - /etc/vsftpd.conf
oval:com.mcafee.oval:def:78750	Test the permissions of the file - /var/lib/ldap/*
oval:com.mcafee.oval:def:78860	Test the owner of the file - /etc/cron.deny
oval:com.mcafee.oval:def:79021	Test the owner of the file - /usr/sbin/httpd
oval:com.mcafee.oval:def:92821	Test the permissions of the file - /etc/mail/sendmail.cf
oval:com.mcafee.oval:def:78767	Test the permission of the /etc/skel directory
oval:com.mcafee.oval:def:78695	Test the permissions of the Global Initialization File - /etc/bashrc
oval:com.mcafee.oval:def:101067	Test the owner of the /etc/log.d/scripts file
oval:com.mcafee.oval:def:92735	Test the permissions of the file - /var/log/scrollkeeper.log
oval:com.mcafee.oval:def:78725	Test the permissions of the file - /etc/securetty
oval:com.mcafee.oval:def:92691	Test the owner of the files - /var/log/cron*
oval:com.mcafee.oval:def:78722	Test the permissions of the file - /etc/postfix/master.cf
oval:com.mcafee.oval:def:78824	Test the group owner of the file - /etc/X11/xinit/xserverrc
oval:com.mcafee.oval:def:78893	Test the owner of the file - /etc/sysctl.conf
oval:com.mcafee.oval:def:92725	Test the permissions of the file - /var/log/loginlog
oval:com.mcafee.oval:def:78734	Test the permissions of the directory - /etc/sysconfig
oval:com.mcafee.oval:def:92719	Test the group owner of all files present in the directory - /var/log/httpd

Oval ID	Title
oval:com.mcafee.oval:def:79099	Test the group owner of all files present in the directory - /usr/share/doc
oval:com.mcafee.oval:def:79735	Test the owner of the file - /root/.bashrc
oval:com.mcafee.oval:def:78719	Test the permissions of the file - /etc/pam.d/su
oval:com.mcafee.oval:def:79016	Test the permissions of the directory - /etc/httpd/conf
oval:com.mcafee.oval:def:78762	Test the permissions of the directory - /etc/news
oval:com.mcafee.oval:def:78710	Test the permissions of the file - /etc/init.d/syslog
oval:com.mcafee.oval:def:79596	Test the group owner of the file - snmpd.conf
oval:com.mcafee.oval:def:78807	Test the group owner of the file - /etc/security/limits.conf
oval:com.mcafee.oval:def:79070	Test the permissions of the file - /var/log/lastlog
oval:com.mcafee.oval:def:78754	Test the permissions of the file - /var/log/news/*
oval:com.mcafee.oval:def:92745	Test the permissions of the file - /var/log/wtmp
oval:com.mcafee.oval:def:96216	xinetd based service - imaps - running state
oval:com.mcafee.oval:def:78867	Test the owner of the file - /etc/ftppaccess
oval:com.mcafee.oval:def:92695	Test the group owner of the files - /var/log/cron*
oval:com.mcafee.oval:def:78790	Test the group owner of the file - /etc/inittab
oval:com.mcafee.oval:def:79072	Test the owner of the /var/log/mailman file
oval:com.mcafee.oval:def:94439	Test the owner of the /var/log/scrollkeeper.log file
oval:com.mcafee.oval:def:78847	Test the group owner of the /etc/news directory
oval:com.mcafee.oval:def:78916	Test the owner of the file /etc/csh.login
oval:com.mcafee.oval:def:79079	Test the owner of the file - /etc/security/access.conf
oval:com.mcafee.oval:def:92617	Test the owner of the directory - /var/log
oval:com.mcafee.oval:def:78856	Test the group owner of the /var/spool/cron directory
oval:com.mcafee.oval:def:78828	Test the group owner of the file - /root/.tcshrc
oval:com.mcafee.oval:def:79066	Test the owner of the /var/log/btmp file
oval:com.mcafee.oval:def:78780	Test the group owner of the file - /etc/default/useradd
oval:com.mcafee.oval:def:78850	Test the group owner of the file - /etc/shells
oval:com.mcafee.oval:def:79094	Test the owner of the file - /etc/pam.d/system-auth
oval:com.mcafee.oval:def:94438	Test the owner of all the /var/log/samba/ files
oval:com.mcafee.oval:def:79055	Test the permissions of the file - /etc/vsftpd/ftpusers
oval:com.mcafee.oval:def:92740	Test the permissions of the file - /var/log/squid/
oval:com.mcafee.oval:def:78711	Test the permissions of the file - /etc/inittab
oval:com.mcafee.oval:def:92609	Test the owner of the file - /usr/bin/lprm
oval:com.mcafee.oval:def:78717	Test the permissions of the file - /etc/nsswitch.conf
oval:com.mcafee.oval:def:94432	Test the owner of the directory - /var/log/news

Oval ID	Title
oval:com.mcafee.oval:def:92732	Test the permissions of all the files - /var/log/sa/
oval:com.mcafee.oval:def:92742	Test the permissions of the file - /var/run/utmp
oval:com.mcafee.oval:def:94392	Test the group owner of the directory - /var/log/vbox
oval:com.mcafee.oval:def:94437	Test the owner of the directory - /var/log/samba
oval:com.mcafee.oval:def:78899	Test the owner of the file - /etc/X11/xdm/kdmrc
oval:com.mcafee.oval:def:79100	Test the owner of all files present in the directory - /usr/share/doc
oval:com.mcafee.oval:def:92728	Test the permissions of the directory - /var/log/news
oval:com.mcafee.oval:def:79069	Test the owner of the /var/log/lastlog file
oval:com.mcafee.oval:def:78906	Test the owner of the file - /var/log/firewall
oval:com.mcafee.oval:def:78881	Test the owner of the file - /etc/postfix/master.cf
oval:com.mcafee.oval:def:78921	Test the owner of the /lib/security directory
oval:com.mcafee.oval:def:78825	Test the group owner of the file - /root/.bash_profile
oval:com.mcafee.oval:def:78702	Test the permissions of the file - /etc/default/useradd
oval:com.mcafee.oval:def:78885	Test the owner of the file - /etc/security/console.perms
oval:com.mcafee.oval:def:92597	Test the group owner of the file - /usr/bin/lpq
oval:com.mcafee.oval:def:79075	Test the owner of the /etc/rc.d/rc.sysinit file
oval:com.mcafee.oval:def:78908	Test the owner of the file - /var/log/news/*
oval:com.mcafee.oval:def:78884	Test the owner of the file - /etc/securetty
oval:com.mcafee.oval:def:78749	Test the permissions of the file - /root/.tcshrc
oval:com.mcafee.oval:def:78770	Test the permissions of the /sbin directory
oval:com.mcafee.oval:def:78845	Test the group owner of the /etc/csh.cshrc file
oval:com.mcafee.oval:def:94448	Test the owner of the /var/log/wtmp file
oval:com.mcafee.oval:def:78823	Test the group owner of the file - /etc/X11/xdm/Xservers
oval:com.mcafee.oval:def:92581	Test the group owner of the file - /etc/sysconfig/sendmail
oval:com.mcafee.oval:def:79017	Test the group owner of all files present in the directory - /etc/httpd/conf
oval:com.mcafee.oval:def:78797	Test the group owner of the file - /etc/pam.d/su
oval:com.mcafee.oval:def:78728	Test the permissions of the file - /etc/security/limits.conf
oval:com.mcafee.oval:def:79057	Test the owner of the file - /etc/vsftpd/ftpusers
oval:com.mcafee.oval:def:78738	Test the permissions of the file - /etc/vsftpd.conf
oval:com.mcafee.oval:def:78766	Test the permissions of the file - /etc/shells
oval:com.mcafee.oval:def:78822	Test the group owner of the file - /etc/X11/xdm/Xresources
oval:com.mcafee.oval:def:94436	Test the owner of all the /var/log/sa files
oval:com.mcafee.oval:def:78789	Test the group owner of the file - /etc/init.d/syslog
oval:com.mcafee.oval:def:79102	Test the group owner of the file - /etc/log.d/scripts

Oval ID	Title
oval:com.mcafee.oval:def:78889	Test the owner of the file - /etc/ssh/ssh_config
oval:com.mcafee.oval:def:92723	Test the permissions of the file - /var/log/kernel
oval:com.mcafee.oval:def:78799	Test the group owner of the file - /etc/pki/tls/ldap/servercert.pem
oval:com.mcafee.oval:def:92575	Test the permissions of the file - /etc/cups/cupsd.conf
oval:com.mcafee.oval:def:78794	Test the group owner of the file - /etc/login.defs
oval:com.mcafee.oval:def:79091	Test the owner of the /root directory
oval:com.mcafee.oval:def:79078	Test the group owner of the file - /etc/security/access.conf
oval:com.mcafee.oval:def:76372	xinetd based service - servers - running state
oval:com.mcafee.oval:def:79101	Test the permissions of all files present in the directory - /usr/share/doc
oval:com.mcafee.oval:def:92737	Test the permissions of the file - /var/log/spooler
oval:com.mcafee.oval:def:94375	Test the group owner of the file - /var/log/loginlog
oval:com.mcafee.oval:def:78784	Test the group owner of the file - /etc/vsftpd/ftpusers
oval:com.mcafee.oval:def:78744	Test the permissions of the file - /etc/X11/xdm/Xservers
oval:com.mcafee.oval:def:94444	Test the owner of the /var/log/syslog file
oval:com.mcafee.oval:def:78768	Test the permissions of the /lib/security directory
oval:com.mcafee.oval:def:92613	Test the group owner of the file - /usr/bin/lprm
oval:com.mcafee.oval:def:78878	Test the owner of the file - /etc/nsswitch.conf
oval:com.mcafee.oval:def:78782	Test the group owner of the file - /etc/exports
oval:com.mcafee.oval:def:92721	Test the permissions of all files present in the directory - /var/log/httpd
oval:com.mcafee.oval:def:94430	Test the owner of the /var/log/maillog files
oval:com.mcafee.oval:def:78876	Test the owner of the file - /etc/login.defs
oval:com.mcafee.oval:def:78854	Test the group owner of the /sbin directory
oval:com.mcafee.oval:def:96245	Service - cups-config-daemon - running state
oval:com.mcafee.oval:def:78726	Test the permissions of the file - /etc/security/console.perms
oval:com.mcafee.oval:def:79093	Test the group owner of the file - /etc/pam.d/system-auth
oval:com.mcafee.oval:def:79015	Test the owner of the directory - /etc/httpd/conf
oval:com.mcafee.oval:def:78704	Test the permissions of the file - /etc/ftppass
oval:com.mcafee.oval:def:94443	Test the owner of all the /var/log/squid/ files
oval:com.mcafee.oval:def:78742	Test the permissions of the file - /etc/X11/xdm/Xresources
oval:com.mcafee.oval:def:92621	Test the group owner of the directory - /var/log
oval:com.mcafee.oval:def:78696	Test the permissions of the file - /etc/at.deny
oval:com.mcafee.oval:def:92569	Test the owner of the file - /etc/cups/cupsd.conf
oval:com.mcafee.oval:def:78838	Test the group owner of the /dev directory
oval:com.mcafee.oval:def:92665	Test the permissions of the directory - /var/log/gdm

Oval ID	Title
oval:com.mcafee.oval:def:96211	xinetd based service - imap - running state
oval:com.mcafee.oval:def:79011	Service - telnet - running state
oval:com.mcafee.oval:def:94387	Test the group owner of all the files -/var/log/spooler
oval:com.mcafee.oval:def:78709	Test the permissions of the file - /etc/inetd.conf
oval:com.mcafee.oval:def:92819	Test the group owner of the file - /etc/mail/sendmail.cf
oval:com.mcafee.oval:def:98488	xinetd based service - suucp - running state
oval:com.mcafee.oval:def:76375	xinetd based service - uucp - running state
oval:com.mcafee.oval:def:92687	Test the group owner of the files - /var/log/boot.log*
oval:com.mcafee.oval:def:92681	Test the permissions of the file - /etc/security/console.perms.d/50-default.perms
oval:com.mcafee.oval:def:79067	Test the permissions of the file - /var/log/btmp
oval:com.mcafee.oval:def:78839	Test the group owner of the /etc directory
oval:com.mcafee.oval:def:92733	Test the permissions of the directory - /var/log/samba
oval:com.mcafee.oval:def:78922	Test the owner of the /proc directory
oval:com.mcafee.oval:def:78801	Test the group owner of the file - /etc/postfix/master.cf
oval:com.mcafee.oval:def:78746	Test the permissions of the file - /root/.bash_profile
oval:com.mcafee.oval:def:92577	Test the owner of the file - /etc/sysconfig/sendmail
oval:com.mcafee.oval:def:78793	Test the group owner of the file - /etc/lilo.conf
oval:com.mcafee.oval:def:101069	Test the enable / disable status for - SSH Rhosts Authentication
oval:com.mcafee.oval:def:94442	Test the owner of the directory - /var/log/squid
oval:com.mcafee.oval:def:79092	Test the permissions of the /root directory
oval:com.mcafee.oval:def:79061	Test the permissions of the file - /etc/sysconfig/init
oval:com.mcafee.oval:def:79084	Test the group owner of the file - /etc/audit.rules
oval:com.mcafee.oval:def:79013	xinetd based service - shell - running state
oval:com.mcafee.oval:def:92593	Test the owner of the file - /usr/bin/lpq
oval:com.mcafee.oval:def:92601	Test the owner of the file - /usr/bin/lpr
oval:com.mcafee.oval:def:78706	Test the permissions of the file - /etc/grub.conf
oval:com.mcafee.oval:def:79022	Test the permissions of the file - /usr/sbin/httpd
oval:com.mcafee.oval:def:79083	Test the permissions of the file - /etc/gdm/presession/default
oval:com.mcafee.oval:def:79002	Test the owner of Global Initialization File - /etc/bashrc
oval:com.mcafee.oval:def:78829	Test the group owner of the file - /var/lib/ldap/*
oval:com.mcafee.oval:def:78853	Test the group owner of the /proc directory
oval:com.mcafee.oval:def:76371	xinetd based service - rsync - running state
oval:com.mcafee.oval:def:92713	Test the permissions of the directory - /var/log/httpd
oval:com.mcafee.oval:def:78705	Test the permissions of the file - /etc/vsftpd/ftppusers

Oval ID	Title
oval:com.mcafee.oval:def:78748	Test the permissions of the file - /root/.cshrc
oval:com.mcafee.oval:def:78891	Test the owner of the directory - /etc/sysconfig
oval:com.mcafee.oval:def:79085	Test the owner of the file - /etc/audit.rules
oval:com.mcafee.oval:def:79090	Test the group owner of the /root directory
oval:com.mcafee.oval:def:78863	Test the owner of the file - /etc/cron.d/at.deny
oval:com.mcafee.oval:def:94429	Test the owner of the /var/log/loginlog file
oval:com.mcafee.oval:def:79086	Test the permissions of the file - /etc/audit.rules
oval:com.mcafee.oval:def:96206	xinetd based service - cups - running state
oval:com.mcafee.oval:def:78851	Test the group owner of the /etc/skel directory
oval:com.mcafee.oval:def:79018	Test the owner of all files present in the directory - /etc/httpd/conf
oval:com.mcafee.oval:def:79010	Service - rcp - running state
oval:com.mcafee.oval:def:99055	xinetd based service - qpopper - running state
oval:com.mcafee.oval:def:78804	Test the group owner of the file - /etc/securetty
oval:com.mcafee.oval:def:92663	Test the group owner of the directory - /var/log/gdm
oval:com.mcafee.oval:def:92730	Test the permissions of the file - /var/log/rpmpkgs
oval:com.mcafee.oval:def:79059	Test the group owner of the file - /etc/sysconfig/init
oval:com.mcafee.oval:def:78732	Test the permissions of the file - /etc/ssh/ssh_config
oval:com.mcafee.oval:def:77343	Service - dhcrelay - running state
oval:com.mcafee.oval:def:94441	Test the owner of the /var/log/spooler files
oval:com.mcafee.oval:def:79024	Test the owner of the file - /usr/sbin/userhelper
oval:com.mcafee.oval:def:79025	Test the permissions of the file - /usr/sbin/userhelper
oval:com.mcafee.oval:def:92615	Test the permissions of the file - /usr/bin/lprm
oval:com.mcafee.oval:def:78812	Test the group owner of the file - /etc/ssh/ssh_config
oval:com.mcafee.oval:def:101070	Test the enable / disable status for - SSH Password Authentication
oval:com.mcafee.oval:def:94446	Test the owner of the directory - /var/log/vbox
oval:com.mcafee.oval:def:78760	Test the permissions of the directory - /etc
oval:com.mcafee.oval:def:79007	Test the group owner of the file - /etc/xinetd.d/wu-ftpd
oval:com.mcafee.oval:def:92573	Test the group owner of the file - /etc/cups/cupsd.conf
oval:com.mcafee.oval:def:78816	Test the group owner of the file - /etc/sysctl.conf
oval:com.mcafee.oval:def:78714	Test the permissions of the file - /etc/lilo.conf
oval:com.mcafee.oval:def:78898	Test the owner of the file - /etc/X11/gdm/gdm.conf
oval:com.mcafee.oval:def:94374	Test the group owner of the files -/var/log/ksyms
oval:com.mcafee.oval:def:78852	Test the group owner of the /lib/security directory
oval:com.mcafee.oval:def:78761	Test the permissions of the file - /etc/csh.cshrc



Oval ID	Title
oval:com.mcafee.oval:def:92605	Test the group owner of the file - /usr/bin/lpr
oval:com.mcafee.oval:def:78872	Test the owner of the file - /etc/inittab
oval:com.mcafee.oval:def:78814	Test the group owner of the directory - /etc/sysconfig
oval:com.mcafee.oval:def:78865	Test the owner of the file - /etc/default/useradd
oval:com.mcafee.oval:def:94427	Test the owner of the /var/log/kernel file
oval:com.mcafee.oval:def:92739	Test the permissions of the directory - /var/log/squid
oval:com.mcafee.oval:def:79012	xinetd based service - login - running state
oval:com.mcafee.oval:def:78920	Test the owner of the /etc/skel directory
oval:com.mcafee.oval:def:79097	Test the owner of all files present in the directory - /usr/share/man
oval:com.mcafee.oval:def:78826	Test the group owner of the file - /root/.bashrc
oval:com.mcafee.oval:def:92585	Test the owner of the directory - /tftpboot
oval:com.mcafee.oval:def:78769	Test the permissions of the /proc directory
oval:com.mcafee.oval:def:94428	Test the owner of the /var/log/ksyms files
oval:com.mcafee.oval:def:92599	Test the permissions of the file - /usr/bin/lpq
oval:com.mcafee.oval:def:78700	Test the permissions of the file - /etc/cron.d/at.deny
oval:com.mcafee.oval:def:78698	Test the permissions of the file - /etc/cron.deny
oval:com.mcafee.oval:def:78895	Test the owner of the file - /etc/vsftpd.conf
oval:com.mcafee.oval:def:78819	Test the group owner of the file - /etc/vsftpd/vsftpd.conf
oval:com.mcafee.oval:def:78741	Test the permissions of the file - /etc/X11/gdm/gdm.conf
oval:com.mcafee.oval:def:92623	Test the permissions of the directory - /var/log
oval:com.mcafee.oval:def:94383	Test the group owner of the directory - /var/log/samba
oval:com.mcafee.oval:def:92707	Test the owner of the directory - /var/log/httpd
oval:com.mcafee.oval:def:80416	Test the enable / disable status for - SSH Rhosts RSA Authentication
oval:com.mcafee.oval:def:94440	Test the owner of the /var/log/secure files
oval:com.mcafee.oval:def:94373	Test the group owner of the file - /var/log/kernel
oval:com.mcafee.oval:def:78763	Test the permissions of the file - /etc/csh.login
oval:com.mcafee.oval:def:78837	Test the group owner of the file - /etc/xinetd.conf
oval:com.mcafee.oval:def:79071	Test the group owner of the file - /var/log/mailman
oval:com.mcafee.oval:def:78776	Test the group owner of the file - /etc/cron.deny
oval:com.mcafee.oval:def:94376	Test the group owner of the files -/var/log/maillog
oval:com.mcafee.oval:def:94386	Test the group owner of all the files -/var/log/secure
oval:com.mcafee.oval:def:94385	Test the group owner of the file - /var/log/scrollkeeper.log
oval:com.mcafee.oval:def:94394	Test the group owner of the file - /var/log/wtmp
oval:com.mcafee.oval:def:94380	Test the group owner of the files -/var/log/rpmpkgs

Oval ID	Title
oval:com.mcafee.oval:def:79065	Test the group owner of the file - /var/log/btmp
oval:com.mcafee.oval:def:94391	Test the group owner of the file - /var/run/utmp
oval:com.mcafee.oval:def:78830	Test the group owner of the file - /var/log/firewall
oval:com.mcafee.oval:def:94389	Test the group owner of all the files -/var/log/squid/
oval:com.mcafee.oval:def:94393	Test the group owner of all the files -/var/log/vbox/
oval:com.mcafee.oval:def:94382	Test the group owner of all the files -/var/log/sa/
oval:com.mcafee.oval:def:79074	Test the group owner of the file - /etc/rc.d/rc.sysinit
oval:com.mcafee.oval:def:78832	Test the group owner of the file - /var/log/news/*
oval:com.mcafee.oval:def:94390	Test the group owner of the file - /var/log/syslog
oval:com.mcafee.oval:def:79068	Test the group owner of the file - /var/log/lastlog
oval:com.mcafee.oval:def:213237	Test the permissions on - home directories for all user accounts
oval:com.mcafee.oval:def:215603	Test if the system login banner text is set correctly - /etc/motd
oval:com.mcafee.oval:def:231137	Test If file exists - /etc/hosts.allow
oval:com.mcafee.oval:def:230327	Test the enable / disable status for - SSH Banner
oval:com.mcafee.oval:def:231138	Test If file exists - /etc/hosts.deny
oval:com.mcafee.oval:def:234516	Test the permissions of the files - /var/log/*
oval:com.mcafee.oval:def:236469	All GIDs referenced in the /etc/passwd file must be defined in the /etc/group file.
oval:com.mcafee.oval:def:238498	No accounts with empty password fields
oval:com.mcafee.oval:def:249942	Configuration - Set Boot Loader Password
oval:com.mcafee.oval:def:249385	Test the group owner of the file - /boot/grub/grub.conf
oval:com.mcafee.oval:def:249384	Test the owner of the file - /boot/grub/grub.conf
oval:com.mcafee.oval:def:249386	Test the permissions of the file - /boot/grub/grub.conf

## Updated Benchmarks

Benchmark ID	Title
Solaris11PatchPolicy	Oracle Solaris 11 Patch Policy
RedhatEnterpriseLinux6CISBenchmark	Redhat Enterprise Linux 6 CIS Benchmark
OracleSolaris11CISBenchmark	Oracle Solaris 11 CIS Benchmark
AIXPatchPolicy	AIX Patch Policy
AdobeMacBulletinBenchmark2013	Adobe Mac Bulletin Benchmark 2013
McAfee-CIS-Windows-XP	Windows CIS Benchmark
AppleMacOSXCISBenchmark	Apple Mac OSX CIS Benchmark
RedhatEnterpriseLinuxISOBenchmark	Redhat Enterprise and CentOS Linux ISO Benchmark

Benchmark ID	Title
RHELSoXUNIX	Redhat Enterprise and CentOS Linux Sox Benchmark
RedhatEnterpriseLinuxPCIBenchmark	Redhat Enterprise and CentOS Linux PCI Benchmark
RHELCOBITUNIX	Redhat Enterprise and CentOS Linux Cobit Benchmark
RHELGLBAUNIX	Redhat Enterprise and CentOS Linux GLBA Benchmark
RedhatEnterpriseLinuxHIPAA	Redhat Enterprise and CentOS Linux HIPAA Benchmark
AdobeMacBulletinBenchmark2014	Adobe Mac Bulletin Benchmark 2014
AdobeWindowsBulletinBenchmark2014	Adobe Windows Bulletin Benchmark 2014
MS_Windows_Bulletin_Benchmark_2014_	MS Windows Bulletin Benchmark 2014
AppleMacOSXPatchPolicy	Apple Mac OSX Patch Policy
nac_patches	NAC - Microsoft Bulletins
MicrosoftOfficePatchPolicy_2013	Microsoft Office Patch Policy for 2013
MicrosoftOfficePatchPolicy_2010	Microsoft Office Patch Policy for 2010
MicrosoftOfficePatchPolicy_2007	Microsoft Office Patch Policy for 2007
MicrosoftOfficePatchPolicy_2003	Microsoft Office Patch Policy for 2003

## McAfee Technical Support

PrimeSupport ServicePortal: <https://mysupport.nai.com/login.asp>

Multi-National Phone Support: <http://www.mcafeesecurity.com/us/contact/home.htm>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright 2007-2014 McAfee, Inc.  
McAfee is a registered trademark of McAfee, Inc. and/or its affiliates.