



McAfee Policy Auditor/McAfee NAC Content Update Summary

Product / Version	Content Version
McAfee Policy Auditor 5.x/6.x	1158
McAfee NAC 3.x	1158

New Checks

Oval ID	Title
oval:com.mcafee.oval.common:def:1412126	Google Chrome Security Update 43.0.2357.65 for Windows
oval:com.mcafee.oval.common:def:1412131	Mozilla Thunderbird Security Update 31.7 for Windows
oval:com.mcafee.oval.common:def:1412132	Mozilla Firefox ESR Security Update 31.7 for Windows
oval:com.mcafee.oval.common:def:1412135	Mozilla Firefox Security Update 38 for Windows
oval:com.mcafee.oval.gen:def:336562	Test for coreutils On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336566	Test for coreutils-lang On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336570	Test for emacs-x11 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336574	Test for emacs-el On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336578	Test for emacs On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336582	Test for emacs-info On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336586	Test for emacs-nox On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336590	Test for gd On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336594	Test for mono-data On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336598	Test for mono-core On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336602	Test for mono-web On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336606	Test for mono-locale-extras On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336610	Test for mono-data-postgresql On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336614	Test for mono-data-sqlite On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336618	Test for mono-winforms On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336622	Test for mono-nunit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336626	Test for kvm On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336630	Test for clamav On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336634	Test for libldap-2_4-2 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336638	Test for openldap2-client On SUSE Linux Enterprise Server 11 SP3

Oval ID	Title
oval:com.mcafee.oval.gen:def:336642	Test for openldap2 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336646	Test for openldap2-back-meta On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336650	Test for compat-libldap-2_3-0 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336654	Test for libldap-2_4-2-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336658	Test for kvm On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336662	Test for libtasn1-3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336666	Test for libtasn1 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336670	Test for libtasn1-3-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336674	Test for openslp On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336678	Test for openslp-server On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336682	Test for openslp-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336686	Test for xen-kmp-pae On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336690	Test for xen-libs On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336694	Test for xen-kmp-default On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336698	Test for xen-tools-domU On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336702	Test for xen-doc-html On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336706	Test for xen On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336710	Test for xen-tools On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336714	Test for xen-doc-pdf On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336718	Test for xen-libs-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:336719	kexec-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:336722	kexec-tools-anaconda-addon patch for Redhat EL7
oval:com.mcafee.oval.gen:def:336726	kexec-tools-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:336729	kexec-tools-eppic patch for Redhat EL7
oval:com.mcafee.oval.gen:def:336733	tomcat6-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:1412126	Google Chrome Security Update 43.0.2357.65 for Windows
oval:com.mcafee.oval:def:1412130	Mozilla Thunderbird Security Update 31.7 for Mac OS
oval:com.mcafee.oval:def:1412131	Mozilla Thunderbird Security Update 31.7 for Windows is installed or not
oval:com.mcafee.oval:def:1412132	Mozilla Firefox Security Update 31.7 for Windows is installed or not
oval:com.mcafee.oval:def:1412133	Mozilla Firefox ESR Security Update 31.7 for Mac OS
oval:com.mcafee.oval:def:1412134	Mozilla Firefox Security Update 38 for Mac OS
oval:com.mcafee.oval:def:1412135	Mozilla Firefox Security Update 38 for Windows is installed or not
oval:com.mcafee.oval:def:1412148	Ensure that AES 128/128 cipher is enabled
oval:com.mcafee.oval:def:1412154	Ensure that RC4 128/128 cipher is disabled

Oval ID	Title
oval:com.mcafee.oval:def:1412157	Ensure that SSL 3.0 Encryption Protocol is Disabled
oval:com.mcafee.oval:def:1412171	Verify that the Network File System server is not running
oval:com.mcafee.oval:def:1412172	Patches for DSA-3237-1 for Debian 7
oval:com.mcafee.oval:def:1412173	Patches for DSA-3263-1 for Debian 7
oval:com.mcafee.oval:def:1412420	HPSBUX03320 - CIFS Server version A.03.02.04 for HPUX 11.31 Itanium and PA-RISC
oval:com.mcafee.oval:def:1412421	HPSBUX03333 - NTP version C.4.2.6.6.0 for HPUX 11.31 Itanium and PA-RISC
oval:com.mcafee.oval:def:1412422	HPSBUX03334 - OpenSSL version A.00.09.08zf.002 for HPUX 11.23 Itanium and PA-RISC
oval:com.mcafee.oval:def:1412423	HPSBUX03334 - OpenSSL version A.00.09.08zf.003 for HPUX 11.31 Itanium and PA-RISC
oval:com.mcafee.oval:def:1452073	Patches for DSA-3233-1 for Debian 7
oval:com.mcafee.oval:def:1452189	Patches for DSA-3232-1 for Debian 7
oval:com.mcafee.oval:def:1457413	Patches for DSA-3236-1 for Debian 7
oval:com.mcafee.oval:def:1457544	Patches for DSA-3235-1 for Debian 7
oval:com.mcafee.oval:def:1457712	Patches for DSA-3234-1 for Debian 7
oval:com.mcafee.oval:def:1482656	Patches for DSA-3243-1 for Debian 7
oval:com.mcafee.oval:def:1482847	Patches for DSA-3251-1 for Debian 7
oval:com.mcafee.oval:def:1482950	Patches for DSA-3250-1 for Debian 7
oval:com.mcafee.oval:def:1482996	Patches for DSA-3249-1 for Debian 7
oval:com.mcafee.oval:def:1483003	Patches for DSA-3248-1 for Debian 7
oval:com.mcafee.oval:def:1483081	Patches for DSA-3246-1 for Debian 7
oval:com.mcafee.oval:def:1483133	Patches for DSA-3245-1 for Debian 7
oval:com.mcafee.oval:def:1486861	Patches for CESA-2015-0895 for CentOS 7
oval:com.mcafee.oval:def:1487536	Patches for ELSA-2015-0895 for Oracle Linux 7
oval:com.mcafee.oval:def:1487556	Patches for ELSA-2015-3032 for Oracle Linux 7
oval:com.mcafee.oval:def:1497109	Patches for DSA-3257-1 for Debian 7
oval:com.mcafee.oval:def:1497260	Patches for DSA-3253-1 for Debian 7
oval:com.mcafee.oval:def:1503033	Patches for CESA-2015-0716 for CentOS 7
oval:com.mcafee.oval:def:1503316	Patches for CESA-2015-0988 for CentOS 6
oval:com.mcafee.oval:def:1503319	Patches for CESA-2015-0988 for CentOS 7
oval:com.mcafee.oval:def:1503500	Patches for CESA-2015-0983 for CentOS 7
oval:com.mcafee.oval:def:1503606	Patches for CESA-2015-0980 for CentOS 7
oval:com.mcafee.oval:def:1503683	Patches for CESA-2015-0991 for CentOS 6
oval:com.mcafee.oval:def:1503748	Patches for CESA-2015-0990 for CentOS 6

Oval ID	Title
oval:com.mcafee.oval:def:1503805	Patches for CESA-2015-0986 for CentOS 7
oval:com.mcafee.oval:def:1503952	Patches for ELSA-2015-0983 for Oracle Linux 7
oval:com.mcafee.oval:def:1504083	Patches for ELSA-2015-0987 for Oracle Linux 7
oval:com.mcafee.oval:def:1504177	Patches for ELSA-2015-0988 for Oracle Linux 7
oval:com.mcafee.oval:def:1504254	Patches for ELSA-2015-0991 for Oracle Linux 6
oval:com.mcafee.oval:def:1505282	Patches for ELSA-2015-0986 for Oracle Linux 7
oval:com.mcafee.oval:def:1509597	Patches for DSA-3259-1 for Debian 7
oval:com.mcafee.oval:def:1509751	Patches for DSA-3260-1 for Debian 7
oval:com.mcafee.oval:def:1511433	Patches for CESA-2015-1002 for CentOS 5
oval:com.mcafee.oval:def:1511724	Patches for CESA-2015-0998 for CentOS 6
oval:com.mcafee.oval:def:1511784	Patches for CESA-2015-0988 for CentOS 5
oval:com.mcafee.oval:def:1511926	Patches for CESA-2015-0999 for CentOS 7
oval:com.mcafee.oval:def:1512092	Patches for CESA-2015-0987 for CentOS 7
oval:com.mcafee.oval:def:1512271	Patches for CESA-2015-1003 for CentOS 5
oval:com.mcafee.oval:def:1512672	Patches for ELSA-2015-0988 for Oracle Linux 6
oval:com.mcafee.oval:def:1512707	Patches for ELSA-2015-3036 for Oracle Linux 6
oval:com.mcafee.oval:def:1512814	Patches for ELSA-2015-3035 for Oracle Linux 6
oval:com.mcafee.oval:def:1512824	Patches for ELSA-2015-3035 for Oracle Linux 7
oval:com.mcafee.oval:def:1512947	Patches for ELSA-2015-0999 for Oracle Linux 7
oval:com.mcafee.oval:def:1513274	Patches for ELSA-2015-0998 for Oracle Linux 6
oval:com.mcafee.oval:def:1540305	Patches for DSA-3264-1 for Debian 7
oval:com.mcafee.oval:def:1540525	Patches for DSA-3261-1 for Debian 7
oval:com.mcafee.oval:def:1540621	Patches for DSA-3262-1 for Debian 7
oval:com.mcafee.oval:def:1546433	Patches for CESA-2015-1012 for CentOS 6
oval:com.mcafee.oval:def:1546436	Patches for CESA-2015-1012 for CentOS 7
oval:com.mcafee.oval:def:1546439	Patches for CESA-2015-1012 for CentOS 5
oval:com.mcafee.oval:def:1546510	Patches for ELSA-2015-1012 for Oracle Linux 6
oval:com.mcafee.oval:def:1546513	Patches for ELSA-2015-1012 for Oracle Linux 7

Updated Checks

Oval ID	Title
oval:com.mcafee.oval:def:101096	Windows Components - Event Log Service - System: Maximum Log Size (KB)
oval:com.mcafee.oval:def:101094	Windows Components - Event Log Service - Application: Maximum Log Size (KB)

Oval ID	Title
oval:com.mcafee.oval.vistafirewall:def:6518	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Settings: Display a Notification
oval:com.mcafee.oval.vistafirewall:def:6521	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Settings: Apply Local Connection Security Rules
oval:com.mcafee.oval.vistafirewall:def:6520	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Settings: Apply Local Firewall Rules
oval:com.mcafee.oval.vistafirewall:def:6519	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Settings: Allow Unicast Response
oval:com.mcafee.oval.vistafirewall:def:6515	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile: Firewall state
oval:com.mcafee.oval.vistafirewall:def:6516	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile: Inbound Connections
oval:com.mcafee.oval.vistafirewall:def:6517	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile: Outbound Connections
oval:com.mcafee.oval.vistafirewall:def:6525	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Settings: Display a Notification
oval:com.mcafee.oval.vistafirewall:def:6528	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Settings: Apply Local Connection Security Rules
oval:com.mcafee.oval.vistafirewall:def:6527	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Settings: Apply Local Firewall Rules
oval:com.mcafee.oval.vistafirewall:def:6526	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Settings: Allow Unicast Response
oval:com.mcafee.oval.vistafirewall:def:6522	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile: Firewall state
oval:com.mcafee.oval.vistafirewall:def:6523	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile: Inbound Connections
oval:com.mcafee.oval.vistafirewall:def:6524	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile: Outbound Connections
oval:com.mcafee.oval.vistafirewall:def:6532	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Settings: Display a Notification
oval:com.mcafee.oval.vistafirewall:def:6535	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Settings: Apply Local Connection Security Rules
oval:com.mcafee.oval.vistafirewall:def:6534	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Settings: Apply Local Firewall Rules
oval:com.mcafee.oval.def:229985	Local Policies - Security Options - Interactive Logon: Machine Account lockout threshold
oval:com.mcafee.oval.vistafirewall:def:6533	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Settings: Allow Unicast Response
oval:com.mcafee.oval.vistafirewall:def:6529	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile: Firewall state
oval:com.mcafee.oval.vistafirewall:def:6530	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile: Inbound Connections
oval:com.mcafee.oval.vistafirewall:def:6531	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile: Outbound Connections

Oval ID	Title
oval:com.mcafee.oval.vista:def:8001	Advanced Audit Policy Configuration - Account Management: Audit Application Group Management
oval:com.mcafee.oval.vista:def:8002	Advanced Audit Policy Configuration - Account Management: Audit Computer Account Management
oval:com.mcafee.oval.vista:def:8003	Advanced Audit Policy Configuration - Account Management: Audit Distribution Group Management
oval:com.mcafee.oval.vista:def:8004	Advanced Audit Policy Configuration - Account Management: Audit Other Account Management Events
oval:com.mcafee.oval.vista:def:8005	Advanced Audit Policy Configuration - Account Management: Audit Security Group Management
oval:com.mcafee.oval.vista:def:8006	Advanced Audit Policy Configuration - Account Management: Audit User Account Management
oval:com.mcafee.oval.vista:def:8007	Advanced Audit Policy Configuration - Detailed Tracking: Audit DPAPI Activity
oval:com.mcafee.oval.vista:def:8008	Advanced Audit Policy Configuration - Detailed Tracking: Audit Process Creation
oval:com.mcafee.oval.vista:def:8009	Advanced Audit Policy Configuration - Detailed Tracking: Audit Process Termination
oval:com.mcafee.oval.vista:def:8010	Advanced Audit Policy Configuration - Detailed Tracking: Audit RPC Events
oval:com.mcafee.oval.vista:def:8011	Advanced Audit Policy Configuration - DS Access: Audit Detailed Directory Service Replication
oval:com.mcafee.oval.vista:def:8012	Advanced Audit Policy Configuration - DS Access: Audit Directory Service Access
oval:com.mcafee.oval.vista:def:8013	Advanced Audit Policy Configuration - DS Access: Audit Directory Service Changes
oval:com.mcafee.oval.vista:def:8014	Advanced Audit Policy Configuration - DS Access: Audit Directory Service Replication
oval:com.mcafee.oval.vista:def:8015	Advanced Audit Policy Configuration - Logon/Logoff: Audit Account Lockout
oval:com.mcafee.oval.vista:def:8016	Advanced Audit Policy Configuration - Logon/Logoff: Audit IPsec Extended Mode
oval:com.mcafee.oval.vista:def:8017	Advanced Audit Policy Configuration - Logon/Logoff: Audit IPsec Main Mode
oval:com.mcafee.oval.vista:def:8018	Advanced Audit Policy Configuration - Logon/Logoff: Audit IPsec Quick Mode
oval:com.mcafee.oval.vista:def:8019	Advanced Audit Policy Configuration - Logon/Logoff: Audit Logoff
oval:com.mcafee.oval.vista:def:8020	Advanced Audit Policy Configuration - Logon/Logoff: Audit Logon
oval:com.mcafee.oval.vista:def:8021	Advanced Audit Policy Configuration - Logon/Logoff: Audit Other Logon/Logoff Events
oval:com.mcafee.oval.vista:def:8022	Advanced Audit Policy Configuration - Logon/Logoff: Audit Special Logon
oval:com.mcafee.oval.vista:def:8023	Advanced Audit Policy Configuration - Object Access: Audit Application Generated
oval:com.mcafee.oval.vista:def:8024	Advanced Audit Policy Configuration - Object Access: Audit Certification Services
oval:com.mcafee.oval.vista:def:8025	Advanced Audit Policy Configuration - Object Access: Audit File Share
oval:com.mcafee.oval.vista:def:8026	Advanced Audit Policy Configuration - Object Access: Audit File System
oval:com.mcafee.oval.vista:def:8027	Advanced Audit Policy Configuration - Object Access: Audit Filtering Platform Connection

Oval ID	Title
oval:com.mcafee.oval.vista:def:8028	Advanced Audit Policy Configuration - Object Access: Audit Filtering Platform Packet Drop
oval:com.mcafee.oval.vista:def:8029	Advanced Audit Policy Configuration - Object Access: Audit Handle Manipulation
oval:com.mcafee.oval.vista:def:8030	Advanced Audit Policy Configuration - Object Access: Audit Kernel Object
oval:com.mcafee.oval.vista:def:8031	Advanced Audit Policy Configuration - Object Access: Audit Other Object Access Events
oval:com.mcafee.oval.vista:def:8033	Advanced Audit Policy Configuration - Object Access: Audit SAM
oval:com.mcafee.oval.vista:def:8035	Advanced Audit Policy Configuration - Policy Change: Audit Authentication Policy Change
oval:com.mcafee.oval.vista:def:8036	Advanced Audit Policy Configuration - Policy Change: Audit Authorization Policy Change
oval:com.mcafee.oval.vista:def:8037	Advanced Audit Policy Configuration - Policy Change: Audit Filtering Platform Policy Change
oval:com.mcafee.oval.vista:def:8038	Advanced Audit Policy Configuration - Policy Change: Audit MPSSVC Rule-Level Policy Change
oval:com.mcafee.oval.vista:def:8039	Advanced Audit Policy Configuration - Policy Change: Audit Other Policy Change Events
oval:com.mcafee.oval.vista:def:8040	Advanced Audit Policy Configuration - Privilege Use: Audit Non Sensitive Privilege Use
oval:com.mcafee.oval.vista:def:8041	Advanced Audit Policy Configuration - Privilege Use: Audit Other Privilege Use Events
oval:com.mcafee.oval.vista:def:8042	Advanced Audit Policy Configuration - Privilege Use: Audit Sensitive Privilege Use
oval:com.mcafee.oval.vista:def:8043	Advanced Audit Policy Configuration - System: Audit IPsec Driver
oval:com.mcafee.oval.vista:def:8044	Advanced Audit Policy Configuration - System: Audit Other System Events
oval:com.mcafee.oval.vista:def:8045	Advanced Audit Policy Configuration - System: Audit Security State Change
oval:com.mcafee.oval.vista:def:8046	Advanced Audit Policy Configuration - System: Audit Security System Extension
oval:com.mcafee.oval.vista:def:8047	Advanced Audit Policy Configuration - System: Audit System Integrity
oval:com.mcafee.oval.vista:def:8081	User Account Control: Admin Approval Mode for the Built-in Administrator account
oval:com.mcafee.oval.vista:def:8082	User Account Control: Behavior of the elevation prompt for administrators in Admin Approval Mode
oval:com.mcafee.oval.vista:def:8083	User Account Control: Behavior of the elevation prompt for standard users
oval:com.mcafee.oval.vista:def:8084	User Account Control: Detect application installations and prompt for elevation
oval:com.mcafee.oval.vista:def:8085	User Account Control: Only elevate executables that are signed and validated
oval:com.mcafee.oval.vista:def:8086	User Account Control: Only elevate UIAccess applications that are installed in secure locations
oval:com.mcafee.oval.vista:def:8087	User Account Control: Run all administrators in Admin Approval Mode
oval:com.mcafee.oval.vista:def:8088	User Account Control: Switch to the secure desktop when prompting for elevation
oval:com.mcafee.oval.vista:def:8089	User Account Control: Virtualize file and registry write failures to per-user locations
oval:com.mcafee.oval.1:def:16026	Local Policies - Security Options - Audit: Force audit policy subcategory settings (Windows Vista or later) to override audit policy category settings

Oval ID	Title
oval:com.mcafee.oval:def:34461	firefox patch for Redhat EL5
oval:com.mcafee.oval:def:35489	xen-libs patch for Redhat EL5
oval:com.mcafee.oval.windows:def:99	Network security: Minimum session security for NTLM SSP based (including secure RPC) clients
oval:com.mcafee.oval.windows:def:86	Microsoft network server: Disconnect clients when logon hours expire
oval:com.mcafee.oval.windows:def:83	Microsoft network server: Amount of idle time required before suspending a session
oval:com.mcafee.oval.windows:def:74	Interactive logon: Prompt user to change password before expiration
oval:com.mcafee.oval.windows:def:73	System Cryptography: Force strong key protection for user keys stored on the computer
oval:com.mcafee.oval.windows:def:6600	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Security: Set client connection encryption level
oval:com.mcafee.oval.windows:def:66	Domain member: Require strong (Windows 2000 or later) session key
oval:com.mcafee.oval.windows:def:65	Domain member: Maximum machine account password age
oval:com.mcafee.oval.windows:def:6105	System objects: Strengthen default permissions of internal system objects
oval:com.mcafee.oval.windows:def:6104	System objects: Require case insensitivity for non-Windows subsystems
oval:com.mcafee.oval.windows:def:6102	System Cryptography: Use FIPS compliant algorithms for encryption, hashing, and signing
oval:com.mcafee.oval.windows:def:61	Domain member: Digitally encrypt or sign secure channel data (always)
oval:com.mcafee.oval.windows:def:6098	Recovery Console: Allow Automatic Administrative Logon
oval:com.mcafee.oval.windows:def:6095	Network Security: LDAP client signing requirements
oval:com.mcafee.oval.windows:def:6082	Interactive logon: Require Smart card
oval:com.mcafee.oval.windows:def:6081	Network security: Force logoff when logon hours expire
oval:com.mcafee.oval.windows:def:6079	Network access: Sharing and security model for local accounts
oval:com.mcafee.oval.windows:def:6077	Network access: Restrict anonymous access to Named Pipes and Shares
oval:com.mcafee.oval.windows:def:6073	Network access: Let Everyone permissions apply to anonymous users
oval:com.mcafee.oval.windows:def:6072	Network access: Do not allow storage of credentials or .NET Passports for network authentication
oval:com.mcafee.oval.windows:def:6071	Network access: Do not allow anonymous enumeration of SAM accounts and shares
oval:com.mcafee.oval.windows:def:6070	Network access: Do not allow anonymous enumeration of SAM accounts
oval:com.mcafee.oval.windows:def:6065	MSS: (ScreenSaverGracePeriod) The time in seconds before the screen saver grace period expires (0 recommended)
oval:com.mcafee.oval.windows:def:6064	MSS: (SafeDllSearchMode) Enable Safe DLL search mode (recommended)
oval:com.mcafee.oval.windows:def:6063	MSS: (PerformRouterDiscovery) Allow IRDP to detect and configure DefaultGateway addresses (could lead to DoS)
oval:com.mcafee.oval.windows:def:6058	MSS: (Hidden) Hide Computer From the Browse List (not recommended except for highly secure environments)
oval:com.mcafee.oval.windows:def:6052	Microsoft network server: Digitally sign communications (if client agrees)

Oval ID	Title
oval:com.mcafee.oval.windows:def:6051	Microsoft network server: Digitally sign communications (always)
oval:com.mcafee.oval.windows:def:6049	Microsoft network client: Send unencrypted password to third-party SMB servers
oval:com.mcafee.oval.windows:def:6048	Microsoft network client: Digitally sign communications (if server agrees)
oval:com.mcafee.oval.windows:def:6047	Microsoft network client: Digitally sign communications (always)
oval:com.mcafee.oval.windows:def:6046	Interactive logon: Smart card removal behavior
oval:com.mcafee.oval.windows:def:6045	Interactive logon: Require Domain Controller authentication to unlock workstation
oval:com.mcafee.oval.windows:def:6042	Interactive logon: Message title for users attempting to log on
oval:com.mcafee.oval.windows:def:6040	Interactive logon: Do not require CTRL+ALT+DEL
oval:com.mcafee.oval.windows:def:6039	Interactive logon: Do not display last user name
oval:com.mcafee.oval.windows:def:6036	Domain member: Disable machine account password changes
oval:com.mcafee.oval.windows:def:6035	Domain member: Digitally sign secure channel data (when possible)
oval:com.mcafee.oval.windows:def:6033	Domain member: Digitally encrypt secure channel data (when possible)
oval:com.mcafee.oval.windows:def:6030	Devices: Prevent users from installing printer drivers
oval:com.mcafee.oval.windows:def:6029	Devices: Allowed to format and eject removable media
oval:com.mcafee.oval.windows:def:6028	Devices: Allow undock without having to log on
oval:com.mcafee.oval.windows:def:6023	Local Policies - Security Options - Accounts: Rename Guest Account
oval:com.mcafee.oval.windows:def:6021	Local Policies - Security Options - Accounts: Limit local account use of blank passwords to console logon only
oval:com.mcafee.oval.windows:def:6009	Account Lockout Policy: Reset Account Lockout Counter
oval:com.mcafee.oval.windows:def:6005	Password Policy: Store passwords using reversible encryption
oval:com.mcafee.oval.windows:def:6004	Password Policy: Password must meet complexity requirements
oval:com.mcafee.oval.windows:def:6001	Password Policy: Enforce Password History
oval:com.mcafee.oval.windows:def:5501	Domain controller: LDAP server signing requirements
oval:com.mcafee.oval.windows:def:5500	Domain controller: Allow server operators to schedule tasks
oval:com.mcafee.oval.windows:def:5018	MSS: (AutoReboot) Allow Windows to automatically restart after a system crash
oval:com.mcafee.oval.windows:def:5017	System settings: Use Certificate Rules on Windows Executables for Software Restriction Policies
oval:com.mcafee.oval.windows:def:5016	System settings: Optional subsystems (None allowed)
oval:com.mcafee.oval.windows:def:5002	Interactive logon: Display user information when the session is locked
oval:com.mcafee.oval.windows:def:5000	Audit: Shut down system immediately if unable to log security audits
oval:com.mcafee.oval.windows:def:24	Account Lockout Policy: Account Lockout Threshold
oval:com.mcafee.oval.windows:def:23	Account Lockout Policy: Account Lockout Duration
oval:com.mcafee.oval.windows:def:19	Password Policy: Minimum Password Length
oval:com.mcafee.oval.windows:def:18	Password Policy: Minimum Password Age
oval:com.mcafee.oval.windows:def:17	Password Policy: Maximum Password Age

Oval ID	Title
oval:com.mcafee.oval.windows:def:16025	Audit: Audit the use of Backup and Restore privilege
oval:com.mcafee.oval.windows:def:16024	Audit: Audit the access of global system objects
oval:com.mcafee.oval.windows:def:16022	Local Policies - Security Options - Accounts: Rename Administrator Account
oval:com.mcafee.oval.windows:def:127	MSS: (WarningLevel) Percentage threshold for the security event log at which the system will generate a warning
oval:com.mcafee.oval.windows:def:126	MSS: (TCPMaxDataRetransmissions) How many times unacknowledged data is retransmitted (3 recommended, 5 is default)
oval:com.mcafee.oval.windows:def:118	MSS: (NoNameReleaseOnDemand) Allow the computer to ignore NetBIOS name release requests except from WINS servers
oval:com.mcafee.oval.windows:def:115	MSS: (KeepAliveTime) How often keep-alive packets are sent in milliseconds
oval:com.mcafee.oval.windows:def:113	MSS: (EnableICMPRedirect) Allow ICMP redirects to override OSPF generated routes
oval:com.mcafee.oval.windows:def:111	MSS: (DisableIPSourceRouting) IP source routing protection level (protects against packet spoofing)
oval:com.mcafee.oval.windows:def:103	Shutdown: Allow system to be shut down without having to log on
oval:com.mcafee.oval.windows:def:102	Recovery Console: Allow floppy copy and access to all drives and all folders
oval:com.mcafee.oval.windows:def:100	Network security: Minimum session security for NTLM SSP based (including secure RPC) servers
oval:com.mcafee.oval.def:56204	Local Policies - User Rights Assignment: Allow log on locally
oval:com.mcafee.oval.windows:def:104	Shutdown: Clear virtual memory pagefile
oval:com.mcafee.oval.windows:def:72	Interactive logon: Number of previous logons to cache (in case domain controller is not available)
oval:com.mcafee.oval.windows:def:59	Devices: Restrict floppy access to locally logged-on user only
oval:com.mcafee.oval.windows:def:58	Devices: Restrict CD-ROM access to locally logged-on user only
oval:com.mcafee.oval.windows:def:110	MSS: (AutoAdminLogon) Enable Automatic Logon
oval:com.mcafee.oval.def:56208	Local Policies - Security Options - Network security: LAN Manager authentication level
oval:com.mcafee.oval.gen:def:291013	firefox patch for Redhat EL6
oval:com.mcafee.oval.def:59804	Local Policies - User Rights Assignment: Increase a Process Working Set
oval:com.mcafee.oval.def:56810	Local Policies - User Rights Assignment: Impersonate a client after authentication
oval:com.mcafee.oval.def:56811	Local Policies - User Rights Assignment: Create global objects
oval:com.mcafee.oval.def:60026	Local Policies - User Rights Assignment: Profile a single process
oval:com.mcafee.oval.def:59978	Local Policies - User Rights Assignment: Synchronize directory service data
oval:com.mcafee.oval.def:59966	Local Policies - User Rights Assignment: Manage auditing and security log
oval:com.mcafee.oval.def:60068	Local Policies - User Rights Assignment: Back up files and directories
oval:com.mcafee.oval.def:60002	Local Policies - User Rights Assignment: Add workstations to the domain
oval:com.mcafee.oval.def:60122	Local Policies - User Rights Assignment: Enable computer and user accounts to be trusted for delegation

Oval ID	Title
oval:com.mcafee.oval:def:60044	Local Policies - User Rights Assignment: Adjust memory quotas
oval:com.mcafee.oval:def:60092	Local Policies - User Rights Assignment: Generate security audits
oval:com.mcafee.oval:def:60110	Local Policies - User Rights Assignment: Modify firmware environment values
oval:com.mcafee.oval:def:60008	Local Policies - User Rights Assignment: Deny logon as a batch job
oval:com.mcafee.oval:def:59954	Local Policies - User Rights Assignment: Increase scheduling priority
oval:com.mcafee.oval:def:60152	Local Policies - User Rights Assignment: Bypass traverse checking
oval:com.mcafee.oval:def:59798	Local Policies - User Rights Assignment: Change the Time Zone
oval:com.mcafee.oval:def:59972	Local Policies - User Rights Assignment: Change the system time
oval:com.mcafee.oval:def:60140	Local Policies - User Rights Assignment: Log on as a service
oval:com.mcafee.oval:def:60098	Local Policies - User Rights Assignment: Take ownership of files or other objects
oval:com.mcafee.oval:def:60146	Local Policies - User Rights Assignment: Load and unload device drivers
oval:com.mcafee.oval:def:60086	Local Policies - User Rights Assignment: Lock pages in memory
oval:com.mcafee.oval:def:60116	Local Policies - User Rights Assignment: Shut down the system
oval:com.mcafee.oval:def:59984	Local Policies - User Rights Assignment: Restore files and directories
oval:com.mcafee.oval:def:60050	Local Policies - User Rights Assignment: Create a token object
oval:com.mcafee.oval:def:60056	Local Policies - User Rights Assignment: Create permanent shared objects
oval:com.mcafee.oval:def:60062	Local Policies - User Rights Assignment: Create a pagefile
oval:com.mcafee.oval:def:59990	Local Policies - User Rights Assignment: Force shutdown from a remote system
oval:com.mcafee.oval:def:60074	Local Policies - User Rights Assignment: Replace a process level token
oval:com.mcafee.oval:def:59996	Local Policies - User Rights Assignment: Allow logon through Remote Desktop / Terminal Services
oval:com.mcafee.oval:def:54419	Local Policies - User Rights Assignment: Access this computer from the network
oval:com.mcafee.oval:def:60104	Local Policies - User Rights Assignment: Profile system performance
oval:com.mcafee.oval:def:60080	Local Policies - User Rights Assignment: Remove computer from docking station
oval:com.mcafee.oval:def:59942	Local Policies - User Rights Assignment: Perform volume maintenance tasks
oval:com.mcafee.oval:def:60038	Local Policies - User Rights Assignment: Debug programs
oval:com.mcafee.oval:def:60020	Local Policies - User Rights Assignment: Act as part of the operating system
oval:com.mcafee.oval:def:56813	Local Policies - Security Options - MSS: (NoDefaultExempt) Configure IPSec exemptions
oval:com.mcafee.oval:def:56816	Local Policies - Security Options - Network security: Do not store LAN Manager hash value on next password change
oval:com.mcafee.oval:def:56572	Local Policies - Security Options - Domain controller: Refuse machine account password changes
oval:com.mcafee.oval:def:59792	Local Policies - User Rights Assignment: Modify an Object Label
oval:com.mcafee.oval.gen:def:291016	firefox-debuginfo patch for Redhat EL6

Oval ID	Title
oval:com.mcafee.oval:def:65840	Local Policies - Security Options - Network access: Remotely accessible registry paths and subpaths
oval:com.mcafee.oval:def:65841	Local Policies - Security Options - Network access: Named pipes that can be accessed anonymously
oval:com.mcafee.oval:def:65842	Local Policies - Security Options - Network access: Shares that can be accessed anonymously
oval:com.mcafee.oval:def:65862	Local Policies - Security Options - MSS: (AutoShareServer) Enable administrative shares - Servers
oval:com.mcafee.oval:def:65870	Advanced Audit Policy Configuration - Policy Change: Audit Policy Change
oval:com.mcafee.oval:def:65868	Windows Components - Autoplay Policies: Turn off autoplay
oval:com.mcafee.oval:def:71674	Local Policies - Security Options - Network security: Restrict NTLM: Add remote server exceptions for NTLM authentication
oval:com.mcafee.oval:def:65872	Local Policies - Security Options - Network security: Allow Local System to use computer identity for NTLM
oval:com.mcafee.oval:def:71678	Local Policies - Security Options - Network security: Restrict NTLM: Incoming NTLM traffic
oval:com.mcafee.oval:def:71672	Local Policies - Security Options - Network security: Allow PKU2U authentication requests to this computer to use online identities
oval:com.mcafee.oval:def:71676	Local Policies - Security Options - Network security: Restrict NTLM: Audit Incoming NTLM Traffic
oval:com.mcafee.oval:def:71675	Local Policies - Security Options - Network security: Restrict NTLM: Add server exceptions in this domain
oval:com.mcafee.oval:def:71677	Local Policies - Security Options - Network security: Restrict NTLM: Audit NTLM authentication in this domain
oval:com.mcafee.oval:def:65871	Local Policies - Security Options - Microsoft Network Server: Server SPN target name validation level
oval:com.mcafee.oval:def:71673	Local Policies - Security Options - Network Security: Configure encryption types allowed for Kerberos
oval:com.mcafee.oval:def:71679	Local Policies - Security Options - Network security: Restrict NTLM: NTLM authentication in this domain
oval:com.mcafee.oval:def:71680	Local Policies - Security Options - Network security: Restrict NTLM: Outgoing NTLM traffic to remote servers
oval:com.mcafee.oval:def:65873	Local Policies - Security Options - Network security: Allow LocalSystem NULL session fallback
oval:com.mcafee.oval:def:79003	Local Policies - Security Options - User Account Control: Allow UIAccess applications to prompt for elevation without using the secure desktop
oval:com.mcafee.oval:def:101083	Advanced Audit Policy Configuration - Account Logon: Audit Credential Validation
oval:com.mcafee.oval:def:101090	Local Policies - Security Options - MSS: (DisableIPSourceRouting IPv6) IP source routing protection level (protects against packet spoofing)
oval:com.mcafee.oval:def:101086	Windows Components - Event Log Service - Application: Retain old events
oval:com.mcafee.oval:def:101084	Local Policies - User Rights Assignment: Create symbolic links
oval:com.mcafee.oval:def:101091	Local Policies - Security Options - MSS: (TCPMaxDataRetransmissions IPv6) How many times unacknowledged data is retransmitted (3 recommended, 5 is default)

Oval ID	Title
oval:com.mcafee.oval:def:101087	Windows Components - Event Log Service - Security: Retain old events
oval:com.mcafee.oval:def:101088	Windows Components - Event Log Service - System: Retain old events
oval:com.mcafee.oval:def:101095	Windows Components - Event Log Service - Security: Maximum Log Size (KB)
oval:com.mcafee.oval:def:73431	Reduce the sudo Timeout Period
oval:com.mcafee.oval:def:207363	User home directories should be set with appropriate permissions
oval:com.mcafee.oval:def:207404	Verify that the sharing service internet sharing is completely disabled.
oval:com.mcafee.oval.gen:def:291278	thunderbird patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291281	thunderbird-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292403	tomcat6 patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292407	tomcat6-admin-webapps patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292411	tomcat6-docs-webapp patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292419	tomcat6-javadoc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292427	tomcat6-lib patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292439	tomcat6-webapps patch for Redhat EL6
oval:com.mcafee.oval:def:1295216	Local Policies - User Rights Assignment: Deny log on through Remote Desktop / Terminal Services
oval:com.mcafee.oval:def:1301547	Local Policies - User Rights Assignment: Deny access to this computer from the network
oval:com.mcafee.oval:def:481240	Retention time for install.log should be configured appropriately in com.apple.install file
oval:com.mcafee.oval:def:479106	Check to disabling the admins ability to log into another user's active and locked session
oval:com.mcafee.oval:def:481222	Retention time for authd.log should be configured appropriately
oval:com.mcafee.oval:def:481220	Retention time for system.log should be configured appropriately in /etc/asl.conf
oval:com.mcafee.oval:def:234405	configuration - NFS mount option anon should be set appropriately for all the exported file systems to deny NFS Client Access Without Userid
oval:com.mcafee.oval:def:229986	Local Policies - Security Options - Interactive Logon: Machine inactivity limit
oval:com.mcafee.oval:def:466599	Retention time and when attribute value of appfirewall.log should be configured appropriately.
oval:com.mcafee.oval:def:481221	Retention time for appfirewall.log should be configured appropriately in /etc/asl.conf
oval:com.mcafee.oval:def:466598	Retention time and when attribute value of secure.log should be configured appropriately.
oval:com.mcafee.oval:def:469316	Retention time and when attribute value of install.log should be configured appropriately.
oval:com.mcafee.oval:def:466585	Retention time and when attribute value of system.log should be configured appropriately.
oval:com.mcafee.oval:def:241573	Ensure that RC4 64/128 cipher is disabled
oval:com.mcafee.oval:def:242098	Ensure that TLS 1.1 Encryption Protocol is Enabled

Oval ID	Title
oval:com.mcafee.oval:def:242086	Ensure that Triple DES 168/168 cipher is enabled
oval:com.mcafee.oval:def:241527	Require SSL in Forms Authentication
oval:com.mcafee.oval:def:241549	Ensure that DES 56/56 cipher is disabled
oval:com.mcafee.oval:def:242395	Disallow Unlisted File Extensions
oval:com.mcafee.oval:def:242090	Ensure that AES 256/256 cipher is enabled
oval:com.mcafee.oval:def:242714	Ensure Double-Encoded Requests will be Rejected
oval:com.mcafee.oval:def:241553	Ensure that NULL cipher is disabled
oval:com.mcafee.oval:def:242299	Set Deployment Method to Retail
oval:com.mcafee.oval:def:241569	Ensure that RC4 56/128 cipher is disabled
oval:com.mcafee.oval:def:242646	Configure MachineKey Validation Method
oval:com.mcafee.oval:def:241534	Configure Forms Authentication to Use Cookies
oval:com.mcafee.oval:def:241545	Configure Anonymous User Identity to Use Application Pool Identity
oval:com.mcafee.oval:def:242654	Hide Custom Errors from Displaying Remotely
oval:com.mcafee.oval:def:241557	Ensure that RC2 40/128 cipher is disabled
oval:com.mcafee.oval:def:242106	Ensure that PCT 1.0 Encryption Protocol is Disabled
oval:com.mcafee.oval:def:241565	Ensure that RC4 40/128 cipher is disabled
oval:com.mcafee.oval:def:242361	Ensure Double-Encoded Requests will be Rejected
oval:com.mcafee.oval:def:242709	Disable Directory Browsing
oval:com.mcafee.oval:def:242715	Disallow Unlisted File Extensions
oval:com.mcafee.oval:def:242322	Configure Global .NET Trust Level
oval:com.mcafee.oval:def:241561	Ensure that RC2 56/128 cipher is disabled
oval:com.mcafee.oval:def:242621	Disable HTTP Trace Method
oval:com.mcafee.oval:def:242101	Ensure that TLS 1.2 Encryption Protocol is Enabled
oval:com.mcafee.oval:def:242720	Hide Custom Errors from Displaying Remotely
oval:com.mcafee.oval:def:242717	Disable HTTP Trace Method
oval:com.mcafee.oval:def:242612	Ensure Configuration Attribute notListedCgisAllowed set to false
oval:com.mcafee.oval:def:240332	Disable Directory Browsing
oval:com.mcafee.oval:def:242107	Ensure that SSL 2.0 Encryption Protocol is Disabled
oval:com.mcafee.oval:def:242094	Ensure that TLS 1.0 Encryption Protocol is Enabled
oval:com.mcafee.oval:def:240339	Set Default Application Pool Identity to Least Privilege Principal
oval:com.mcafee.oval:def:241539	Configure Cookie Protection Mode for Forms Authentication
oval:com.mcafee.oval:def:242603	Ensure Configuration Attribute notListedIsapisAllowed set to false
oval:com.mcafee.oval.gen:def:306066	qemu-img patch for Redhat EL6
oval:com.mcafee.oval.gen:def:306070	qemu-kvm patch for Redhat EL6

Oval ID	Title
oval:com.mcafee.oval.gen:def:306074	qemu-kvm-tools patch for Redhat EL6
oval:com.mcafee.oval.gen:def:306086	tomcat6-el-2.1-api patch for Redhat EL6
oval:com.mcafee.oval.gen:def:305899	xen-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:305909	qemu-guest-agent patch for Redhat EL6
oval:com.mcafee.oval.gen:def:305913	qemu-kvm-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:215760	Advanced Audit Policy Configuration - Account Logon: Audit Other Account Logon Events
oval:com.mcafee.oval:def:215775	Windows Components - Windows Installer: Always install with elevated privileges
oval:com.mcafee.oval.gen:def:306894	firefox-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:306091	tomcat6-servlet-2.5-api patch for Redhat EL6
oval:com.mcafee.oval.gen:def:306090	tomcat6-jsp-2.1-api patch for Redhat EL6
oval:com.mcafee.oval:def:416271	Verify that Remote Management - ARDAgent file is removed from the system
oval:com.mcafee.oval:def:416268	System authorization - Session authorization ownership
oval:com.mcafee.oval:def:416304	Java 6 is not the default Java runtime
oval:com.mcafee.oval.gen:def:329924	kernel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329927	kernel-abi-whitelists patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329930	kernel-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329933	kernel-debug-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329936	kernel-debug-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329939	kernel-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329942	kernel-debuginfo-common-x86_64 patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329945	kernel-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329948	kernel-doc patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329951	kernel-headers patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329954	kernel-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329958	kernel-tools-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329962	kernel-tools-libs patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329966	kernel-tools-libs-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329970	perf patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329973	perf-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329976	python-perf patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329979	python-perf-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330045	tomcat patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330049	tomcat-admin-webapps patch for Redhat EL7

Oval ID	Title
oval:com.mcafee.oval.gen:def:330053	tomcat-docs-webapp patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330061	tomcat-javadoc patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330069	tomcat-jsvc patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330073	tomcat-lib patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330081	tomcat-webapps patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330149	libcacard patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330153	libcacard-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330157	libcacard-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330164	qemu-img patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330167	qemu-kvm patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330170	qemu-kvm-common patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330174	qemu-kvm-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330177	qemu-kvm-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330853	firefox patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330856	firefox-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330883	tomcat-el-2.2-api patch for Redhat EL7
oval:com.mcafee.oval.gen:def:331235	tomcat-jsp-2.2-api patch for Redhat EL7
oval:com.mcafee.oval.gen:def:331239	tomcat-servlet-3.0-api patch for Redhat EL7
oval:com.mcafee.oval:def:1282158	Interactive logon: Message text for users attempting to log on
oval:com.mcafee.oval.gen:def:333650	thunderbird patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333653	thunderbird-debuginfo patch for Redhat EL7
oval:com.mcafee.oval:def:1295186	Local Policies - User Rights Assignment: Deny log on as a batch job
oval:com.mcafee.oval:def:1295184	Local Policies - User Rights Assignment: Deny log on as a service
oval:com.mcafee.oval:def:1295185	Local Policies - User Rights Assignment: Deny log on locally
oval:com.mcafee.oval:def:1365162	Patches for CESA-2015-0728 for CentOS 7
oval:com.mcafee.oval:def:1416697	Configure maxQueryString Request Filter
oval:com.mcafee.oval:def:1416665	Configure maxAllowedContentLength Request Filter
oval:com.mcafee.oval:def:1416676	Ensure Double-Encoded Requests will be Rejected
oval:com.mcafee.oval:def:1416683	Configure maxURL Request Filter
oval:com.mcafee.oval:def:1416713	Disallow non-ASCII Characters in URLs
oval:com.mcafee.oval:def:1416682	Configure maxURL Request Filter
oval:com.mcafee.oval:def:1416714	Disallow non-ASCII Characters in URLs
oval:com.mcafee.oval:def:1416698	Configure maxQueryString Request Filter
oval:com.mcafee.oval:def:1412168	Patch for AIX IBM SDK Java JSSE advisory

Benchmark ID	Title
WindowsServer2012CISBenchmark	Windows Server 2012 CIS Benchmark

Updated Benchmarks

Benchmark ID	Title
WindowsServer2008-800-53	Windows Server 2008 - NIST 800-53 Benchmark
WindowsServer2008R2CISBenchmark	Windows Server 2008 R2 CIS Benchmark
HpuxPatchPolicyBenchmark	HPUX Patch Policy Benchmark
SusePatchPolicy	Suse Patch Policy
OracleLinuxPatchPolicy	Oracle Linux Patch Policy
Solaris11PatchPolicy	Oracle Solaris 11 Patch Policy
DebianPatchPolicy	Debian Patch Policy
MicrosoftIISCISBenchmark	Microsoft IIS CIS Benchmark
AppleMacOSXCISBenchmark	Apple Mac OSX CIS Benchmark
CentOSPatchPolicy	CentOS Patch Policy
RedhatPatchPolicy	Redhat and CentOS Patch Policy

McAfee Technical Support

PrimeSupport ServicePortal: <https://mysupport.nai.com/login.asp>

Multi-National Phone Support: <http://www.mcafeesecurity.com/us/contact/home.htm>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright 2007-2015 McAfee, Inc.
McAfee is a registered trademark of McAfee, Inc. and/or its affiliates.