



## McAfee Policy Auditor/McAfee NAC Content Update Summary

Product / Version	Content Version
McAfee Policy Auditor 5.x/6.x	1159
McAfee NAC 3.x	1159

### New Checks

Oval ID	Title
oval:com.mcafee.oval.common:def:1414150	APSB15-11 Vulnerability Security Update 18.0.0.160 for Adobe Flash Player
oval:com.mcafee.oval.common:def:1414152	APSB15-11 Vulnerability Security Update 13.0.0.292 for Adobe Flash Player
oval:com.mcafee.oval.gen:def:336740	MS15-063 Security Update for Windows Vista (KB3063858)
oval:com.mcafee.oval.gen:def:336741	MS15-063 Security Update for Windows Vista for x64-based Systems (KB3063858)
oval:com.mcafee.oval.gen:def:336742	MS15-063 Security Update for Windows 8 for x64-based Systems (KB3063858)
oval:com.mcafee.oval.gen:def:336743	MS15-063 Security Update for Windows Server 2008 (KB3063858)
oval:com.mcafee.oval.gen:def:336744	MS15-063 Security Update for Windows 7 (KB3063858)
oval:com.mcafee.oval.gen:def:336745	MS15-063 Security Update for Windows Server 2008 R2 x64 Edition (KB3063858)
oval:com.mcafee.oval.gen:def:336746	MS15-063 Security Update for Windows Server 2008 x64 Edition (KB3063858)
oval:com.mcafee.oval.gen:def:336747	MS15-063 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3063858)
oval:com.mcafee.oval.gen:def:336748	MS15-063 Security Update for Windows Embedded Standard 7 (KB3063858)
oval:com.mcafee.oval.gen:def:336749	MS15-063 Security Update for Windows Server 2012 (KB3063858)
oval:com.mcafee.oval.gen:def:336750	MS15-063 Security Update for Windows 8 (KB3063858)
oval:com.mcafee.oval.gen:def:336751	MS15-063 Security Update for Windows 7 for x64-based Systems (KB3063858)
oval:com.mcafee.oval.gen:def:336755	MS15-062 Security Update for Windows Server 2008 (KB3062577)
oval:com.mcafee.oval.gen:def:336756	MS15-062 Security Update for Windows Server 2008 R2 x64 Edition (KB3062577)
oval:com.mcafee.oval.gen:def:336757	MS15-062 Security Update for Windows Server 2012 (KB3062577)
oval:com.mcafee.oval.gen:def:336758	MS15-062 Security Update for Windows Server 2008 x64 Edition (KB3062577)
oval:com.mcafee.oval.gen:def:336762	MS15-061 Security Update for Windows 8 (KB3057839)
oval:com.mcafee.oval.gen:def:336763	MS15-061 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3057839)
oval:com.mcafee.oval.gen:def:336764	MS15-061 Security Update for Windows Vista (KB3057839)
oval:com.mcafee.oval.gen:def:336765	MS15-061 Security Update for Windows Server 2008 (KB3057839)

Oval ID	Title
oval:com.mcafee.oval.gen:def:336766	MS15-061 Security Update for Windows Server 2008 R2 x64 Edition (KB3057839)
oval:com.mcafee.oval.gen:def:336767	MS15-061 Security Update for Windows 8.1 for x64-based Systems (KB3057839)
oval:com.mcafee.oval.gen:def:336768	MS15-061 Security Update for Windows Embedded Standard 7 (KB3057839)
oval:com.mcafee.oval.gen:def:336769	MS15-061 Security Update for Windows 8 for x64-based Systems (KB3057839)
oval:com.mcafee.oval.gen:def:336770	MS15-061 Security Update for Windows 7 (KB3057839)
oval:com.mcafee.oval.gen:def:336771	MS15-061 Security Update for Windows Server 2012 R2 (KB3057839)
oval:com.mcafee.oval.gen:def:336772	MS15-061 Security Update for Windows Vista for x64-based Systems (KB3057839)
oval:com.mcafee.oval.gen:def:336773	MS15-061 Security Update for Windows Server 2012 (KB3057839)
oval:com.mcafee.oval.gen:def:336774	MS15-061 Security Update for Windows Server 2008 x64 Edition (KB3057839)
oval:com.mcafee.oval.gen:def:336775	MS15-061 Security Update for Windows 7 for x64-based Systems (KB3057839)
oval:com.mcafee.oval.gen:def:336776	MS15-061 Security Update for Windows 8.1 (KB3057839)
oval:com.mcafee.oval.gen:def:336780	MS15-061 Security Update for Windows Server 2003 x64 Edition (KB3057839)
oval:com.mcafee.oval.gen:def:336781	MS15-061 Security Update for Windows Server 2003 (KB3057839)
oval:com.mcafee.oval.gen:def:336785	MS15-060 Security Update for Windows 7 for x64-based Systems (KB3059317)
oval:com.mcafee.oval.gen:def:336786	MS15-060 Security Update for Windows Embedded Standard 7 (KB3059317)
oval:com.mcafee.oval.gen:def:336787	MS15-060 Security Update for Windows Vista (KB3059317)
oval:com.mcafee.oval.gen:def:336788	MS15-060 Security Update for Windows Server 2012 R2 (KB3059317)
oval:com.mcafee.oval.gen:def:336789	MS15-060 Security Update for Windows Server 2012 (KB3059317)
oval:com.mcafee.oval.gen:def:336790	MS15-060 Security Update for Windows 7 (KB3059317)
oval:com.mcafee.oval.gen:def:336791	MS15-060 Security Update for Windows Server 2008 (KB3059317)
oval:com.mcafee.oval.gen:def:336792	MS15-060 Security Update for Windows 8.1 (KB3059317)
oval:com.mcafee.oval.gen:def:336793	MS15-060 Security Update for Windows Server 2008 R2 x64 Edition (KB3059317)
oval:com.mcafee.oval.gen:def:336794	MS15-060 Security Update for Windows 8 (KB3059317)
oval:com.mcafee.oval.gen:def:336795	MS15-060 Security Update for Windows Server 2008 x64 Edition (KB3059317)
oval:com.mcafee.oval.gen:def:336796	MS15-060 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3059317)
oval:com.mcafee.oval.gen:def:336797	MS15-060 Security Update for Windows Vista for x64-based Systems (KB3059317)
oval:com.mcafee.oval.gen:def:336798	MS15-060 Security Update for Windows 8 for x64-based Systems (KB3059317)
oval:com.mcafee.oval.gen:def:336799	MS15-060 Security Update for Windows 8.1 for x64-based Systems (KB3059317)
oval:com.mcafee.oval.gen:def:336803	MS15-057 Security Update for Windows Server 2008 (KB3033890)
oval:com.mcafee.oval.gen:def:336804	MS15-057 Security Update for Windows 7 (KB3033890)
oval:com.mcafee.oval.gen:def:336805	MS15-057 Security Update for Windows Server 2008 x64 Edition (KB3033890)
oval:com.mcafee.oval.gen:def:336806	MS15-057 Security Update for Windows 7 for x64-based Systems (KB3033890)

Oval ID	Title
oval:com.mcafee.oval.gen:def:336807	MS15-057 Security Update for Windows Embedded Standard 7 (KB3033890)
oval:com.mcafee.oval.gen:def:336808	MS15-057 Security Update for Windows Server 2008 R2 x64 Edition (KB3033890)
oval:com.mcafee.oval.gen:def:336809	MS15-057 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3033890)
oval:com.mcafee.oval.gen:def:336810	MS15-057 Security Update for Windows Vista for x64-based Systems (KB3033890)
oval:com.mcafee.oval.gen:def:336811	MS15-057 Security Update for Windows Vista (KB3033890)
oval:com.mcafee.oval.gen:def:336815	MS15-057 Security Update for Windows Server 2003 (KB3033890)
oval:com.mcafee.oval.gen:def:336820	MS15-057 Security Update for Windows Server 2003 x64 Edition (KB3033890)
oval:com.mcafee.oval.gen:def:336824	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows Vista for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336825	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows Vista (KB3058515)
oval:com.mcafee.oval.gen:def:336826	MS15-056 Cumulative Security Update for Internet Explorer 9 for Windows Vista for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336827	MS15-056 Cumulative Security Update for Internet Explorer 9 for Windows Vista (KB3058515)
oval:com.mcafee.oval.gen:def:336828	MS15-056 Cumulative Security Update for Internet Explorer 7 for Windows Vista for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336829	MS15-056 Cumulative Security Update for Internet Explorer 7 for Windows Vista (KB3058515)
oval:com.mcafee.oval.gen:def:336830	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows Server 2008 x64 Edition (KB3058515)
oval:com.mcafee.oval.gen:def:336831	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows Server 2008 (KB3058515)
oval:com.mcafee.oval.gen:def:336832	MS15-056 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 (KB3058515)
oval:com.mcafee.oval.gen:def:336833	MS15-056 Cumulative Security Update for Internet Explorer 10 for Windows Server 2008 R2 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336834	MS15-056 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 x64 Edition (KB3058515)
oval:com.mcafee.oval.gen:def:336835	MS15-056 Cumulative Security Update for Internet Explorer 11 for Windows Server 2008 R2 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336836	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows Embedded Standard 7 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336837	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows Embedded Standard 7 (KB3058515)
oval:com.mcafee.oval.gen:def:336838	MS15-056 Cumulative Security Update for Internet Explorer 7 for Windows Server 2008 x64 Edition (KB3058515)
oval:com.mcafee.oval.gen:def:336839	MS15-056 Cumulative Security Update for Internet Explorer 7 for Windows Server 2008 (KB3058515)
oval:com.mcafee.oval.gen:def:336840	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows Server 2008 R2 x64 Edition (KB3058515)

Oval ID	Title
oval:com.mcafee.oval.gen:def:336841	MS15-056 Cumulative Security Update for Internet Explorer 9 for Windows Embedded Standard 7 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336842	MS15-056 Cumulative Security Update for Internet Explorer 11 for Windows Embedded Standard 7 (KB3058515)
oval:com.mcafee.oval.gen:def:336843	MS15-056 Cumulative Security Update for Internet Explorer 10 for Windows 7 (KB3058515)
oval:com.mcafee.oval.gen:def:336844	MS15-056 Cumulative Security Update for Internet Explorer 11 for Windows Embedded Standard 7 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336845	MS15-056 Cumulative Security Update for Internet Explorer 9 for Windows Embedded Standard 7 (KB3058515)
oval:com.mcafee.oval.gen:def:336846	MS15-056 Cumulative Security Update for Internet Explorer 10 for Windows Embedded Standard 7 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336847	MS15-056 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 R2 x64 Edition (KB3058515)
oval:com.mcafee.oval.gen:def:336848	MS15-056 Cumulative Security Update for Internet Explorer 10 for Windows Embedded Standard 7 (KB3058515)
oval:com.mcafee.oval.gen:def:336849	MS15-056 Cumulative Security Update for Internet Explorer 10 for Windows 7 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336850	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows 7 (KB3058515)
oval:com.mcafee.oval.gen:def:336851	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows 7 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336852	MS15-056 Cumulative Security Update for Internet Explorer 9 for Windows 7 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336853	MS15-056 Cumulative Security Update for Internet Explorer 11 for Windows 7 (KB3058515)
oval:com.mcafee.oval.gen:def:336854	MS15-056 Cumulative Security Update for Internet Explorer 9 for Windows 7 (KB3058515)
oval:com.mcafee.oval.gen:def:336855	MS15-056 Cumulative Security Update for Internet Explorer 11 for Windows 8.1 (KB3058515)
oval:com.mcafee.oval.gen:def:336856	MS15-056 Cumulative Security Update for Internet Explorer 11 for Windows 8.1 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336857	MS15-056 Cumulative Security Update for Internet Explorer 10 for Windows 8 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336858	MS15-056 Cumulative Security Update for Internet Explorer 11 for Windows Server 2012 R2 (KB3058515)
oval:com.mcafee.oval.gen:def:336859	MS15-056 Cumulative Security Update for Internet Explorer 10 for Windows Server 2012 (KB3058515)
oval:com.mcafee.oval.gen:def:336860	MS15-056 Cumulative Security Update for Internet Explorer 11 for Windows 7 for x64-based Systems (KB3058515)
oval:com.mcafee.oval.gen:def:336861	MS15-056 Cumulative Security Update for Internet Explorer 10 for Windows 8 (KB3058515)
oval:com.mcafee.oval.gen:def:336986	MS15-056 Cumulative Security Update for Internet Explorer 7 for Windows Server 2003 x64 Edition (KB3058515)

Oval ID	Title
oval:com.mcafee.oval.gen:def:336987	MS15-056 Cumulative Security Update for Internet Explorer 7 for Windows Server 2003 (KB3058515)
oval:com.mcafee.oval.gen:def:337119	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows Server 2003 x64 Edition (KB3058515)
oval:com.mcafee.oval.gen:def:337173	MS15-056 Cumulative Security Update for Internet Explorer 6 for Windows Server 2003 x64 Edition (KB3058515)
oval:com.mcafee.oval.gen:def:337174	MS15-056 Cumulative Security Update for Internet Explorer 6 for Windows Server 2003 (KB3058515)
oval:com.mcafee.oval.gen:def:337175	MS15-056 Cumulative Security Update for Internet Explorer 8 for Windows Server 2003 (KB3058515)
oval:com.mcafee.oval:def:1411801	Security Options - Interactive logon: startup
oval:com.mcafee.oval:def:1411809	Security Options - MSS: (AutoShareWks) Enable administrative shares (recommended except for highly secure environments)
oval:com.mcafee.oval:def:1411816	Security Options - MSS: (NtfsDisable8dot3NameCreation) Enable the computer to stop generating 8.3 style filenames
oval:com.mcafee.oval:def:1411824	Administrative Templates - Network: Minimize the number of simultaneous connections to the Internet or a Windows Domain
oval:com.mcafee.oval:def:1411832	Administrative Templates - Network: Prohibit connection to non-domain networks when connected to domain authenticated network
oval:com.mcafee.oval:def:1411841	Administrative Templates - Printers: Point and Print Restrictions
oval:com.mcafee.oval:def:1411849	System - Remote Assistance: RPC Runtime Unauthenticated Client Restriction to Apply
oval:com.mcafee.oval:def:1411857	System - Choose the boot-start drivers that can be initialized
oval:com.mcafee.oval:def:1411865	System - Prevent installation of devices using drivers for these device setup classes
oval:com.mcafee.oval:def:1412159	Operating System Drives: Configure TPM platform validation profile for BIOS-based firmware configurations
oval:com.mcafee.oval:def:1412919	Operating System Drives: Configure TPM platform validation profile for native UEFI firmware configurations
oval:com.mcafee.oval:def:1412929	Removable Data Drives: Control use of BitLocker on removable drives
oval:com.mcafee.oval:def:1412939	BitLocker Drive Encryption: Prevent memory overwrite on restart
oval:com.mcafee.oval:def:1412949	BitLocker Drive Encryption: Choose default folder for recovery password
oval:com.mcafee.oval:def:1412957	BitLocker Drive Encryption: Provide the unique identifiers for your organization
oval:com.mcafee.oval:def:1412967	Windows Components: Turn off the Store application
oval:com.mcafee.oval:def:1412977	Windows Components: Turn off Windows Location Provider
oval:com.mcafee.oval:def:1412987	User Configuration: Disable regedit from running silently
oval:com.mcafee.oval:def:1412997	User Configuration: Prevent Codec Download
oval:com.mcafee.oval:def:1413007	User Configuration: Remove CD Burning features
oval:com.mcafee.oval:def:1413015	User Configuration: Remove Security tab
oval:com.mcafee.oval:def:1413023	User Configuration: Prevent changing screen saver

Oval ID	Title
oval:com.mcafee.oval:def:1413030	Control Panel - Personalization - Screen saver timeout
oval:com.mcafee.oval:def:1413053	MS15-059 - Security Update for Microsoft Office 2007 Service Pack 3 (KB2863812)
oval:com.mcafee.oval:def:1413054	MS15-059 - Security Update for Microsoft Office 2010 SP2 (KB2863817)
oval:com.mcafee.oval:def:1413060	MS15-059 - Security Update for Microsoft Office 2013 SP1 (KB3039749)
oval:com.mcafee.oval:def:1413063	MS15-059 - Security Update for Microsoft Office 2013 SP1 (KB3039782)
oval:com.mcafee.oval:def:1413078	Power Management (Plugged In) - Turn Off the Display (seconds)
oval:com.mcafee.oval:def:1413086	Power Management (On Battery) - Turn Off the Display (seconds)
oval:com.mcafee.oval:def:1413094	Operating System Drives: Use enhanced Boot Configuration Data validation profile
oval:com.mcafee.oval:def:1413104	Operating System Drives: Disallow standard users from changing the PIN or password
oval:com.mcafee.oval:def:1413114	Removable Data Drives: Configure use of smart cards on removable data drives
oval:com.mcafee.oval:def:1413124	Removable Data Drives: Require use of smart cards on removable data drives
oval:com.mcafee.oval:def:1413135	Removable Data Drives: Deny write access to removable drives not protected by BitLocker
oval:com.mcafee.oval:def:1413145	Removable Data Drives: Do not allow write access to devices configured in another organization
oval:com.mcafee.oval:def:1413155	BitLocker Drive Encryption: Validate smart card certificate usage rule compliance
oval:com.mcafee.oval:def:1413915	Credential User Interface: Do not display the password reveal button
oval:com.mcafee.oval:def:1413925	Windows Components- Biometrics: Allow the use of biometrics
oval:com.mcafee.oval:def:1414145	Windows Components - Store: Turn off Automatic Download of updates
oval:com.mcafee.oval:def:1414149	APSB15-11 Vulnerability Security Update 13.0.0.292 for Adobe Flash Player for Mac
oval:com.mcafee.oval:def:1414150	Adobe Flash Player Security Update 18.0.0.160 for Vulnerability id APSB15-11 is installed or not
oval:com.mcafee.oval:def:1414151	APSB15-11 Vulnerability Security Update 18.0.0.160 for Adobe Flash Player for Mac
oval:com.mcafee.oval:def:1414152	Adobe Flash Player Security Update 13.0.0.292 for Vulnerability id APSB15-11 is installed or not

## Updated Checks

Oval ID	Title
oval:com.mcafee.oval:def:101096	Windows Components - Event Log Service - System: Maximum Log Size (KB)
oval:com.mcafee.oval:def:101094	Windows Components - Event Log Service - Application: Maximum Log Size (KB)
oval:com.mcafee.oval.vistafirewall:def:6401	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Logging: Log Dropped Packets
oval:com.mcafee.oval.vistafirewall:def:6402	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Logging: Log Successful Connections

Oval ID	Title
oval:com.mcafee.oval.vistafirewall:def:6404	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Logging: Logfile size limit
oval:com.mcafee.oval.vistafirewall:def:6518	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Settings: Display a Notification
oval:com.mcafee.oval:def:230000	System - Device Installation: Specify the search server for device driver updates
oval:com.mcafee.oval.vistafirewall:def:6521	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Settings: Apply Local Connection Security Rules
oval:com.mcafee.oval.vistafirewall:def:6520	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Settings: Apply Local Firewall Rules
oval:com.mcafee.oval.vistafirewall:def:6519	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Settings: Allow Unicast Response
oval:com.mcafee.oval.vistafirewall:def:6515	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile: Firewall state
oval:com.mcafee.oval.vistafirewall:def:6516	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile: Inbound Connections
oval:com.mcafee.oval.vistafirewall:def:6517	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile: Outbound Connections
oval:com.mcafee.oval.vistafirewall:def:6411	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Logging: Log Dropped Packets
oval:com.mcafee.oval.vistafirewall:def:6412	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Logging: Log Successful Connections
oval:com.mcafee.oval.vistafirewall:def:6414	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Logging: Logfile size limit
oval:com.mcafee.oval.vistafirewall:def:6525	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Settings: Display a Notification
oval:com.mcafee.oval.vistafirewall:def:6528	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Settings: Apply Local Connection Security Rules
oval:com.mcafee.oval.vistafirewall:def:6527	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Settings: Apply Local Firewall Rules
oval:com.mcafee.oval.vistafirewall:def:6526	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Settings: Allow Unicast Response
oval:com.mcafee.oval.vistafirewall:def:6522	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile: Firewall state
oval:com.mcafee.oval.vistafirewall:def:6523	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile: Inbound Connections
oval:com.mcafee.oval.vistafirewall:def:6524	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile: Outbound Connections
oval:com.mcafee.oval.vistafirewall:def:6421	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Logging: Log Dropped Packets
oval:com.mcafee.oval.vistafirewall:def:6422	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Logging: Log Successful Connections
oval:com.mcafee.oval.vistafirewall:def:6424	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Logging: Logfile size limit
oval:com.mcafee.oval.vistafirewall:def:6532	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Settings: Display a Notification

Oval ID	Title
oval:com.mcafee.oval.vistafirewall:def:6535	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Settings: Apply Local Connection Security Rules
oval:com.mcafee.oval.vistafirewall:def:6534	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Settings: Apply Local Firewall Rules
oval:com.mcafee.oval:def:229985	Local Policies - Security Options - Interactive Logon: Machine Account lockout threshold
oval:com.mcafee.oval.vistafirewall:def:6533	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Settings: Allow Unicast Response
oval:com.mcafee.oval.vistafirewall:def:6529	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile: Firewall state
oval:com.mcafee.oval.vistafirewall:def:6530	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile: Inbound Connections
oval:com.mcafee.oval.vistafirewall:def:6531	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile: Outbound Connections
oval:com.mcafee.oval.vista:def:8001	Advanced Audit Policy Configuration - Account Management: Audit Application Group Management
oval:com.mcafee.oval.vista:def:8002	Advanced Audit Policy Configuration - Account Management: Audit Computer Account Management
oval:com.mcafee.oval.vista:def:8003	Advanced Audit Policy Configuration - Account Management: Audit Distribution Group Management
oval:com.mcafee.oval.vista:def:8004	Advanced Audit Policy Configuration - Account Management: Audit Other Account Management Events
oval:com.mcafee.oval.vista:def:8005	Advanced Audit Policy Configuration - Account Management: Audit Security Group Management
oval:com.mcafee.oval.vista:def:8006	Advanced Audit Policy Configuration - Account Management: Audit User Account Management
oval:com.mcafee.oval.vista:def:8007	Advanced Audit Policy Configuration - Detailed Tracking: Audit DPAPI Activity
oval:com.mcafee.oval.vista:def:8008	Advanced Audit Policy Configuration - Detailed Tracking: Audit Process Creation
oval:com.mcafee.oval.vista:def:8009	Advanced Audit Policy Configuration - Detailed Tracking: Audit Process Termination
oval:com.mcafee.oval.vista:def:8010	Advanced Audit Policy Configuration - Detailed Tracking: Audit RPC Events
oval:com.mcafee.oval.vista:def:8011	Advanced Audit Policy Configuration - DS Access: Audit Detailed Directory Service Replication
oval:com.mcafee.oval.vista:def:8012	Advanced Audit Policy Configuration - DS Access: Audit Directory Service Access
oval:com.mcafee.oval.vista:def:8013	Advanced Audit Policy Configuration - DS Access: Audit Directory Service Changes
oval:com.mcafee.oval.vista:def:8014	Advanced Audit Policy Configuration - DS Access: Audit Directory Service Replication
oval:com.mcafee.oval.vista:def:8015	Advanced Audit Policy Configuration - Logon/Logoff: Audit Account Lockout
oval:com.mcafee.oval.vista:def:8016	Advanced Audit Policy Configuration - Logon/Logoff: Audit IPsec Extended Mode
oval:com.mcafee.oval.vista:def:8017	Advanced Audit Policy Configuration - Logon/Logoff: Audit IPsec Main Mode
oval:com.mcafee.oval.vista:def:8018	Advanced Audit Policy Configuration - Logon/Logoff: Audit IPsec Quick Mode



Oval ID	Title
oval:com.mcafee.oval.vista:def:8019	Advanced Audit Policy Configuration - Logon/Logoff: Audit Logoff
oval:com.mcafee.oval.vista:def:8020	Advanced Audit Policy Configuration - Logon/Logoff: Audit Logon
oval:com.mcafee.oval.vista:def:8021	Advanced Audit Policy Configuration - Logon/Logoff: Audit Other Logon/Logoff Events
oval:com.mcafee.oval.vista:def:8022	Advanced Audit Policy Configuration - Logon/Logoff: Audit Special Logon
oval:com.mcafee.oval.vista:def:8023	Advanced Audit Policy Configuration - Object Access: Audit Application Generated
oval:com.mcafee.oval.vista:def:8024	Advanced Audit Policy Configuration - Object Access: Audit Certification Services
oval:com.mcafee.oval.vista:def:8025	Advanced Audit Policy Configuration - Object Access: Audit File Share
oval:com.mcafee.oval.vista:def:8026	Advanced Audit Policy Configuration - Object Access: Audit File System
oval:com.mcafee.oval.vista:def:8027	Advanced Audit Policy Configuration - Object Access: Audit Filtering Platform Connection
oval:com.mcafee.oval.vista:def:8028	Advanced Audit Policy Configuration - Object Access: Audit Filtering Platform Packet Drop
oval:com.mcafee.oval.vista:def:8029	Advanced Audit Policy Configuration - Object Access: Audit Handle Manipulation
oval:com.mcafee.oval.vista:def:8030	Advanced Audit Policy Configuration - Object Access: Audit Kernel Object
oval:com.mcafee.oval.vista:def:8031	Advanced Audit Policy Configuration - Object Access: Audit Other Object Access Events
oval:com.mcafee.oval.vista:def:8033	Advanced Audit Policy Configuration - Object Access: Audit SAM
oval:com.mcafee.oval.vista:def:8035	Advanced Audit Policy Configuration - Policy Change: Audit Authentication Policy Change
oval:com.mcafee.oval.vista:def:8036	Advanced Audit Policy Configuration - Policy Change: Audit Authorization Policy Change
oval:com.mcafee.oval.vista:def:8037	Advanced Audit Policy Configuration - Policy Change: Audit Filtering Platform Policy Change
oval:com.mcafee.oval.vista:def:8038	Advanced Audit Policy Configuration - Policy Change: Audit MPSSVC Rule-Level Policy Change
oval:com.mcafee.oval.vista:def:8039	Advanced Audit Policy Configuration - Policy Change: Audit Other Policy Change Events
oval:com.mcafee.oval.vista:def:8040	Advanced Audit Policy Configuration - Privilege Use: Audit Non Sensitive Privilege Use
oval:com.mcafee.oval.vista:def:8041	Advanced Audit Policy Configuration - Privilege Use: Audit Other Privilege Use Events
oval:com.mcafee.oval.vista:def:8043	Advanced Audit Policy Configuration - System: Audit IPsec Driver
oval:com.mcafee.oval.vista:def:8044	Advanced Audit Policy Configuration - System: Audit Other System Events
oval:com.mcafee.oval.vista:def:8045	Advanced Audit Policy Configuration - System: Audit Security State Change
oval:com.mcafee.oval.vista:def:8046	Advanced Audit Policy Configuration - System: Audit Security System Extension
oval:com.mcafee.oval.vista:def:8047	Advanced Audit Policy Configuration - System: Audit System Integrity
oval:com.mcafee.oval.vista:def:8081	User Account Control: Admin Approval Mode for the Built-in Administrator account
oval:com.mcafee.oval.vista:def:8082	User Account Control: Behavior of the elevation prompt for administrators in Admin Approval Mode

Oval ID	Title
oval:com.mcafee.oval.vista:def:8083	User Account Control: Behavior of the elevation prompt for standard users
oval:com.mcafee.oval.vista:def:8084	User Account Control: Detect application installations and prompt for elevation
oval:com.mcafee.oval.vista:def:8085	User Account Control: Only elevate executables that are signed and validated
oval:com.mcafee.oval:def:215686	Windows Components - BitLocker Drive Encryption - Operating System Drives: Allow network unlock at startup
oval:com.mcafee.oval:def:215687	Windows Components - BitLocker Drive Encryption - Operating System Drives: Allow Secured Boot for integrity validation
oval:com.mcafee.oval.vista:def:8087	User Account Control: Run all administrators in Admin Approval Mode
oval:com.mcafee.oval.vista:def:8088	User Account Control: Switch to the secure desktop when prompting for elevation
oval:com.mcafee.oval.vista:def:8089	User Account Control: Virtualize file and registry write failures to per-user locations
oval:com.mcafee.oval:def:229984	Local Policies - Security Options - Accounts: Block Microsoft Accounts
oval:com.mcafee.oval:def:215700	Windows Components - App Package Deployment: Allow deployment operations in special profiles
oval:com.mcafee.oval:def:215690	Windows Components - BitLocker Drive Encryption - Operating System Drives: Enforce drive encryption type on operating system drives
oval:com.mcafee.oval:def:238851	System - Logon: Turn on PIN sign-in
oval:com.mcafee.oval.1:def:16026	Local Policies - Security Options - Audit: Force audit policy subcategory settings (Windows Vista or later) to override audit policy category settings
oval:com.mcafee.oval:def:215692	Windows Components - BitLocker Drive Encryption - Fixed Data Drives: Enforce drive encryption type on fixed data drives
oval:com.mcafee.oval:def:230007	Network - TCP/IP Settings - Parameters: Set IP Stateless Autoconfiguration Limits State
oval:com.mcafee.oval:def:215694	Windows Components - BitLocker Drive Encryption: Choose drive encryption method and cipher strength (Windows 8 and newer)
oval:com.mcafee.oval.1:def:6575	Windows Components - Credential User Interface: Enumerate administrator accounts on elevation
oval:com.mcafee.oval.1:def:6598	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow drive redirection
oval:com.mcafee.oval.1:def:6599	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Security: Always prompt for password upon connection
oval:com.mcafee.oval.1:def:6689	System - Power Management - Sleep Settings: Require a Password when a Computer Wakes (On Battery)
oval:com.mcafee.oval.1:def:6690	System - Power Management - Sleep Settings: Require a Password when a Computer Wakes (Plugged In)
oval:com.mcafee.oval.windows:def:99	Network security: Minimum session security for NTLM SSP based (including secure RPC) clients
oval:com.mcafee.oval.windows:def:83	Microsoft network server: Amount of idle time required before suspending a session
oval:com.mcafee.oval.windows:def:74	Interactive logon: Prompt user to change password before expiration
oval:com.mcafee.oval.windows:def:73	System Cryptography: Force strong key protection for user keys stored on the computer
oval:com.mcafee.oval.windows:def:6692	System - Remote Assistance: Customize Warning Messages

Oval ID	Title
oval:com.mcafee.oval:def:230022	System - Logon: Enumerate local users on domain-joined computers
oval:com.mcafee.oval.windows:def:6675	System - Internet Communication Management - Internet Communication Settings: Turn Off Event Viewer "Events.asp" Links
oval:com.mcafee.oval.windows:def:6606	Windows Components - Windows Update: Reschedule Automatic Updates scheduled installations
oval:com.mcafee.oval.windows:def:6603	Windows Components - Windows Update: Do not adjust default option to 'Install Updates and Shut Down' in Shut Down Windows Dialog box
oval:com.mcafee.oval.windows:def:6600	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Security: Set client connection encryption level
oval:com.mcafee.oval.windows:def:66	Domain member: Require strong (Windows 2000 or later) session key
oval:com.mcafee.oval.windows:def:6597	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Connections: Allow users to connect remotely using Remote Desktop Services
oval:com.mcafee.oval.windows:def:6596	Windows Components - Remote Desktop Services - Remote Desktop Connection Client: Do not allow passwords to be saved
oval:com.mcafee.oval.windows:def:6573	System - Internet Communication Management - Internet Communication Settings: Turn off Windows Update device driver searching
oval:com.mcafee.oval.windows:def:6571	System - Internet Communication Management - Internet Communication Settings: Turn off printing over HTTP
oval:com.mcafee.oval.windows:def:6569	System - Internet Communication Management - Internet Communication Settings: Turn off the Windows Messenger Customer Experience Improvement Program
oval:com.mcafee.oval.windows:def:6568	System - Internet Communication Management - Internet Communication Settings: Turn off Internet download for Web publishing and online ordering wizards
oval:com.mcafee.oval.windows:def:6567	System - Internet Communication Management - Internet Communication Settings: Turn off the "Publish to Web" task for files and folders
oval:com.mcafee.oval.windows:def:6566	System - Remote Procedure Call: RPC Endpoint Mapper Client Authentication
oval:com.mcafee.oval.windows:def:6564	System - Remote Assistance: Solicited Remote Assistance
oval:com.mcafee.oval.windows:def:6563	System - Remote Assistance: Offer Remote Assistance
oval:com.mcafee.oval.windows:def:6561	System - Logon: Do not process the run once list
oval:com.mcafee.oval.windows:def:6560	System - Logon: Do not process the legacy run list
oval:com.mcafee.oval.windows:def:65	Domain member: Maximum machine account password age
oval:com.mcafee.oval.windows:def:6105	System objects: Strengthen default permissions of internal system objects
oval:com.mcafee.oval.windows:def:6104	System objects: Require case insensitivity for non-Windows subsystems
oval:com.mcafee.oval.windows:def:6102	System Cryptography: Use FIPS compliant algorithms for encryption, hashing, and signing
oval:com.mcafee.oval.windows:def:61	Domain member: Digitally encrypt or sign secure channel data (always)
oval:com.mcafee.oval.windows:def:6098	Recovery Console: Allow Automatic Administrative Logon
oval:com.mcafee.oval.windows:def:6095	Network Security: LDAP client signing requirements
oval:com.mcafee.oval.windows:def:6082	Interactive logon: Require Smart card
oval:com.mcafee.oval.windows:def:6079	Network access: Sharing and security model for local accounts

Oval ID	Title
oval:com.mcafee.oval.windows:def:6077	Network access: Restrict anonymous access to Named Pipes and Shares
oval:com.mcafee.oval.windows:def:6072	Network access: Do not allow storage of credentials or .NET Passports for network authentication
oval:com.mcafee.oval.windows:def:6071	Network access: Do not allow anonymous enumeration of SAM accounts and shares
oval:com.mcafee.oval.windows:def:6070	Network access: Do not allow anonymous enumeration of SAM accounts
oval:com.mcafee.oval.windows:def:6065	MSS: (ScreenSaverGracePeriod) The time in seconds before the screen saver grace period expires (0 recommended)
oval:com.mcafee.oval.windows:def:6064	MSS: (SafeDllSearchMode) Enable Safe DLL search mode (recommended)
oval:com.mcafee.oval.windows:def:6063	MSS: (PerformRouterDiscovery) Allow IRDP to detect and configure DefaultGateway addresses (could lead to DoS)
oval:com.mcafee.oval.windows:def:6058	MSS: (Hidden) Hide Computer From the Browse List (not recommended except for highly secure environments)
oval:com.mcafee.oval.windows:def:6052	Microsoft network server: Digitally sign communications (if client agrees)
oval:com.mcafee.oval.windows:def:6049	Microsoft network client: Send unencrypted password to third-party SMB servers
oval:com.mcafee.oval.windows:def:6048	Microsoft network client: Digitally sign communications (if server agrees)
oval:com.mcafee.oval.windows:def:6047	Microsoft network client: Digitally sign communications (always)
oval:com.mcafee.oval.windows:def:6046	Interactive logon: Smart card removal behavior
oval:com.mcafee.oval.windows:def:6045	Interactive logon: Require Domain Controller authentication to unlock workstation
oval:com.mcafee.oval.windows:def:6042	Interactive logon: Message title for users attempting to log on
oval:com.mcafee.oval.windows:def:6040	Interactive logon: Do not require CTRL+ALT+DEL
oval:com.mcafee.oval.windows:def:6039	Interactive logon: Do not display last user name
oval:com.mcafee.oval.windows:def:6036	Domain member: Disable machine account password changes
oval:com.mcafee.oval.windows:def:6035	Domain member: Digitally sign secure channel data (when possible)
oval:com.mcafee.oval.windows:def:6033	Domain member: Digitally encrypt secure channel data (when possible)
oval:com.mcafee.oval.windows:def:6030	Devices: Prevent users from installing printer drivers
oval:com.mcafee.oval.windows:def:6029	Devices: Allowed to format and eject removable media
oval:com.mcafee.oval.windows:def:6028	Devices: Allow undock without having to log on
oval:com.mcafee.oval.windows:def:6023	Local Policies - Security Options - Accounts: Rename Guest Account
oval:com.mcafee.oval.windows:def:6021	Local Policies - Security Options - Accounts: Limit local account use of blank passwords to console logon only
oval:com.mcafee.oval.windows:def:6020	Local Policies - Security Options - Accounts: Guest account status
oval:com.mcafee.oval.windows:def:6019	Accounts: Administrator account status
oval:com.mcafee.oval.windows:def:6009	Account Lockout Policy: Reset Account Lockout Counter
oval:com.mcafee.oval.windows:def:6005	Password Policy: Store passwords using reversible encryption
oval:com.mcafee.oval.windows:def:6004	Password Policy: Password must meet complexity requirements
oval:com.mcafee.oval.windows:def:6001	Password Policy: Enforce Password History

Oval ID	Title
oval:com.mcafee.oval.windows:def:5018	MSS: (AutoReboot) Allow Windows to automatically restart after a system crash
oval:com.mcafee.oval.windows:def:5017	System settings: Use Certificate Rules on Windows Executables for Software Restriction Policies
oval:com.mcafee.oval.windows:def:5016	System settings: Optional subsystems (None allowed)
oval:com.mcafee.oval.windows:def:5002	Interactive logon: Display user information when the session is locked
oval:com.mcafee.oval.windows:def:5000	Audit: Shut down system immediately if unable to log security audits
oval:com.mcafee.oval.windows:def:24	Account Lockout Policy: Account Lockout Threshold
oval:com.mcafee.oval.windows:def:23	Account Lockout Policy: Account Lockout Duration
oval:com.mcafee.oval.windows:def:19	Password Policy: Minimum Password Length
oval:com.mcafee.oval.windows:def:18	Password Policy: Minimum Password Age
oval:com.mcafee.oval.windows:def:17	Password Policy: Maximum Password Age
oval:com.mcafee.oval.windows:def:16025	Audit: Audit the use of Backup and Restore privilege
oval:com.mcafee.oval.windows:def:16024	Audit: Audit the access of global system objects
oval:com.mcafee.oval.windows:def:16022	Local Policies - Security Options - Accounts: Rename Administrator Account
oval:com.mcafee.oval.windows:def:127	MSS: (WarningLevel) Percentage threshold for the security event log at which the system will generate a warning
oval:com.mcafee.oval.windows:def:126	MSS: (TCPMaxDataRetransmissions) How many times unacknowledged data is retransmitted (3 recommended, 5 is default)
oval:com.mcafee.oval.windows:def:118	MSS: (NoNameReleaseOnDemand) Allow the computer to ignore NetBIOS name release requests except from WINS servers
oval:com.mcafee.oval.windows:def:115	MSS: (KeepAliveTime) How often keep-alive packets are sent in milliseconds
oval:com.mcafee.oval.windows:def:113	MSS: (EnableICMPRedirect) Allow ICMP redirects to override OSPF generated routes
oval:com.mcafee.oval.windows:def:111	MSS: (DisableIPSourceRouting) IP source routing protection level (protects against packet spoofing)
oval:com.mcafee.oval.windows:def:103	Shutdown: Allow system to be shut down without having to log on
oval:com.mcafee.oval.windows:def:102	Recovery Console: Allow floppy copy and access to all drives and all folders
oval:com.mcafee.oval.windows:def:100	Network security: Minimum session security for NTLM SSP based (including secure RPC) servers
oval:com.mcafee.oval.def:56204	Local Policies - User Rights Assignment: Allow log on locally
oval:com.mcafee.oval.windows:def:104	Shutdown: Clear virtual memory pagefile
oval:com.mcafee.oval.windows:def:72	Interactive logon: Number of previous logons to cache (in case domain controller is not available)
oval:com.mcafee.oval.windows:def:59	Devices: Restrict floppy access to locally logged-on user only
oval:com.mcafee.oval.windows:def:58	Devices: Restrict CD-ROM access to locally logged-on user only
oval:com.mcafee.oval.windows:def:110	MSS: (AutoAdminLogon) Enable Automatic Logon
oval:com.mcafee.oval.def:56208	Local Policies - Security Options - Network security: LAN Manager authentication level

Oval ID	Title
oval:com.mcafee.oval:def:59804	Local Policies - User Rights Assignment: Increase a Process Working Set
oval:com.mcafee.oval:def:56810	Local Policies - User Rights Assignment: Impersonate a client after authentication
oval:com.mcafee.oval:def:56811	Local Policies - User Rights Assignment: Create global objects
oval:com.mcafee.oval:def:60026	Local Policies - User Rights Assignment: Profile a single process
oval:com.mcafee.oval:def:59966	Local Policies - User Rights Assignment: Manage auditing and security log
oval:com.mcafee.oval:def:60068	Local Policies - User Rights Assignment: Back up files and directories
oval:com.mcafee.oval:def:60122	Local Policies - User Rights Assignment: Enable computer and user accounts to be trusted for delegation
oval:com.mcafee.oval:def:60044	Local Policies - User Rights Assignment: Adjust memory quotas
oval:com.mcafee.oval:def:60092	Local Policies - User Rights Assignment: Generate security audits
oval:com.mcafee.oval:def:60110	Local Policies - User Rights Assignment: Modify firmware environment values
oval:com.mcafee.oval:def:59954	Local Policies - User Rights Assignment: Increase scheduling priority
oval:com.mcafee.oval:def:60152	Local Policies - User Rights Assignment: Bypass traverse checking
oval:com.mcafee.oval:def:59798	Local Policies - User Rights Assignment: Change the Time Zone
oval:com.mcafee.oval:def:59972	Local Policies - User Rights Assignment: Change the system time
oval:com.mcafee.oval:def:59960	Local Policies - User Rights Assignment: Log on as a batch job
oval:com.mcafee.oval:def:60140	Local Policies - User Rights Assignment: Log on as a service
oval:com.mcafee.oval:def:60098	Local Policies - User Rights Assignment: Take ownership of files or other objects
oval:com.mcafee.oval:def:60146	Local Policies - User Rights Assignment: Load and unload device drivers
oval:com.mcafee.oval:def:60086	Local Policies - User Rights Assignment: Lock pages in memory
oval:com.mcafee.oval:def:60116	Local Policies - User Rights Assignment: Shut down the system
oval:com.mcafee.oval:def:59984	Local Policies - User Rights Assignment: Restore files and directories
oval:com.mcafee.oval:def:60050	Local Policies - User Rights Assignment: Create a token object
oval:com.mcafee.oval:def:60056	Local Policies - User Rights Assignment: Create permanent shared objects
oval:com.mcafee.oval:def:60062	Local Policies - User Rights Assignment: Create a pagefile
oval:com.mcafee.oval:def:59990	Local Policies - User Rights Assignment: Force shutdown from a remote system
oval:com.mcafee.oval:def:60074	Local Policies - User Rights Assignment: Replace a process level token
oval:com.mcafee.oval:def:59996	Local Policies - User Rights Assignment: Allow logon through Remote Desktop / Terminal Services
oval:com.mcafee.oval:def:54419	Local Policies - User Rights Assignment: Access this computer from the network
oval:com.mcafee.oval:def:60104	Local Policies - User Rights Assignment: Profile system performance
oval:com.mcafee.oval:def:60080	Local Policies - User Rights Assignment: Remove computer from docking station
oval:com.mcafee.oval:def:59942	Local Policies - User Rights Assignment: Perform volume maintenance tasks
oval:com.mcafee.oval:def:60038	Local Policies - User Rights Assignment: Debug programs
oval:com.mcafee.oval:def:60020	Local Policies - User Rights Assignment: Act as part of the operating system

Oval ID	Title
oval:com.mcafee.oval:def:56813	Local Policies - Security Options - MSS: (NoDefaultExempt) Configure IPsec exemptions
oval:com.mcafee.oval:def:56816	Local Policies - Security Options - Network security: Do not store LAN Manager hash value on next password change
oval:com.mcafee.oval:def:59792	Local Policies - User Rights Assignment: Modify an Object Label
oval:com.mcafee.oval:def:215689	Windows Components - BitLocker Drive Encryption - Operating System Drives: Enable use of BitLocker authentication requiring preboot keyboard input on slates
oval:com.mcafee.oval:def:215685	Windows Components - BitLocker Drive Encryption - Removable Data Drives: Enforce drive encryption type on removable data drives
oval:com.mcafee.oval:def:230023	System - Logon: Do not enumerate connected users on domain-joined computers
oval:com.mcafee.oval:def:65840	Local Policies - Security Options - Network access: Remotely accessible registry paths and subpaths
oval:com.mcafee.oval:def:65841	Local Policies - Security Options - Network access: Named pipes that can be accessed anonymously
oval:com.mcafee.oval:def:65870	Advanced Audit Policy Configuration - Policy Change: Audit Policy Change
oval:com.mcafee.oval:def:65868	Windows Components - Autoplay Policies: Turn off autoplay
oval:com.mcafee.oval:def:71742	Windows Components - Location and Sensors: Turn off location
oval:com.mcafee.oval:def:71741	Windows Components - HomeGroup: Prevent the computer from joining a homegroup
oval:com.mcafee.oval:def:71674	Local Policies - Security Options - Network security: Restrict NTLM: Add remote server exceptions for NTLM authentication
oval:com.mcafee.oval:def:65872	Local Policies - Security Options - Network security: Allow Local System to use computer identity for NTLM
oval:com.mcafee.oval:def:71678	Local Policies - Security Options - Network security: Restrict NTLM: Incoming NTLM traffic
oval:com.mcafee.oval:def:71672	Local Policies - Security Options - Network security: Allow PKU2U authentication requests to this computer to use online identities
oval:com.mcafee.oval:def:71752	Windows Components - Windows Explorer: Turn off Data Execution Prevention for Explorer
oval:com.mcafee.oval:def:71675	Local Policies - Security Options - Network security: Restrict NTLM: Add server exceptions in this domain
oval:com.mcafee.oval:def:71677	Local Policies - Security Options - Network security: Restrict NTLM: Audit NTLM authentication in this domain
oval:com.mcafee.oval:def:65871	Local Policies - Security Options - Microsoft Network Server: Server SPN target name validation level
oval:com.mcafee.oval:def:71673	Local Policies - Security Options - Network Security: Configure encryption types allowed for Kerberos
oval:com.mcafee.oval:def:71739	Windows Components - BitLocker Drive Encryption - Operating System Drives: Allow enhanced PINs for startup
oval:com.mcafee.oval:def:71738	Windows Components - BitLocker Drive Encryption - Fixed Data Drives: Deny write access to fixed drives not protected by BitLocker
oval:com.mcafee.oval:def:71679	Local Policies - Security Options - Network security: Restrict NTLM: NTLM authentication in this domain

Oval ID	Title
oval:com.mcafee.oval:def:71680	Local Policies - Security Options - Network security: Restrict NTLM: Outgoing NTLM traffic to remote servers
oval:com.mcafee.oval:def:65873	Local Policies - Security Options - Network security: Allow LocalSystem NULL session fallback
oval:com.mcafee.oval:def:79003	Local Policies - Security Options - User Account Control: Allow UIAccess applications to prompt for elevation without using the secure desktop
oval:com.mcafee.oval:def:101092	Windows Components - Windows Remote Shell: Allow Remote Shell Access
oval:com.mcafee.oval:def:101083	Advanced Audit Policy Configuration - Account Logon: Audit Credential Validation
oval:com.mcafee.oval:def:101093	Windows Components - Credential User Interface: Require trusted path for credential entry
oval:com.mcafee.oval:def:101090	Local Policies - Security Options - MSS: (DisableIPSourceRouting IPv6) IP source routing protection level (protects against packet spoofing)
oval:com.mcafee.oval:def:101086	Windows Components - Event Log Service - Application: Retain old events
oval:com.mcafee.oval:def:101084	Local Policies - User Rights Assignment: Create symbolic links
oval:com.mcafee.oval:def:101091	Local Policies - Security Options - MSS: (TCPMaxDataRetransmissions IPv6) How many times unacknowledged data is retransmitted (3 recommended, 5 is default)
oval:com.mcafee.oval:def:101087	Windows Components - Event Log Service - Security: Retain old events
oval:com.mcafee.oval:def:101088	Windows Components - Event Log Service - System: Retain old events
oval:com.mcafee.oval:def:101095	Windows Components - Event Log Service - Security: Maximum Log Size (KB)
oval:com.mcafee.oval:def:1295216	Local Policies - User Rights Assignment: Deny log on through Remote Desktop / Terminal Services
oval:com.mcafee.oval:def:1301547	Local Policies - User Rights Assignment: Deny access to this computer from the network
oval:com.mcafee.oval:def:230029	System - Troubleshooting and Diagnostics - Application Compatibility Diagnostics: Detect compatibility issues for applications and drivers
oval:com.mcafee.oval:def:215691	Windows Components - BitLocker Drive Encryption - Operating System Drives: Reset platform validation data after BitLocker recovery
oval:com.mcafee.oval:def:230021	System - Logon: Turn off app notifications on the lock screen
oval:com.mcafee.oval:def:230018	System - Internet Communication Management - Internet Communication Settings: Turn off access to the store
oval:com.mcafee.oval:def:229986	Local Policies - Security Options - Interactive Logon: Machine inactivity limit
oval:com.mcafee.oval:def:215699	Windows Components - App Package Deployment: Allow all trusted apps to install
oval:com.mcafee.oval:def:215770	Windows Components - Windows Remote Management (WinRM) - WinRM Client: Allow Basic authentication
oval:com.mcafee.oval:def:215774	Windows Components - Windows Remote Management (WinRM) - WinRM Client: Allow unencrypted traffic
oval:com.mcafee.oval:def:215760	Advanced Audit Policy Configuration - Account Logon: Audit Other Account Logon Events
oval:com.mcafee.oval:def:215763	Windows Components - BitLocker Drive Encryption - Operating System Drives: Configure minimum PIN length for startup
oval:com.mcafee.oval:def:215771	Windows Components - Windows Remote Management (WinRM) - WinRM Service: Allow Basic authentication



Oval ID	Title
oval:com.mcafee.oval:def:215762	Windows Components - BitLocker Drive Encryption - Fixed Data Drives: Allow access to BitLocker-protected fixed data drives from earlier versions of Windows
oval:com.mcafee.oval:def:215773	Windows Components - Windows Remote Management (WinRM) - WinRM Service: Allow unencrypted traffic
oval:com.mcafee.oval:def:215766	Windows Components - BitLocker Drive Encryption - Removable Data Drives: Allow access to BitLocker-protected removable data drives from earlier versions of Windows
oval:com.mcafee.oval:def:215775	Windows Components - Windows Installer: Always install with elevated privileges
oval:com.mcafee.oval:def:215767	System - Power Management - Sleep Settings: Allow standby states (S1-S3) when sleeping (On Battery)
oval:com.mcafee.oval:def:215768	System - Power Management - Sleep Settings: Allow standby states (S1-S3) when sleeping (Plugged In)
oval:com.mcafee.oval:def:215769	Windows Components - Windows Remote Management (WinRM) - WinRM Client: Disallow Digest authentication
oval:com.mcafee.oval:def:215772	Windows Components - Windows Remote Management (WinRM) - WinRM Service: Disallow WinRM from storing RunAs credentials
oval:com.mcafee.oval:def:215776	Windows Components - File Explorer: Configure Windows SmartScreen
oval:com.mcafee.oval:def:512752	Windows Update: Do not display Install Updates and Shut Down option in Shut Down Windows dialog box
oval:com.mcafee.oval:def:526832	Control Panel - Personalization - Force specific screen saver
oval:com.mcafee.oval:def:515415	Fixed Data Drives: Choose how BitLocker-protected fixed drives can be recovered
oval:com.mcafee.oval:def:515435	Fixed Data Drives: First Unnamed value
oval:com.mcafee.oval:def:525437	Group Policy: Do not apply during periodic background processing
oval:com.mcafee.oval:def:512647	Removable Data Drives: Choose how BitLocker-protected removable drives can be recovered
oval:com.mcafee.oval:def:512715	Removable Data Drives: Do not enable BitLocker until recovery information is stored to AD DS for removable data drives
oval:com.mcafee.oval:def:512704	Removable Data Drives: Configure storage of BitLocker recovery information to AD DS
oval:com.mcafee.oval:def:512735	Windows Update: No auto-restart with logged on users for scheduled automatic updates installations
oval:com.mcafee.oval:def:512678	Removable Data Drives: First Unnamed value
oval:com.mcafee.oval:def:512686	Removable Data Drives: Second Unnamed value
oval:com.mcafee.oval:def:512694	Removable Data Drives: Set Save BitLocker recovery information to AD DS for removable data drives
oval:com.mcafee.oval:def:512668	Removable Data Drives: Omit recovery options from the BitLocker setup wizard
oval:com.mcafee.oval:def:512658	Removable Data Drives: Allow data recovery agent
oval:com.mcafee.oval:def:515425	Fixed Data Drives: Allow data recovery agent
oval:com.mcafee.oval:def:514068	Windows Update: Specify intranet Microsoft update service location
oval:com.mcafee.oval:def:512725	Removable Data Drives: Configure use of passwords for removable data drives
oval:com.mcafee.oval:def:506345	Fixed Data Drives: Omit recovery options from the BitLocker setup wizard

Oval ID	Title
oval:com.mcafee.oval:def:510046	Windows Components - BitLocker Drive Encryption - Operating System Drives: Configure TPM Startup
oval:com.mcafee.oval:def:525485	Windows Components - Attachment Manager - Notify antivirus programs when opening attachments
oval:com.mcafee.oval:def:525499	Control Panel - Personalization - Enable screen saver
oval:com.mcafee.oval:def:526810	Control Panel - Personalization - Password protect the screen saver
oval:com.mcafee.oval:def:510026	Windows Components - BitLocker Drive Encryption - Operating System Drives: Require additional authentication at startup
oval:com.mcafee.oval:def:525463	Windows Components - Attachment Manager - Hide mechanisms to remove zone information
oval:com.mcafee.oval:def:510038	Windows Components - BitLocker Drive Encryption - Operating System Drives: Allow BitLocker without a compatible TPM
oval:com.mcafee.oval:def:515393	Windows Components - BitLocker Drive Encryption - Operating System Drives: Choose how BitLocker-protected operating system drives can be recovered
oval:com.mcafee.oval:def:515519	Windows Components - BitLocker Drive Encryption - Operating System Drives: Do not enable BitLocker until recovery information is stored to AD DS for operating system drives
oval:com.mcafee.oval:def:515405	Windows Components - BitLocker Drive Encryption - Operating System Drives: Allow data recovery agent
oval:com.mcafee.oval:def:525473	Windows Components - Attachment Manager - Do not preserve zone information in file attachments
oval:com.mcafee.oval:def:641440	System Services: Server for NFS
oval:com.mcafee.oval:def:1165913	Windows Components: BitLocker Drive Encryption: Removable Data Drives: Configure use of hardware-based encryption for removable data drives
oval:com.mcafee.oval:def:1137142	Operating System Drives: Configure use of passwords for operating system drives
oval:com.mcafee.oval:def:1177325	Start Menu and Taskbar- Notifications: Turn off toast notifications on the lock screen
oval:com.mcafee.oval:def:1137103	Operating System Drives: Configure use of hardware-based encryption for operating system drives
oval:com.mcafee.oval:def:1137093	Fixed Data Drives: Configure use of passwords for fixed data drives
oval:com.mcafee.oval:def:1177335	Windows Update: Configure Automatic Updates
oval:com.mcafee.oval:def:1177307	Fixed Data Drives - Configure use of smart cards on fixed data drives
oval:com.mcafee.oval:def:1137055	Fixed Data Drives: Configure use of hardware-based encryption for fixed data drives
oval:com.mcafee.oval:def:1137024	Device Installation Restrictions- Prevent installation of devices using drivers that match these device setup classes
oval:com.mcafee.oval:def:1282158	Interactive logon: Message text for users attempting to log on
oval:com.mcafee.oval:def:1288112	Windows Firewall with Advanced Security - Windows Firewall Properties - Domain Profile - Logging: Logfile path and name
oval:com.mcafee.oval:def:1289194	Windows Firewall with Advanced Security - Windows Firewall Properties - Private Profile - Logging: Logfile path and name
oval:com.mcafee.oval:def:1289198	Windows Firewall with Advanced Security - Windows Firewall Properties - Public Profile - Logging: Logfile path and name

Oval ID	Title
oval:com.mcafee.oval:def:1295186	Local Policies - User Rights Assignment: Deny log on as a batch job
oval:com.mcafee.oval:def:1295184	Local Policies - User Rights Assignment: Deny log on as a service
oval:com.mcafee.oval:def:1295185	Local Policies - User Rights Assignment: Deny log on locally

### New Benchmarks

Benchmark ID	Title
Windows8CISBenchmark	Windows 8 CIS Benchmark

### Updated Benchmarks

Benchmark ID	Title
WindowsServer2008-800-53	Windows Server 2008 - NIST 800-53 Benchmark
AdobeWindowsBulletinBenchmark2015	Adobe Windows Bulletin Benchmark 2015
AdobeMacBulletinBenchmark2015	Adobe Mac Bulletin Benchmark 2015
MS_Windows_Bulletin_Benchmark_2015_	MS Windows Bulletin Benchmark 2015
nac_patches	NAC - Microsoft Bulletins
MicrosoftOfficePatchPolicy_2010	Microsoft Office Patch Policy for 2010
MicrosoftOfficePatchPolicy_2013	Microsoft Office Patch Policy for 2013
MicrosoftOfficePatchPolicy_2007	Microsoft Office Patch Policy for 2007

### McAfee Technical Support

PrimeSupport ServicePortal: <https://mysupport.nai.com/login.asp>

Multi-National Phone Support: <http://www.mcafeesecurity.com/us/contact/home.htm>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright 2007-2015 McAfee, Inc.  
 McAfee is a registered trademark of McAfee, Inc. and/or its affiliates.