

McAfee Policy Auditor Content Update Summary

| Product / Version | Content Version |
|---------------------------|-----------------|
| McAfee Policy Auditor 6.x | 1188 |

New Checks

| Oval ID | Title |
|---|--|
| oval:com.mcafee.oval.common:def:2485862 | Apple iTunes Security Update 12.4 for Windows |
| oval:com.mcafee.oval.common:def:2485869 | Mozilla Firefox Security Update 46.0 for Windows |
| oval:com.mcafee.oval.common:def:2485875 | Mozilla Firefox ESR Security Update 45.1 for Windows |
| oval:com.mcafee.oval.common:def:2485883 | Mozilla Firefox ESR Security Update 38.8 for Windows |
| oval:com.mcafee.oval.common:def:2485889 | Mozilla Thunderbird Security Update 38.8 for Windows |
| oval:com.mcafee.oval.common:def:2485893 | Mozilla Thunderbird Security Update 45.1 for Windows |
| oval:com.mcafee.oval.common:def:2485897 | Google Chrome Security Update 50.0.2661.94 for Windows |
| oval:com.mcafee.oval.common:def:2485898 | Google Chrome Security Update 50.0.2661.102 for Windows |
| oval:com.mcafee.oval.common:def:2485899 | Google Chrome Security Update 51.0.2704.63 for Windows |
| oval:com.mcafee.oval.gen:def:360108 | MS16-082 Security Update for Windows Server 2008 R2 x64 Edition (KB3161958) |
| oval:com.mcafee.oval.gen:def:360109 | MS16-082 Security Update for Windows 8.1 for x64-based Systems (KB3161958) |
| oval:com.mcafee.oval.gen:def:360110 | MS16-082 Security Update for Windows 8.1 (KB3161958) |
| oval:com.mcafee.oval.gen:def:360111 | MS16-082 Security Update for Windows Server 2012 R2 (KB3161958) |
| oval:com.mcafee.oval.gen:def:360112 | MS16-082 Security Update for Windows 7 for x64-based Systems (KB3161958) |
| oval:com.mcafee.oval.gen:def:360113 | MS16-082 Security Update for Windows Embedded Standard 7 (KB3161958) |
| oval:com.mcafee.oval.gen:def:360114 | MS16-082 Security Update for Windows 7 (KB3161958) |
| oval:com.mcafee.oval.gen:def:360115 | MS16-082 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3161958) |
| oval:com.mcafee.oval.gen:def:360116 | MS16-082 Security Update for Windows Server 2012 (KB3161958) |
| oval:com.mcafee.oval.gen:def:360120 | MS16-081 Security Update for Windows Server 2012 (KB3160352) |
| oval:com.mcafee.oval.gen:def:360121 | MS16-081 Security Update for Windows Server 2012 R2 (KB3160352) |
| oval:com.mcafee.oval.gen:def:360122 | MS16-081 Security Update for Windows Server 2008 R2 x64 Edition (KB3160352) |
| oval:com.mcafee.oval.gen:def:360126 | MS16-080 Security Update for Windows 8.1 for x64-based Systems (KB3157569) |
| oval:com.mcafee.oval.gen:def:360127 | MS16-080 Security Update for Windows Server 2012 (KB3157569) |
| oval:com.mcafee.oval.gen:def:360128 | MS16-080 Security Update for Windows 8.1 (KB3157569) |

| Oval ID | Title |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:360129 | MS16-080 Security Update for Windows Server 2012 R2 (KB3157569) |
| oval:com.mcafee.oval.gen:def:360133 | MS16-077 Security Update for Windows 8.1 for x64-based Systems (KB3161949) |
| oval:com.mcafee.oval.gen:def:360134 | MS16-077 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3161949) |
| oval:com.mcafee.oval.gen:def:360135 | MS16-077 Security Update for Windows Server 2012 R2 (KB3161949) |
| oval:com.mcafee.oval.gen:def:360136 | MS16-077 Security Update for Windows Embedded Standard 7 (KB3161949) |
| oval:com.mcafee.oval.gen:def:360137 | MS16-077 Security Update for Windows Server 2008 R2 x64 Edition (KB3161949) |
| oval:com.mcafee.oval.gen:def:360138 | MS16-077 Security Update for Windows Server 2008 x64 Edition (KB3161949) |
| oval:com.mcafee.oval.gen:def:360139 | MS16-077 Security Update for Windows 7 for x64-based Systems (KB3161949) |
| oval:com.mcafee.oval.gen:def:360140 | MS16-077 Security Update for Windows Server 2008 (KB3161949) |
| oval:com.mcafee.oval.gen:def:360141 | MS16-077 Security Update for Windows Vista for x64-based Systems (KB3161949) |
| oval:com.mcafee.oval.gen:def:360142 | MS16-077 Security Update for Windows Server 2012 (KB3161949) |
| oval:com.mcafee.oval.gen:def:360143 | MS16-077 Security Update for Windows Vista (KB3161949) |
| oval:com.mcafee.oval.gen:def:360144 | MS16-077 Security Update for Windows 7 (KB3161949) |
| oval:com.mcafee.oval.gen:def:360145 | MS16-077 Security Update for Windows 8.1 (KB3161949) |
| oval:com.mcafee.oval.gen:def:360149 | MS16-076 Security Update for Windows Server 2012 R2 (KB3162343) |
| oval:com.mcafee.oval.gen:def:360153 | MS16-075 Security Update for Windows Server 2008 x64 Edition (KB3161561) |
| oval:com.mcafee.oval.gen:def:360154 | MS16-075 Security Update for Windows Server 2012 (KB3161561) |
| oval:com.mcafee.oval.gen:def:360155 | MS16-075 Security Update for Windows Server 2012 R2 (KB3161561) |
| oval:com.mcafee.oval.gen:def:360156 | MS16-075 Security Update for Windows 8.1 for x64-based Systems (KB3161561) |
| oval:com.mcafee.oval.gen:def:360157 | MS16-075 Security Update for Windows Server 2008 R2 x64 Edition (KB3161561) |
| oval:com.mcafee.oval.gen:def:360158 | MS16-075 Security Update for Windows Vista (KB3161561) |
| oval:com.mcafee.oval.gen:def:360159 | MS16-075 Security Update for Windows 7 for x64-based Systems (KB3161561) |
| oval:com.mcafee.oval.gen:def:360160 | MS16-075 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3161561) |
| oval:com.mcafee.oval.gen:def:360161 | MS16-075 Security Update for Windows Vista for x64-based Systems (KB3161561) |
| oval:com.mcafee.oval.gen:def:360162 | MS16-075 Security Update for Windows Embedded Standard 7 (KB3161561) |
| oval:com.mcafee.oval.gen:def:360163 | MS16-075 Security Update for Windows 8.1 (KB3161561) |
| oval:com.mcafee.oval.gen:def:360164 | MS16-075 Security Update for Windows 7 (KB3161561) |
| oval:com.mcafee.oval.gen:def:360165 | MS16-075 Security Update for Windows Server 2008 (KB3161561) |
| oval:com.mcafee.oval.gen:def:360169 | MS16-074 Security Update for Windows Vista for x64-based Systems (KB3164035) |
| oval:com.mcafee.oval.gen:def:360170 | MS16-074 Security Update for Windows Server 2012 R2 (KB3164035) |
| oval:com.mcafee.oval.gen:def:360171 | MS16-074 Security Update for Windows Server 2008 R2 x64 Edition (KB3164035) |

| Oval ID | Title |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:360172 | MS16-074 Security Update for Windows 8.1 (KB3164035) |
| oval:com.mcafee.oval.gen:def:360173 | MS16-074 Security Update for Windows 7 for x64-based Systems (KB3164035) |
| oval:com.mcafee.oval.gen:def:360174 | MS16-074 Security Update for Windows Server 2012 (KB3164035) |
| oval:com.mcafee.oval.gen:def:360175 | MS16-074 Security Update for Windows 7 (KB3164035) |
| oval:com.mcafee.oval.gen:def:360176 | MS16-074 Security Update for Windows Vista (KB3164035) |
| oval:com.mcafee.oval.gen:def:360177 | MS16-074 Security Update for Windows Server 2008 x64 Edition (KB3164035) |
| oval:com.mcafee.oval.gen:def:360178 | MS16-074 Security Update for Windows 8.1 for x64-based Systems (KB3164035) |
| oval:com.mcafee.oval.gen:def:360179 | MS16-074 Security Update for Windows Server 2008 (KB3164035) |
| oval:com.mcafee.oval.gen:def:360180 | MS16-074 Security Update for Windows Embedded Standard 7 (KB3164035) |
| oval:com.mcafee.oval.gen:def:360181 | MS16-074 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3164035) |
| oval:com.mcafee.oval.gen:def:360185 | MS16-074 Security Update for Windows 7 for x64-based Systems (KB3164033) |
| oval:com.mcafee.oval.gen:def:360186 | MS16-074 Security Update for Windows Embedded Standard 7 (KB3164033) |
| oval:com.mcafee.oval.gen:def:360187 | MS16-074 Security Update for Windows Server 2012 (KB3164033) |
| oval:com.mcafee.oval.gen:def:360188 | MS16-074 Security Update for Windows 7 (KB3164033) |
| oval:com.mcafee.oval.gen:def:360189 | MS16-074 Security Update for Windows Server 2008 (KB3164033) |
| oval:com.mcafee.oval.gen:def:360190 | MS16-074 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3164033) |
| oval:com.mcafee.oval.gen:def:360191 | MS16-074 Security Update for Windows Vista (KB3164033) |
| oval:com.mcafee.oval.gen:def:360192 | MS16-074 Security Update for Windows Vista for x64-based Systems (KB3164033) |
| oval:com.mcafee.oval.gen:def:360193 | MS16-074 Security Update for Windows Server 2012 R2 (KB3164033) |
| oval:com.mcafee.oval.gen:def:360194 | MS16-074 Security Update for Windows Server 2008 x64 Edition (KB3164033) |
| oval:com.mcafee.oval.gen:def:360195 | MS16-074 Security Update for Windows 8.1 for x64-based Systems (KB3164033) |
| oval:com.mcafee.oval.gen:def:360196 | MS16-074 Security Update for Windows Server 2008 R2 x64 Edition (KB3164033) |
| oval:com.mcafee.oval.gen:def:360197 | MS16-074 Security Update for Windows 8.1 (KB3164033) |
| oval:com.mcafee.oval.gen:def:360201 | MS16-073 Security Update for Windows Server 2012 R2 (KB3164294) |
| oval:com.mcafee.oval.gen:def:360202 | MS16-073 Security Update for Windows Server 2012 (KB3164294) |
| oval:com.mcafee.oval.gen:def:360206 | MS16-073 Security Update for Windows Server 2012 R2 (KB3161664) |
| oval:com.mcafee.oval.gen:def:360207 | MS16-073 Security Update for Windows 7 (KB3161664) |
| oval:com.mcafee.oval.gen:def:360208 | MS16-073 Security Update for Windows Vista (KB3161664) |
| oval:com.mcafee.oval.gen:def:360209 | MS16-073 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3161664) |
| oval:com.mcafee.oval.gen:def:360210 | MS16-073 Security Update for Windows Server 2012 (KB3161664) |
| oval:com.mcafee.oval.gen:def:360211 | MS16-073 Security Update for Windows Embedded Standard 7 (KB3161664) |
| oval:com.mcafee.oval.gen:def:360212 | MS16-073 Security Update for Windows Server 2008 x64 Edition (KB3161664) |

| Oval ID | Title |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:360213 | MS16-073 Security Update for Windows Server 2008 R2 x64 Edition (KB3161664) |
| oval:com.mcafee.oval.gen:def:360214 | MS16-073 Security Update for Windows Vista for x64-based Systems (KB3161664) |
| oval:com.mcafee.oval.gen:def:360215 | MS16-073 Security Update for Windows 8.1 for x64-based Systems (KB3161664) |
| oval:com.mcafee.oval.gen:def:360216 | MS16-073 Security Update for Windows 8.1 (KB3161664) |
| oval:com.mcafee.oval.gen:def:360217 | MS16-073 Security Update for Windows Server 2008 (KB3161664) |
| oval:com.mcafee.oval.gen:def:360218 | MS16-073 Security Update for Windows 7 for x64-based Systems (KB3161664) |
| oval:com.mcafee.oval.gen:def:360222 | MS16-072 Security Update for Windows 7 for x64-based Systems (KB3159398) |
| oval:com.mcafee.oval.gen:def:360223 | MS16-072 Security Update for Windows Server 2012 R2 (KB3159398) |
| oval:com.mcafee.oval.gen:def:360224 | MS16-072 Security Update for Windows Embedded Standard 7 for x64-based Systems (KB3159398) |
| oval:com.mcafee.oval.gen:def:360225 | MS16-072 Security Update for Windows Server 2008 x64 Edition (KB3159398) |
| oval:com.mcafee.oval.gen:def:360226 | MS16-072 Security Update for Windows 7 (KB3159398) |
| oval:com.mcafee.oval.gen:def:360227 | MS16-072 Security Update for Windows Server 2012 (KB3159398) |
| oval:com.mcafee.oval.gen:def:360228 | MS16-072 Security Update for Windows Vista (KB3159398) |
| oval:com.mcafee.oval.gen:def:360229 | MS16-072 Security Update for Windows 8.1 for x64-based Systems (KB3159398) |
| oval:com.mcafee.oval.gen:def:360230 | MS16-072 Security Update for Windows Server 2008 (KB3159398) |
| oval:com.mcafee.oval.gen:def:360231 | MS16-072 Security Update for Windows 8.1 (KB3159398) |
| oval:com.mcafee.oval.gen:def:360232 | MS16-072 Security Update for Windows Server 2008 R2 x64 Edition (KB3159398) |
| oval:com.mcafee.oval.gen:def:360233 | MS16-072 Security Update for Windows Embedded Standard 7 (KB3159398) |
| oval:com.mcafee.oval.gen:def:360234 | MS16-072 Security Update for Windows Vista for x64-based Systems (KB3159398) |
| oval:com.mcafee.oval.gen:def:360238 | MS16-071 Security Update for Windows Server 2012 R2 (KB3161951) |
| oval:com.mcafee.oval.gen:def:360239 | MS16-071 Security Update for Windows Server 2012 (KB3161951) |
| oval:com.mcafee.oval.gen:def:360243 | MS16-069 Security Update for Windows Vista for x64-based Systems (KB3158364) |
| oval:com.mcafee.oval.gen:def:360244 | MS16-069 Security Update for Windows Server 2008 x64 Edition (KB3158364) |
| oval:com.mcafee.oval.gen:def:360245 | MS16-069 Security Update for Windows Server 2008 (KB3158364) |
| oval:com.mcafee.oval.gen:def:360246 | MS16-069 Security Update for Windows Vista (KB3158364) |
| oval:com.mcafee.oval.gen:def:360250 | MS16-063 Cumulative Security Update for Internet Explorer 11 for Windows 7 (KB3160005) |
| oval:com.mcafee.oval.gen:def:360251 | MS16-063 Cumulative Security Update for Internet Explorer 11 for Windows 8.1 for x64-based Systems (KB3160005) |
| oval:com.mcafee.oval.gen:def:360252 | MS16-063 Cumulative Security Update for Internet Explorer 11 for Windows 8.1 (KB3160005) |
| oval:com.mcafee.oval.gen:def:360253 | MS16-063 Cumulative Security Update for Internet Explorer 11 for Windows Embedded Standard 7 (KB3160005) |

| Oval ID | Title |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:360254 | MS16-063 Cumulative Security Update for Internet Explorer 9 for Windows Vista for x64-based Systems (KB3160005) |
| oval:com.mcafee.oval.gen:def:360255 | MS16-063 Cumulative Security Update for Internet Explorer 11 for Windows Embedded Standard 7 for x64-based Systems (KB3160005) |
| oval:com.mcafee.oval.gen:def:360256 | MS16-063 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 (KB3160005) |
| oval:com.mcafee.oval.gen:def:360257 | MS16-063 Cumulative Security Update for Internet Explorer 9 for Windows Vista (KB3160005) |
| oval:com.mcafee.oval.gen:def:360258 | MS16-063 Cumulative Security Update for Internet Explorer 11 for Windows Server 2008 R2 for x64-based Systems (KB3160005) |
| oval:com.mcafee.oval.gen:def:360259 | MS16-063 Cumulative Security Update for Internet Explorer 11 for Windows Server 2012 R2 (KB3160005) |
| oval:com.mcafee.oval.gen:def:360260 | MS16-063 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 x64 Edition (KB3160005) |
| oval:com.mcafee.oval.gen:def:360261 | MS16-063 Cumulative Security Update for Internet Explorer 11 for Windows 7 for x64-based Systems (KB3160005) |
| oval:com.mcafee.oval.gen:def:360262 | MS16-063 Cumulative Security Update for Internet Explorer 10 for Windows Server 2012 (KB3160005) |
| oval:com.mcafee.oval.gen:def:360266 | MS16-063 Cumulative Update for Windows 10 (KB3163017) |
| oval:com.mcafee.oval.gen:def:360267 | MS16-063 Cumulative Update for Windows 10 for x64-based Systems (KB3163017) |
| oval:com.mcafee.oval.gen:def:360271 | MS16-063 Cumulative Update for Windows 10 Version 1511 (KB3163018) |
| oval:com.mcafee.oval.gen:def:360272 | MS16-063 Cumulative Update for Windows 10 Version 1511 for x64-based Systems (KB3163018) |
| oval:com.mcafee.oval:def:2485862 | Apple iTunes Security Update 12.4 for Windows |
| oval:com.mcafee.oval:def:2485868 | Apple Safari Security Update 9.1.1 for Mac OS X |
| oval:com.mcafee.oval:def:2485869 | Mozilla Firefox Security Update 46.0 for Windows is installed or not |
| oval:com.mcafee.oval:def:2485870 | Mozilla Firefox Security Update 46.0 for Mac OS |
| oval:com.mcafee.oval:def:2485875 | Mozilla Firefox Security Update 45.1 for Windows is installed or not |
| oval:com.mcafee.oval:def:2485876 | Mozilla Firefox ESR Security Update 45.1 for Mac OS |
| oval:com.mcafee.oval:def:2485881 | Mozilla Firefox ESR Security Update 38.8 for Mac OS |
| oval:com.mcafee.oval:def:2485883 | Mozilla Firefox Security Update 38.8 for Windows is installed or not |
| oval:com.mcafee.oval:def:2485888 | Mozilla Thunderbird Security Update 38.8 for Mac OS |
| oval:com.mcafee.oval:def:2485889 | Mozilla Thunderbird Security Update 38.8 for Windows is installed or not |
| oval:com.mcafee.oval:def:2485892 | Mozilla Thunderbird Security Update 45.1 for Mac OS |
| oval:com.mcafee.oval:def:2485893 | Mozilla Thunderbird Security Update 45.1 for Windows is installed or not |
| oval:com.mcafee.oval:def:2485897 | Google Chrome Security Update 50.0.2661.94 for Windows |
| oval:com.mcafee.oval:def:2485898 | Google Chrome Security Update 50.0.2661.102 for Windows |
| oval:com.mcafee.oval:def:2485899 | Google Chrome Security Update 51.0.2704.63 for Windows |

| Oval ID | Title |
|---|---|
| oval:com.mcafee.oval:def:2485935 | MS16-070 - Security Update for Microsoft Office Excel 2010 SP2 (KB3115130) |
| oval:com.mcafee.oval:def:2485939 | MS16-070 - Security Update for Microsoft Office Visio 2010 Service Pack 2 (KB3114872) |
| oval:com.mcafee.oval:def:2485941 | MS16-070 - Security Update for Microsoft Office Word 2010 SP2 (KB3115243) |
| oval:com.mcafee.oval:def:2485943 | MS16-070 - Security Update for Microsoft Office Sharepoint Server 2010 SP2 Word Automation Services (KB3115196) |
| oval:com.mcafee.oval:def:2485945 | MS16-070 - Security Update for Microsoft Office Web Apps 2010 SP2 (KB3115244) |
| oval:com.mcafee.oval:def:2485947 | MS16-070 - Security Update for Microsoft Office Visio 2013 SP1 (KB3115020) |
| oval:com.mcafee.oval:def:2485950 | MS16-070 - Security Update for Microsoft Office Word 2013 SP1 (KB3115173) |
| oval:com.mcafee.oval:def:2485952 | MS16-070 - Security Update for Microsoft Office Sharepoint Server 2013 SP1 Word Automation Services (KB3115014) |
| oval:com.mcafee.oval:def:2485954 | MS16-070 - Security Update for Microsoft Office Web Apps Server 2013 SP1 (KB3115170) |
| oval:com.mcafee.oval:def:2485956 | MS16-070 - Security Update for Microsoft Office Word 2016 (KB3115182) |
| oval:com.mcafee.oval:def:2485961 | MS16-070 - Security Update for Microsoft Office 2016 (KB3115144) |
| oval:com.mcafee.oval:def:2485964 | MS16-070 - Security Update for Microsoft Office Visio 2016 (KB3115041) |
| oval:com.mcafee.oval:def:2485966 | MS16-070 - Security Update for Microsoft Office OneNote 2016 (KB3114862) |
| oval:com.mcafee.oval:def:2485968 | MS16-070 -Security Update for Microsoft Office Excel 2007 Service Pack 3 (KB3115107) |
| oval:com.mcafee.oval:def:2485971 | MS16-070 - Security Update for Microsoft Office Visio 2007 Service Pack 3 (KB3114740) |
| oval:com.mcafee.oval:def:2485973 | MS16-070 - Security Update for Microsoft Office Word 2007 SP3 (KB3115195) |
| oval:com.mcafee.oval:def:2485975 | MS16-070 - Security Update for Microsoft Office Compatibility Pack SP3 (KB3115111) |
| oval:com.mcafee.oval:def:2485978 | MS16-070 - Security Update for Microsoft Office Compatibility Pack SP3 (KB3115194) |
| oval:com.mcafee.oval:def:2485981 | MS16-070 - Security Update for Microsoft Office Word Viewer 2003 (KB3115187) |
| oval:com.mcafee.oval:def:2485985 | MS16-070 - Security Update for Microsoft Visio Viewer 2007 SP3 (KB2596915) |
| oval:com.mcafee.oval:def:2485995 | MS16-070 - Security Update for Microsoft Visio Viewer 2010 SP2 (KB2999465) |
| oval:com.mcafee.oval:def:2486002 | MS16-070 - Security Update for Microsoft Office Online Server (KB3115134) |
| oval:com.mcafee.oval:def:2894270 | Red Hat Enterprise Linux 6 |
| oval:mil.disa.fso.redhat.rhel6:def:1 | The x86 Ctrl-Alt-Delete key sequence must be disabled. |
| oval:mil.disa.fso.redhat.rhel6:def:1003 | Set SHA512 Password Hashing Algorithm in /etc/libuser.conf |
| oval:mil.disa.fso.redhat.rhel6:def:1005 | Package openswan Installed |
| oval:mil.disa.fso.redhat.rhel6:def:1012 | Verify user who owns 'gshadow' file |
| oval:mil.disa.fso.redhat.rhel6:def:1019 | Kernel Runtime Parameter "net.ipv6.conf.default.accept_redirects" Check |
| oval:mil.disa.fso.redhat.rhel6:def:1030 | Verify permissions on 'group' file |

| Oval ID | Title |
|---|---|
| oval:mil.disa.fso.redhat.rhel6:def:1032 | Set Password lcredit Requirements |
| oval:mil.disa.fso.redhat.rhel6:def:1042 | Ensure /var/log/audit Located On Separate Partition |
| oval:mil.disa.fso.redhat.rhel6:def:1049 | TFTP Daemon Uses Secure Mode |
| oval:mil.disa.fso.redhat.rhel6:def:1059 | Auditd Maximum Number of Logs to Retain |
| oval:mil.disa.fso.redhat.rhel6:def:1061 | Record Attempts to Alter Time Through the Localtime File |
| oval:mil.disa.fso.redhat.rhel6:def:1078 | Set Boot Loader Password |
| oval:mil.disa.fso.redhat.rhel6:def:1080 | Service rdisc Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:1088 | Set SHA512 Password Hashing Algorithm in /etc/login.defs |
| oval:mil.disa.fso.redhat.rhel6:def:1105 | Disable sctp Kernel Module |
| oval:mil.disa.fso.redhat.rhel6:def:1109 | Kernel Runtime Parameter "net.ipv4.conf.all.send_redirects" Check |
| oval:mil.disa.fso.redhat.rhel6:def:112 | Set Maximum Number of Concurrent Login Sessions Per User |
| oval:mil.disa.fso.redhat.rhel6:def:1141 | Set Password ucredit Requirements |
| oval:mil.disa.fso.redhat.rhel6:def:1143 | Verify /var/log/audit Permissions |
| oval:mil.disa.fso.redhat.rhel6:def:1147 | Audit File Deletion Events |
| oval:mil.disa.fso.redhat.rhel6:def:115 | Service sshd Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:1153 | Kernel Runtime Parameter "net.ipv4.conf.default.accept_redirects" Check |
| oval:mil.disa.fso.redhat.rhel6:def:1155 | Kernel Runtime Parameter "net.ipv4.conf.all.accept_source_route" Check |
| oval:mil.disa.fso.redhat.rhel6:def:1165 | Set Daemon umask |
| oval:mil.disa.fso.redhat.rhel6:def:1167 | Disable tipc Kernel Module |
| oval:mil.disa.fso.redhat.rhel6:def:1170 | Audit Discretionary Access Control Modification Events - removexattr |
| oval:mil.disa.fso.redhat.rhel6:def:1175 | Package xorg-x11-server-common Removed |
| oval:mil.disa.fso.redhat.rhel6:def:1177 | Verify user who owns 'group' file |
| oval:mil.disa.fso.redhat.rhel6:def:1179 | Service rlogin Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:1181 | Verify /etc/passwd Permissions |
| oval:mil.disa.fso.redhat.rhel6:def:1183 | Ensure /tmp Located On Separate Partition |
| oval:mil.disa.fso.redhat.rhel6:def:119 | Package cronie Installed |
| oval:mil.disa.fso.redhat.rhel6:def:121 | Postfix network listening should be disabled |
| oval:mil.disa.fso.redhat.rhel6:def:125 | Record Attempts to Alter Time Through Clock_settime |
| oval:mil.disa.fso.redhat.rhel6:def:126 | Test for x86 Architecture |
| oval:mil.disa.fso.redhat.rhel6:def:128 | Test for x86_64 Architecture |
| oval:mil.disa.fso.redhat.rhel6:def:130 | Package ntpdate Removed |
| oval:mil.disa.fso.redhat.rhel6:def:132 | Service ntpdate Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:140 | Package openssh-server Removed |
| oval:mil.disa.fso.redhat.rhel6:def:142 | Service xinetd Disabled |

| Oval ID | Title |
|---|--|
| oval:mil.disa.fso.redhat.rhel6:def:143 | Package xinetd Removed |
| oval:mil.disa.fso.redhat.rhel6:def:153 | Package screen Installed |
| oval:mil.disa.fso.redhat.rhel6:def:157 | Implement idle activation of screen saver |
| oval:mil.disa.fso.redhat.rhel6:def:159 | Enable Auditing for Processes Which Start Prior to the Audit Daemon |
| oval:mil.disa.fso.redhat.rhel6:def:161 | Ensure /var Located On Separate Partition |
| oval:mil.disa.fso.redhat.rhel6:def:165 | Service postfix Enabled |
| oval:mil.disa.fso.redhat.rhel6:def:166 | Package postfix Installed |
| oval:mil.disa.fso.redhat.rhel6:def:174 | Service ntpd Enabled |
| oval:mil.disa.fso.redhat.rhel6:def:175 | Package ntp Installed |
| oval:mil.disa.fso.redhat.rhel6:def:183 | Service qpid Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:184 | Package qpid-cpp-server Removed |
| oval:mil.disa.fso.redhat.rhel6:def:197 | Disable IPv6 Kernel Module Functionality via Disable Option |
| oval:mil.disa.fso.redhat.rhel6:def:205 | Audit Discretionary Access Control Modification Events - Ichown |
| oval:mil.disa.fso.redhat.rhel6:def:208 | Disable DHCP Client |
| oval:mil.disa.fso.redhat.rhel6:def:210 | Ensure Only Protocol 2 Connections Allowed |
| oval:mil.disa.fso.redhat.rhel6:def:220 | Service rsh Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:221 | Package rsh-server Removed |
| oval:mil.disa.fso.redhat.rhel6:def:223 | Package oddjob Removed |
| oval:mil.disa.fso.redhat.rhel6:def:238 | Kernel Runtime Parameter "net.ipv4.ip_forward" Check |
| oval:mil.disa.fso.redhat.rhel6:def:240 | Ensure that Users Have Sensible Umask Values set for bash |
| oval:mil.disa.fso.redhat.rhel6:def:244 | Disable rds Kernel Module |
| oval:mil.disa.fso.redhat.rhel6:def:257 | Change the default policy to DROP (from ACCEPT) for the INPUT built-in chain |
| oval:mil.disa.fso.redhat.rhel6:def:268 | Audit Information Export To Media |
| oval:mil.disa.fso.redhat.rhel6:def:272 | Kernel Runtime Parameter "net.ipv4.icmp_echo_ignore_broadcasts" Check |
| oval:mil.disa.fso.redhat.rhel6:def:274 | Package sendmail Removed |
| oval:mil.disa.fso.redhat.rhel6:def:276 | Audit Discretionary Access Control Modification Events - chown |
| oval:mil.disa.fso.redhat.rhel6:def:283 | Service abrt Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:284 | Package abrt Removed |
| oval:mil.disa.fso.redhat.rhel6:def:292 | Audit User/Group Information |
| oval:mil.disa.fso.redhat.rhel6:def:2992 | Lock out account after failed login attempts |
| oval:mil.disa.fso.redhat.rhel6:def:2996 | No nullok Option in /etc/pam.d/system-auth |
| oval:mil.disa.fso.redhat.rhel6:def:3000 | Require Authentication for Single-User Mode |
| oval:mil.disa.fso.redhat.rhel6:def:301 | No Legacy .rhosts Or hosts.equiv Files |
| oval:mil.disa.fso.redhat.rhel6:def:3014 | Set ClientAliveCountMax for User Logins |

| Oval ID | Title |
|---|--|
| oval:mil.disa.fso.redhat.rhel6:def:3020 | Disable Host-Based Authentication |
| oval:mil.disa.fso.redhat.rhel6:def:3032 | SELinux Enforcing |
| oval:mil.disa.fso.redhat.rhel6:def:3037 | Set OpenSSH Idle Timeout Interval |
| oval:mil.disa.fso.redhat.rhel6:def:3042 | Ensure gpgcheck Enabled For All Yum Package Repositories |
| oval:mil.disa.fso.redhat.rhel6:def:305 | Audit Discretionary Access Control Modification Events - setxattr |
| oval:mil.disa.fso.redhat.rhel6:def:3052 | Disable .rhosts Files |
| oval:mil.disa.fso.redhat.rhel6:def:3054 | Set Accounts to Expire Following Password Expiration |
| oval:mil.disa.fso.redhat.rhel6:def:3072 | Disable Core Dumps |
| oval:mil.disa.fso.redhat.rhel6:def:3074 | Disable root Login via SSH |
| oval:mil.disa.fso.redhat.rhel6:def:308 | All Password Hashes Shadowed |
| oval:mil.disa.fso.redhat.rhel6:def:3080 | Verify group who owns 'shadow' file |
| oval:mil.disa.fso.redhat.rhel6:def:3082 | Enable a Warning Banner |
| oval:mil.disa.fso.redhat.rhel6:def:310 | Record Attempts to Alter Time Through Settimeofday |
| oval:mil.disa.fso.redhat.rhel6:def:3103 | Do Not Allow Users to Set Environment Options |
| oval:mil.disa.fso.redhat.rhel6:def:3105 | Disable Interactive Boot |
| oval:mil.disa.fso.redhat.rhel6:def:3109 | Disable Empty Passwords |
| oval:mil.disa.fso.redhat.rhel6:def:3115 | Verify user who owns 'shadow' file |
| oval:mil.disa.fso.redhat.rhel6:def:3126 | Lock out account after failed login attempts |
| oval:mil.disa.fso.redhat.rhel6:def:322 | Audit Discretionary Access Control Modification Events - lremovexattr |
| oval:mil.disa.fso.redhat.rhel6:def:325 | Verify group who owns 'group' file |
| oval:mil.disa.fso.redhat.rhel6:def:327 | Service atd Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:328 | Package at Removed |
| oval:mil.disa.fso.redhat.rhel6:def:3446 | Enable SELinux in /boot/grub/grub.conf |
| oval:mil.disa.fso.redhat.rhel6:def:3447 | Package GConf2 Installed |
| oval:mil.disa.fso.redhat.rhel6:def:3565 | Package gdm Installed |
| oval:mil.disa.fso.redhat.rhel6:def:380 | Service oddjobd Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:3883 | Enable GUI Warning Banner |
| oval:mil.disa.fso.redhat.rhel6:def:396 | Ensure that Users Have Sensible Umask Values in /etc/login.defs |
| oval:mil.disa.fso.redhat.rhel6:def:4001 | The NFS server must not have the insecure file locking option enabled. |
| oval:mil.disa.fso.redhat.rhel6:def:418 | Service bluetooth Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:434 | Audit Discretionary Access Control Modification Events - lsetxattr |
| oval:mil.disa.fso.redhat.rhel6:def:445 | Set Password Expiration Parameters |
| oval:mil.disa.fso.redhat.rhel6:def:450 | Audit Discretionary Access Control Modification Events - fchown |
| oval:mil.disa.fso.redhat.rhel6:def:453 | Set Password dcredit Requirements |

| Oval ID | Title |
|--|--|
| oval:mil.disa.fso.redhat.rhel6:def:461 | Audit Kernel Module Loading and Unloading |
| oval:mil.disa.fso.redhat.rhel6:def:468 | Package ypserv Removed |
| oval:mil.disa.fso.redhat.rhel6:def:470 | Disable telnet Service |
| oval:mil.disa.fso.redhat.rhel6:def:472 | Kernel Runtime Parameter "net.ipv4.conf.default.secure_redirects" Check |
| oval:mil.disa.fso.redhat.rhel6:def:474 | Set Password ocredit Requirements |
| oval:mil.disa.fso.redhat.rhel6:def:477 | Implement blank screen saver |
| oval:mil.disa.fso.redhat.rhel6:def:488 | Set Password Hashing Algorithm in /etc/pam.d/system-auth |
| oval:mil.disa.fso.redhat.rhel6:def:490 | Kernel Runtime Parameter "net.ipv4.conf.all.secure_redirects" Check |
| oval:mil.disa.fso.redhat.rhel6:def:494 | Audit Discretionary Access Control Modification Events - fchmod |
| oval:mil.disa.fso.redhat.rhel6:def:497 | Ensure /var/log Located On Separate Partition |
| oval:mil.disa.fso.redhat.rhel6:def:508 | File /boot/grub/grub.conf Permissions |
| oval:mil.disa.fso.redhat.rhel6:def:510 | Restrict Serial Port Root Logins |
| oval:mil.disa.fso.redhat.rhel6:def:523 | Set Password difok Requirements |
| oval:mil.disa.fso.redhat.rhel6:def:525 | Set Password Expiration Parameters |
| oval:mil.disa.fso.redhat.rhel6:def:527 | Kernel Runtime Parameter "net.ipv4.tcp_syncookies" Check |
| oval:mil.disa.fso.redhat.rhel6:def:540 | Kernel Runtime Parameter "net.ipv4.conf.default.rp_filter" Check |
| oval:mil.disa.fso.redhat.rhel6:def:542 | Record Attempts to Alter Time Through Adjtimex |
| oval:mil.disa.fso.redhat.rhel6:def:548 | Auditd Email Account to Notify Upon Action |
| oval:mil.disa.fso.redhat.rhel6:def:554 | Verify user who owns 'passwd' file |
| oval:mil.disa.fso.redhat.rhel6:def:556 | Kernel Runtime Parameter "net.ipv4.conf.all.accept_redirects" Check |
| oval:mil.disa.fso.redhat.rhel6:def:558 | Ensure that Users Have Sensible Umask Values in /etc/profile |
| oval:mil.disa.fso.redhat.rhel6:def:598 | Configure GUI Screen Locking |
| oval:mil.disa.fso.redhat.rhel6:def:604 | Package telnet-server Removed |
| oval:mil.disa.fso.redhat.rhel6:def:606 | Kernel Runtime Parameter "net.ipv4.conf.default.send_redirects" Check |
| oval:mil.disa.fso.redhat.rhel6:def:617 | Set Password Expiration Parameters |
| oval:mil.disa.fso.redhat.rhel6:def:619 | Record Events that Modify the System's Mandatory Access Controls |
| oval:mil.disa.fso.redhat.rhel6:def:621 | Service autofs Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:629 | Enable SELinux |
| oval:mil.disa.fso.redhat.rhel6:def:631 | Service ypbind Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:632 | Package ypbind Removed |
| oval:mil.disa.fso.redhat.rhel6:def:644 | Restrict Virtual Console Root Logins |
| oval:mil.disa.fso.redhat.rhel6:def:649 | Kernel Runtime Parameter "net.ipv4.conf.default.accept_source_route" Check |
| oval:mil.disa.fso.redhat.rhel6:def:651 | Set Password Expiration Parameters |
| oval:mil.disa.fso.redhat.rhel6:def:661 | Package tftp-server Removed |

| Oval ID | Title |
|--|---|
| oval:mil.disa.fso.redhat.rhel6:def:663 | Ensure that Users Have Sensible Umask Values set for csh |
| oval:mil.disa.fso.redhat.rhel6:def:665 | Specify a Remote NTP Server for Time Data |
| oval:mil.disa.fso.redhat.rhel6:def:667 | Auditd Action to Take When Disk is Low on Space |
| oval:mil.disa.fso.redhat.rhel6:def:669 | Implement idle activation of screen lock |
| oval:mil.disa.fso.redhat.rhel6:def:671 | Package samba-common Removed |
| oval:mil.disa.fso.redhat.rhel6:def:688 | Disable X Windows Startup By Setting Runlevel |
| oval:mil.disa.fso.redhat.rhel6:def:702 | Kernel Runtime Parameter "net.ipv4.conf.all.log_martians" Check |
| oval:mil.disa.fso.redhat.rhel6:def:714 | Audit Discretionary Access Control Modification Events - fremovexattr |
| oval:mil.disa.fso.redhat.rhel6:def:717 | Package iputils Removed |
| oval:mil.disa.fso.redhat.rhel6:def:719 | Lock out account after failed login attempts |
| oval:mil.disa.fso.redhat.rhel6:def:727 | Verify /etc/gshadow Permissions |
| oval:mil.disa.fso.redhat.rhel6:def:739 | Verify group who owns 'gshadow' file |
| oval:mil.disa.fso.redhat.rhel6:def:746 | Disable dccp Kernel Module |
| oval:mil.disa.fso.redhat.rhel6:def:748 | Audit Discretionary Access Control Modification Events - fchownat |
| oval:mil.disa.fso.redhat.rhel6:def:751 | Audit Discretionary Access Control Modification Events - fsetxattr |
| oval:mil.disa.fso.redhat.rhel6:def:754 | Service avahi-daemon Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:763 | Require Client SMB Packet Signing in smb.conf |
| oval:mil.disa.fso.redhat.rhel6:def:773 | Verify /var/log/audit Ownership |
| oval:mil.disa.fso.redhat.rhel6:def:781 | Verify /etc/shadow Permissions |
| oval:mil.disa.fso.redhat.rhel6:def:818 | Service crond Enabled |
| oval:mil.disa.fso.redhat.rhel6:def:826 | Service rexec Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:828 | Service iptables Enabled |
| oval:mil.disa.fso.redhat.rhel6:def:829 | Package iptables Installed |
| oval:mil.disa.fso.redhat.rhel6:def:845 | Record Attempts to Alter Time Through Stime |
| oval:mil.disa.fso.redhat.rhel6:def:852 | Package openldap-servers Removed |
| oval:mil.disa.fso.redhat.rhel6:def:854 | Audit Discretionary Access Control Modification Events - chmod |
| oval:mil.disa.fso.redhat.rhel6:def:857 | Kernel Runtime Parameter "net.ipv4.icmp_ignore_bogus_error_responses" Check |
| oval:mil.disa.fso.redhat.rhel6:def:863 | Audit System Administrator Actions |
| oval:mil.disa.fso.redhat.rhel6:def:865 | Auditd Action to Take When Disk Starting to Run Low on Space |
| oval:mil.disa.fso.redhat.rhel6:def:867 | Set Last Logon/Access Notification |
| oval:mil.disa.fso.redhat.rhel6:def:869 | File grub.conf Owned By root Group |
| oval:mil.disa.fso.redhat.rhel6:def:874 | Send Logs to a Remote Loghost |
| oval:mil.disa.fso.redhat.rhel6:def:879 | Kernel Runtime Parameter "net.ipv4.conf.all.rp_filter" Check |
| oval:mil.disa.fso.redhat.rhel6:def:904 | Audit Discretionary Access Control Modification Events - fchmodat |

| Oval ID | Title |
|--|---|
| oval:mil.disa.fso.redhat.rhel6:def:907 | File grub.conf Owned By root User |
| oval:mil.disa.fso.redhat.rhel6:def:924 | Auditd Maximum Log File Size |
| oval:mil.disa.fso.redhat.rhel6:def:926 | UID 0 Belongs Only To Root |
| oval:mil.disa.fso.redhat.rhel6:def:937 | Ensure Yum gpgcheck Globally Activated |
| oval:mil.disa.fso.redhat.rhel6:def:939 | Ensure /home Located On Separate Partition |
| oval:mil.disa.fso.redhat.rhel6:def:941 | Service netconsole Disabled |
| oval:mil.disa.fso.redhat.rhel6:def:960 | Disable usb-storage Kernel Module |
| oval:mil.disa.fso.redhat.rhel6:def:964 | All rsyslog-generated log files must be owned by root |
| oval:mil.disa.fso.redhat.rhel6:def:969 | Verify group who owns 'passwd' file |
| oval:mil.disa.fso.redhat.rhel6:def:971 | Package aide Installed |

Updated Checks

| Oval ID | Title |
|---|--|
| oval:com.mcafee.oval:def:218066 | The operating system installed on the system is Red Hat Enterprise Linux 6 Workstation |
| oval:com.mcafee.oval:def:218067 | The operating system installed on the system is Red Hat Enterprise Linux 6 Server |
| oval:com.mcafee.oval:def:243250 | Test the configuration status of Mail Transfer Agent (MTA) for local-only mode |
| oval:com.mcafee.oval:def:1415066 | MS15-081 - Security Update for Microsoft Office 2010 SP2 (KB2553313) |
| oval:com.mcafee.oval:def:1414879 | APSB15-32 Vulnerability Security Update 20.0.0.228 for Adobe Flash Player for Mac |
| oval:com.mcafee.oval.common:def:1414880 | APSB15-32 Vulnerability Security Update 20.0.0.228 for Adobe Flash Player |
| oval:com.mcafee.oval.common:def:1414882 | APSB15-32 Vulnerability Security Update 18.0.0.268 for Adobe Flash Player |
| oval:com.mcafee.oval:def:1414881 | APSB15-32 Vulnerability Security Update 18.0.0.268 for Adobe Flash Player for Mac |
| oval:com.mcafee.oval.common:def:2374512 | Adobe Reader Security Update 11.0.14 for APSB16-02 Vulnerability |
| oval:com.mcafee.oval.common:def:2374510 | Adobe Acrobat Security Update 11.0.14 for APSB16-02 Vulnerability |
| oval:com.mcafee.oval:def:2374511 | Adobe Reader Security Update 11.0.14 for vulnerability APSB16-02 for Mac OS |

New Benchmarks

| Benchmark ID | Title |
|-----------------------------|--|
| WindowsCJISBenchmark | Windows CJIS Benchmark |
| WindowsNIST800-171Benchmark | Windows NIST 800-171 Benchmark |
| RHEL_6_STIG | Red Hat Enterprise Linux 6 Security Technical Implementation Guide |

Updated Benchmarks

| Benchmark ID | Title |
|-------------------------------------|---|
| WindowsServer2008-800-53 | Windows Server 2008 - NIST 800-53 Benchmark |
| MicrosoftOfficePatchPolicy_2003 | Microsoft Office Patch Policy for 2003 |
| MicrosoftOfficePatchPolicy_2007 | Microsoft Office Patch Policy for 2007 |
| MicrosoftOfficePatchPolicy_2010 | Microsoft Office Patch Policy for 2010 |
| MicrosoftOfficePatchPolicy_2013 | Microsoft Office Patch Policy for 2013 |
| MicrosoftOfficePatchPolicy_2016 | Microsoft Office Patch Policy for 2016 |
| AppleMacOSXPatchPolicy | Apple Mac OSX Patch Policy |
| MS_Windows_Bulletin_Benchmark_2016_ | MS Windows Bulletin Benchmark 2016 |

McAfee Technical Support

PrimeSupport ServicePortal:

<https://support.mcafee.com>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright © 2016 McAfee, Inc. www.intelsecurity.com

Intel and the Intel logo are trademarks/registered trademarks of Intel Corporation. McAfee and the McAfee logo are trademarks/registered trademarks of McAfee, Inc. Other names and brands may be claimed as the property of others.