

McAfee Policy Auditor Content Update Summary

Product / Version	Content Version
McAfee Policy Auditor 6.x	1219

New Checks

Oval ID	Title
oval:com.mcafee.oval.auto.def:349895	Patches for DSA-3897-1 for Debian 8
oval:com.mcafee.oval.auto.def:349903	Patches for DSA-3898-1 for Debian 8
oval:com.mcafee.oval.auto.def:349921	Patches for DSA-3899-1 for Debian 8
oval:com.mcafee.oval.auto.def:349924	Patches for DSA-3900-1 for Debian 8
oval:com.mcafee.oval.auto.def:349928	Patches for CESA-2017-1574 for CentOS 6
oval:com.mcafee.oval.auto.def:349932	Patches for CESA-2017-1574 for CentOS 7
oval:com.mcafee.oval.auto.def:349934	Patches for CESA-2017-1561 for CentOS 6
oval:com.mcafee.oval.auto.def:349936	Patches for CESA-2017-1561 for CentOS 7
oval:com.mcafee.oval.auto.def:349944	Patches for DSA-3901-1 for Debian 8
oval:com.mcafee.oval.auto.def:349970	Patches for CESA-2017-1581 for CentOS 7
oval:com.mcafee.oval.auto.def:349978	Patches for DSA-3903-1 for Debian 8
oval:com.mcafee.oval.auto.def:349984	Patches for CESA-2017-1576 for CentOS 6
oval:com.mcafee.oval.auto.def:349990	Patches for CESA-2017-1576 for CentOS 7
oval:com.mcafee.oval.auto.def:350004	Patches for CESA-2017-1615 for CentOS 7
oval:com.mcafee.oval.auto.def:350029	Patches for DSA-3904-1 for Debian 8
oval:com.mcafee.oval.auto.def:350045	Patches for DSA-3905-1 for Debian 8
oval:com.mcafee.oval.auto.def:350051	Patches for DSA-3907-1 for Debian 8
oval:com.mcafee.oval.auto.def:350067	Patches for CESA-2017-1680 for CentOS 7
oval:com.mcafee.oval.auto.def:350073	Patches for CESA-2017-1681 for CentOS 7
oval:com.mcafee.oval.auto.def:350081	Patches for CESA-2017-1679 for CentOS 6
oval:com.mcafee.oval.auto.def:350092	Patches for DSA-3908-1 for Debian 8
oval:com.mcafee.oval.auto.def:350110	Patches for DSA-3911-1 for Debian 8
oval:com.mcafee.oval.auto.def:350124	Patches for DSA-3910-1 for Debian 8
oval:com.mcafee.oval.auto.def:350149	Patches for DSA-3909-1 for Debian 8
oval:com.mcafee.oval.auto.def:350203	Patches for DSA-3912-1 for Debian 8

Oval ID	Title
oval:com.mcafee.oval.auto:def:350223	Patches for DSA-3913-1 for Debian 8
oval:com.mcafee.oval.auto:def:350247	Patches for DSA-3914-1 for Debian 8
oval:com.mcafee.oval.auto:def:350262	Patches for ELSA-2017-1615 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:350272	Patches for ELSA-2017-3587 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350282	Patches for ELSA-2017-3587 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:350292	Patches for ELSA-2017-3589 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350302	Patches for ELSA-2017-3589 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:350310	Patches for ELSA-2017-3591 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350320	Patches for ELSA-2017-3590 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350330	Patches for ELSA-2017-3590 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:350356	Patches for ELSA-2017-1581 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:350364	Patches for ELSA-2017-1679 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350370	Patches for ELSA-2017-1681 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:350374	Patches for ELSA-2017-1574 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350378	Patches for ELSA-2017-1574 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:350394	Patches for ELSA-2017-1680 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:350396	Patches for ELSA-2017-1561 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350398	Patches for ELSA-2017-1561 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:350404	Patches for ELSA-2017-1576 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350410	Patches for ELSA-2017-1576 for Oracle Linux 7
oval:com.mcafee.oval.auto:def:350422	Patches for ELSA-2017-1723 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350429	Patches for ELSA-2017-1721 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350437	Patches for ELSA-2017-3592 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350448	Patches for ELSA-2017-1759 for Oracle Linux 6
oval:com.mcafee.oval.auto:def:350460	Patches for CESA-2017-1723 for CentOS 6
oval:com.mcafee.oval.auto:def:350467	Patches for CESA-2017-1721 for CentOS 6
oval:com.mcafee.oval.common:def:2901959	Java Development Kit Security Update 8 update 141 for Windows
oval:com.mcafee.oval.common:def:2901960	Java Runtime Environment Security Update 8 update 141 for Windows
oval:com.mcafee.oval.common:def:2901961	Java Development Kit Security Update 7 update 151 for Windows
oval:com.mcafee.oval.common:def:2901962	Java Runtime Environment Security Update 7 update 151 for Windows
oval:com.mcafee.oval.common:def:2901970	Apple iTunes Security Update 12.6.2 for Windows
oval:com.mcafee.oval.gen:def:384167	Test for jakarta-taglibs-standard-javadoc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384171	Test for jakarta-taglibs-standard On SUSE Linux Enterprise Server 11 SP4

Oval ID	Title
oval:com.mcafee.oval.gen:def:384175	Test for freeradius-server-sqlite On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384179	Test for freeradius-server-ldap-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384183	Test for freeradius-server-krb5-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384187	Test for freeradius-server-utils-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384191	Test for freeradius-server-python On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384195	Test for freeradius-server-perl-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384199	Test for freeradius-server-perl On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384203	Test for freeradius-server-krb5 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384207	Test for freeradius-server-utils On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384211	Test for freeradius-server-python-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384215	Test for freeradius-server-libs On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384219	Test for freeradius-server-doc On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384223	Test for freeradius-server-postgresql On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384227	Test for freeradius-server-postgresql-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384231	Test for freeradius-server-ldap On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384235	Test for freeradius-server-sqlite-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384239	Test for freeradius-server-mysql-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384243	Test for freeradius-server-mysql On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384247	Test for freeradius-server-libs-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384251	Test for freeradius-server On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384255	Test for freeradius-server-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384259	Test for freeradius-server-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384263	Test for kernel-source On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384267	Test for kernel-macros On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384271	Test for kernel-devel On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384275	Test for kernel-default-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384279	Test for kernel-default-devel On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384283	Test for kernel-default-base-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384287	Test for kernel-default On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384291	Test for kernel-default-base On SUSE Linux Enterprise Server 12 SP2

Oval ID	Title
oval:com.mcafee.oval.gen:def:384295	Test for kernel-default-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384299	Test for kernel-syms On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384303	Test for php53-pear On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384307	Test for php53-mcrypt On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384311	Test for php53-intl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384315	Test for php53-gd On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384319	Test for php53-exif On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384323	Test for php53-gmp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384327	Test for php53-gettext On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384331	Test for php53-wddx On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384335	Test for php53-shmop On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384339	Test for php53-pgsql On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384343	Test for php53-openssl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384347	Test for php53-mysql On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384351	Test for php53-json On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384355	Test for php53-bcmath On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384359	Test for php53-zip On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384363	Test for php53-tokenizer On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384367	Test for php53-suhosin On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384371	Test for php53-odbc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384375	Test for php53-ftp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384379	Test for php53-dom On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384383	Test for php53 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384387	Test for php53-xmlrpc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384391	Test for php53-sysvmsg On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384395	Test for php53-fileinfo On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384399	Test for php53-dba On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384403	Test for php53-curl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384407	Test for php53-zlib On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384411	Test for php53-sysvshm On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384415	Test for php53-pspell On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384419	Test for php53-ctype On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384423	Test for php53-xmlreader On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384427	Test for php53-bz2 On SUSE Linux Enterprise Server 11 SP4

Oval ID	Title
oval:com.mcafee.oval.gen:def:384431	Test for apache2-mod_php53 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384435	Test for php53-xsl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384439	Test for php53-soap On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384443	Test for php53-snmp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384447	Test for php53-pdo On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384451	Test for php53-pcntl On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384455	Test for php53-ldap On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384459	Test for php53-iconv On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384463	Test for php53-sysvsem On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384467	Test for php53-mbstring On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384471	Test for php53-fastcgi On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384475	Test for php53-xmlwriter On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384479	Test for php53-calendar On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384483	Test for vim-data On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384487	Test for gvim On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384491	Test for vim-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384495	Test for vim On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384499	Test for vim-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384503	Test for gvim-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384507	Test for apache2-doc On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384511	Test for apache2-utils On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384515	Test for apache2-example-pages On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384519	Test for apache2-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384523	Test for apache2-worker-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384527	Test for apache2-worker On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384531	Test for apache2-prefork-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384535	Test for apache2-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384539	Test for apache2-utils-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384543	Test for apache2 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384547	Test for apache2-prefork On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384551	Test for clamav-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384555	Test for clamav-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384559	Test for clamav On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384563	Test for bind-doc On SUSE Linux Enterprise Server 12 SP2

Oval ID	Title
oval:com.mcafee.oval.gen:def:384567	Test for bind-chrootenv On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384571	Test for bind-utils-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384575	Test for bind-utils On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384579	Test for bind-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384583	Test for bind-libs-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384587	Test for bind On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384591	Test for bind-libs On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384595	Test for bind-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384599	Test for bind-libs-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384603	Test for bind-libs-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384607	Test for bind-libs-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384611	Test for bind-chrootenv On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384615	Test for bind-utils On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384619	Test for bind On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384623	Test for bind-libs On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384627	Test for bind-doc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384631	Test for unrar On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384635	Test for clamav On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384639	Test for libquicktime-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384643	Test for libquicktime0-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384647	Test for libquicktime0 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384651	Test for xen-kmp-pae On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384655	Test for xen-libs On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384659	Test for xen-kmp-default On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384663	Test for xen-tools-domU On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384667	Test for xen-doc-html On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384671	Test for xen On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384675	Test for xen-tools On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384679	Test for xen-libs-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384683	Test for sudo-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384687	Test for sudo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384691	Test for sudo-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384695	Test for systemd-bash-completion On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384699	Test for udev-debuginfo On SUSE Linux Enterprise Server 12 SP2

Oval ID	Title
oval:com.mcafee.oval.gen:def:384703	Test for libudev1-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384707	Test for libsystemd0-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384711	Test for systemd On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384715	Test for udev On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384719	Test for systemd-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384723	Test for systemd-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384727	Test for libsystemd0 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384731	Test for libudev1 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384735	Test for systemd-sysvinit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384739	Test for libudev1-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384743	Test for systemd-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384747	Test for libsystemd0-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384751	Test for libsystemd0-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384755	Test for libudev1-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384759	Test for systemd-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384763	Test for qemu-sgabios On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384767	Test for qemu-seabios On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384771	Test for qemu-vgabios On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384775	Test for qemu-ipxe On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384779	Test for qemu-lang On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384783	Test for qemu-guest-agent On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384787	Test for qemu-block-curl On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384791	Test for qemu-block-ssh-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384795	Test for qemu-tools On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384799	Test for qemu-block-ssh On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384803	Test for qemu-guest-agent-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384807	Test for qemu-block-curl-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384811	Test for qemu On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384815	Test for qemu-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384819	Test for qemu-tools-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384823	Test for qemu-block-rbd-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384827	Test for qemu-block-rbd On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384831	Test for qemu-x86 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384835	Test for qemu-kvm On SUSE Linux Enterprise Server 12 SP2

Oval ID	Title
oval:com.mcafee.oval.gen:def:384839	Test for gvim On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384843	Test for vim On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384847	Test for vim-base On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384851	Test for vim-data On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384855	Test for freeradius-server-dialupadmin On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384859	Test for freeradius-server-utils On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384863	Test for freeradius-server-libs On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384867	Test for freeradius-server-doc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384871	Test for freeradius-server On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384875	Test for libpq5-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384879	Test for postgresql94-server On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384883	Test for postgresql94-docs On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384887	Test for libpq5 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384891	Test for postgresql94 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384895	Test for libecpg6 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384899	Test for postgresql94-contrib On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384903	Test for libcares2-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384907	Test for libcares2-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384911	Test for libcares2 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384915	Test for libgcrypt11-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384919	Test for libgcrypt11 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384923	Test for libgcrypt20-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384927	Test for libgcrypt-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384931	Test for libgcrypt20-hmac On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384935	Test for libgcrypt20 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384939	Test for libgcrypt20-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384943	Test for libgcrypt20-hmac-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384947	Test for libgcrypt20-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384951	Test for libxml2-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384955	Test for libxml2-python On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384959	Test for libxml2-doc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384963	Test for libxml2 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:384967	Test for libICE6 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384971	Test for libICE-debugsource On SUSE Linux Enterprise Server 12 SP2

Oval ID	Title
oval:com.mcafee.oval.gen:def:384975	Test for libICE6-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384979	Test for libICE6-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384983	Test for libICE6-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384987	Test for libspice-server1 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384991	Test for spice-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384995	Test for libspice-server1-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:384999	Test for libspice-server1 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385003	Test for libgnutls-openssl27-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385007	Test for libgnutls28-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385011	Test for gnutls-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385015	Test for libgnutls28 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385019	Test for gnutls-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385023	Test for gnutls On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385027	Test for libgnutls-openssl27 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385031	Test for libgnutls28-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385035	Test for libgnutls28-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385039	Test for xorg-x11-libICE-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385043	Test for xorg-x11-libICE On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385047	Test for xorg-x11-Xvnc On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385051	Test for xorg-x11-server-extra On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385055	Test for xorg-x11-server On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385059	Test for kernel-source On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385063	Test for kernel-macros On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385067	Test for kernel-devel On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385071	Test for kernel-default-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385075	Test for kernel-default-devel On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385079	Test for kernel-default-base-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385083	Test for kernel-default On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385087	Test for kernel-default-base On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385091	Test for kernel-default-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385095	Test for kernel-syms On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385099	Test for xorg-x11-server-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385103	Test for xorg-x11-server-extra On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385107	Test for xorg-x11-server-debugsource On SUSE Linux Enterprise Server 12 SP2

Oval ID	Title
oval:com.mcafee.oval.gen:def:385111	Test for xorg-x11-server-extra-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385115	Test for xorg-x11-server On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385119	Test for libXdmcp6-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385123	Test for libXdmcp6 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385127	Test for libXdmcp6-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385131	Test for libXdmcp6-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385135	Test for libXdmcp6-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385139	Test for xorg-x11-libXdmcp-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385143	Test for xorg-x11-libXdmcp On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385147	Test for libgnutls26-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385151	Test for libgnutls26 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385155	Test for gnutls On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385159	Test for libgnutls-extra26 On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385163	Test for evince-lang On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385167	Test for systemd-bash-completion On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385171	Test for udev-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385175	Test for libudev1-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385179	Test for libsystemd0-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385183	Test for systemd On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385187	Test for udev On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385191	Test for systemd-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385195	Test for systemd-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385199	Test for libsystemd0 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385203	Test for libudev1 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385207	Test for systemd-sysvinit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385211	Test for dracut-fips On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385215	Test for dracut On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385219	Test for dracut-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385223	Test for dracut-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385227	Test for libudev1-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385231	Test for systemd-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385235	Test for libsystemd0-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385239	Test for libsystemd0-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385243	Test for libudev1-32bit On SUSE Linux Enterprise Server 12 SP2

Oval ID	Title
oval:com.mcafee.oval.gen:def:385247	Test for systemd-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385251	Test for libjasper-32bit On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385255	Test for libjasper On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385259	Test for libjasper1-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385263	Test for jasper-debuginfo On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385267	Test for libjasper1 On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385271	Test for jasper-debugsource On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385275	Test for libjasper1-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385279	Test for libjasper1-32bit On SUSE Linux Enterprise Server 12 SP2
oval:com.mcafee.oval.gen:def:385283	Test for apport-gtk On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385287	Test for apport On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385291	Test for apport-crashdb-sle On SUSE Linux Enterprise Server 11 SP4
oval:com.mcafee.oval.gen:def:385292	emacs-mercurial patch for Redhat EL6
oval:com.mcafee.oval.gen:def:385295	emacs-mercurial-el patch for Redhat EL6
oval:com.mcafee.oval.gen:def:385298	mercurial patch for Redhat EL6
oval:com.mcafee.oval.gen:def:385301	mercurial-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:385304	mercurial-hgk patch for Redhat EL6
oval:com.mcafee.oval.gen:def:385307	freeradius patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385310	freeradius-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385313	freeradius-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385317	freeradius-doc patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385321	freeradius-krb5 patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385324	freeradius-ldap patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385327	freeradius-mysql patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385330	freeradius-perl patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385333	freeradius-postgresql patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385336	freeradius-python patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385339	freeradius-sqlite patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385343	freeradius-unixODBC patch for Redhat EL7
oval:com.mcafee.oval.gen:def:385346	freeradius-utils patch for Redhat EL7
oval:com.mcafee.oval:def:2895483	Internet Explorer: Disable changing certificate settings
oval:com.mcafee.oval:def:2895499	Windows Installer: Allow users to browse for source while elevated
oval:com.mcafee.oval:def:2895507	Windows Installer: Allow users to use media source while elevated
oval:com.mcafee.oval:def:2895516	Windows Installer: Allow users to patch elevated products

Oval ID	Title
oval:com.mcafee.oval:def:2895524	Windows Installer: Save copies of transform files in a secure location on workstation
oval:com.mcafee.oval:def:2895532	Task Scheduler: Hide Property Pages
oval:com.mcafee.oval:def:2895540	Task Scheduler: Prohibit New Task Creation
oval:com.mcafee.oval:def:2895548	Windows Update: Automatic Updates detection frequency
oval:com.mcafee.oval:def:2895560	Event Log Service: Security - Backup log automatically when full
oval:com.mcafee.oval:def:2895568	Event Log Service: Application - Backup log automatically when full
oval:com.mcafee.oval:def:2896933	Event Log Service: System - Backup log automatically when full
oval:com.mcafee.oval:def:2896941	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Allow audio and video playback redirection
oval:com.mcafee.oval:def:2896950	Windows Components - ActiveX Installer Service - ActiveX installation policy for sites in Trusted zones: Installation Policy for ActiveX control signed by trusted publisher
oval:com.mcafee.oval:def:2896958	Windows Components - ActiveX Installer Service - ActiveX installation policy for sites in Trusted zones: Installation Policy for signed ActiveX control
oval:com.mcafee.oval:def:2896966	Windows Components - ActiveX Installer Service - ActiveX installation policy for sites in Trusted zones: Installation Policy for unsigned ActiveX control
oval:com.mcafee.oval:def:2896976	Windows Components - ActiveX Installer Service - ActiveX installation policy for sites in Trusted zones - server certification errors: Unknown certification authority
oval:com.mcafee.oval:def:2896984	Windows Components - ActiveX Installer Service - ActiveX installation policy for sites in Trusted zones - server certification errors: Invalid certificate name
oval:com.mcafee.oval:def:2896992	Windows Components - ActiveX Installer Service - ActiveX installation policy for sites in Trusted zones - server certification errors: Expired certificate validation date
oval:com.mcafee.oval:def:2897000	Windows Components - ActiveX Installer Service - ActiveX installation policy for sites in Trusted zones - server certification errors: Wrong certificate usage
oval:com.mcafee.oval:def:2897008	User Profiles: Add the Administrators security group to roaming user profiles
oval:com.mcafee.oval:def:2897016	Disk Quotas: Apply policy to removable media
oval:com.mcafee.oval:def:2897024	Administrative Templates - Network - Offline Files: Specify Administratively assigned offline files
oval:com.mcafee.oval:def:2897033	Windows Installer: Control maximum size of baseline file cache
oval:com.mcafee.oval:def:2897041	Windows Defender - Scan: Check for the latest virus and spyware definitions before running a scheduled scan
oval:com.mcafee.oval:def:2897049	Administrative Templates - Printers: Check published state
oval:com.mcafee.oval:def:2897057	Administrative Templates - Network - SNMP: Specify communities
oval:com.mcafee.oval:def:2897065	Administrative Templates - Printers: Computer location
oval:com.mcafee.oval:def:2897073	Network - Offline Files: Configure Background Sync
oval:com.mcafee.oval:def:2897081	Troubleshooting and Diagnostics - Corrupted File Recovery: Configure Corrupted File Recovery behavior
oval:com.mcafee.oval:def:2897092	System - Enhanced Storage Access: Configure list of IEEE 1667 silos usable on your computer

Oval ID	Title
oval:com.mcafee.oval:def:2897100	Windows Error Reporting - Advanced Error Reporting Settings: Configure Report Archive
oval:com.mcafee.oval:def:2897108	Windows Error Reporting - Advanced Error Reporting Settings: Configure Report Queue
oval:com.mcafee.oval:def:2897116	Windows Components - Smart Card: Configure root certificate clean up
oval:com.mcafee.oval:def:2897124	System - Trusted Platform Module Services: Configure the list of blocked TPM commands
oval:com.mcafee.oval:def:2897132	Windows Components - Event Forwarding: Configure the server address, refresh interval, and issuer certificate authority of a target Subscription Manager
oval:com.mcafee.oval:def:2897140	Windows Components - Windows Error Reporting - Consent: Customize consent settings
oval:com.mcafee.oval:def:2897148	Distributed COM - Application Compatibility Settings: Define Activation Security Check exemptions
oval:com.mcafee.oval:def:2897156	System - Kerberos: Define host name-to-Kerberos realm mappings
oval:com.mcafee.oval:def:2897164	System - Kerberos: Define interoperable Kerberos V5 realm settings
oval:com.mcafee.oval:def:2897172	Windows Update: Delay Restart for scheduled installations
oval:com.mcafee.oval:def:2897184	User Profiles: Delete cached copies of roaming profiles
oval:com.mcafee.oval:def:2897192	User Profiles: Delete user profiles older than a specified number of days on system restart
oval:com.mcafee.oval:def:2897200	Troubleshooting and Diagnostics - Diagnostics: Configure scenario retention
oval:com.mcafee.oval:def:2897212	Administrative Templates - Printers: Directory pruning interval
oval:com.mcafee.oval:def:2897220	Administrative Templates - Printers: Directory pruning priority
oval:com.mcafee.oval:def:2897228	Administrative Templates - Printers: Directory pruning retry
oval:com.mcafee.oval:def:2897236	Troubleshooting and Diagnostics - Disk Diagnostic: Configure custom alert text
oval:com.mcafee.oval:def:2897244	Windows Components - Smart Card: Display string when smart card is blocked
oval:com.mcafee.oval:def:2897252	System - User Profiles: Do not check for user ownership of Roaming Profile Folders
oval:com.mcafee.oval:def:2897260	Net Logon - DC Locator DNS Records: Do not process incoming mailslot messages used for domain controller location based on NetBIOS domain names
oval:com.mcafee.oval:def:2897268	Net Logon - DC Locator DNS Records: Return domain controller address type
oval:com.mcafee.oval:def:2897276	Network - Network Connectivity Status Indicator: Specify domain location determination URL
oval:com.mcafee.oval:def:2897284	Windows Components - AutoPlay Policies: Prevent AutoPlay from remembering user choices
oval:com.mcafee.oval:def:2897292	Network - DNS Client: Dynamic Update
oval:com.mcafee.oval:def:2897300	Windows Components - Windows Update: Enable client-side targeting
oval:com.mcafee.oval:def:2897308	Network - Offline Files: Enable Transparent Caching
oval:com.mcafee.oval:def:2897316	Network - Offline Files: Encrypt the Offline Files cache
oval:com.mcafee.oval:def:2897324	Windows Components - Windows Installer: Enforce upgrade component rules

Oval ID	Title
oval:com.mcafee.oval:def:2897332	Windows Components - Event Viewer: Events.asp program
oval:com.mcafee.oval:def:2897340	Windows Components - Event Viewer: Events.asp program command line parameters
oval:com.mcafee.oval:def:2897348	Windows Components - Event Viewer: Events.asp URL
oval:com.mcafee.oval:def:2897356	System - Logon: Exclude credential providers
oval:com.mcafee.oval:def:2897364	Network - Offline Files: Enable file screens
oval:com.mcafee.oval:def:2897372	System - Net Logon: Final DC Discovery Retry Setting for Background Callers
oval:com.mcafee.oval:def:2897380	Windows Components - Tablet PC - Input Panel: For tablet pen input dont show the Input Panel icon
oval:com.mcafee.oval:def:2897430	Oracle Solaris 10 - 124393-12, Dtlogin smf patch
oval:com.mcafee.oval:def:2897435	Oracle Solaris 10 - 152260-02, libnsl patch
oval:com.mcafee.oval:def:2897436	Oracle Solaris 10 - 150400-51, kernel patch
oval:com.mcafee.oval:def:2897440	Oracle Solaris 10 - 150400-50, kernel patch
oval:com.mcafee.oval:def:2897441	Oracle Solaris 10 - 147673-11, Oracle Java Web Console 3.1 Patch
oval:com.mcafee.oval:def:2897456	System - Net Logon: Use initial DC discovery retry setting for background callers
oval:com.mcafee.oval:def:2897472	Network - TCPIP Settings - IPv6 Transition Technologies: ISATAP Router Name
oval:com.mcafee.oval:def:2897480	Remote Desktop Services - RD Licensing: License server security group
oval:com.mcafee.oval:def:2897488	Windows Error Reporting - Advanced Error Reporting Settings: List of applications to be excluded
oval:com.mcafee.oval:def:2897496	Windows Components - Windows Remote Shell: MaxConcurrentUsers
oval:com.mcafee.oval:def:2897504	System - Net Logon: Use maximum DC discovery retry interval setting for background callers
oval:com.mcafee.oval:def:2897512	System - Net Logon: Specify negative DC Discovery cache setting
oval:com.mcafee.oval:def:2897520	Network- QoS Packet Scheduler - Layer-2 priority value: Non-conforming packets
oval:com.mcafee.oval:def:2897528	System - Troubleshooting and Diagnostics - Application Compatibility Diagnostics: Notify blocked drivers
oval:com.mcafee.oval:def:2897536	Network - SNMP: Permitted Managers
oval:com.mcafee.oval:def:2897544	System - Net Logon: Use positive periodic DC cache refresh for background callers
oval:com.mcafee.oval:def:2897552	System - Net Logon: Specify positive periodic DC Cache refresh for non-background callers
oval:com.mcafee.oval:def:2897560	Windows Components - Tablet PC - Input Panel: For touch input, don't show the Input Panel icon
oval:com.mcafee.oval:def:2897568	System - Net Logon - DC Locator DNS Records: Force Rediscovery Interval
oval:com.mcafee.oval:def:2897577	Control Panel - Regional and Language Options: Force selected system UI language to overwrite the user UI language
oval:com.mcafee.oval:def:2897585	Windows Components - Smart Card: Force the reading of all certificates from the smart card
oval:com.mcafee.oval:def:2897593	Windows Components - Event Forwarding: Configure forwarder resource usage

Oval ID	Title
oval:com.mcafee.oval:def:2897601	System - Windows Time Service: Global Configuration Settings
oval:com.mcafee.oval:def:2897609	System - Logon: Hide entry points for Fast User Switching
oval:com.mcafee.oval:def:2897744	Remote Desktop Session Host - Licensing: Hide notifications about RD Licensing problems that affect the RD Session Host server
oval:com.mcafee.oval:def:2897752	File Explorer - Previous Versions: Hide previous versions list for local files
oval:com.mcafee.oval:def:2897760	File Explorer - Previous Versions: Hide previous versions of files on backup location
oval:com.mcafee.oval:def:2897768	Windows Error Reporting - Consent: Ignore custom consent settings
oval:com.mcafee.oval:def:2897776	System - Remote Procedure Call: Ignore Delegation Failure
oval:com.mcafee.oval:def:2897784	System - Trusted Platform Module Services: Ignore the default list of blocked TPM commands
oval:com.mcafee.oval:def:2897792	System - Trusted Platform Module Services: Ignore the local list of blocked TPM commands
oval:com.mcafee.oval:def:2897800	Windows Components - Tablet PC - Input Panel: Include rarely used Chinese, Kanji, or Hanja characters
oval:com.mcafee.oval:def:2899479	Remote Desktop Services - Remote Desktop Connection Client: Prompt for credentials on the client computer
oval:com.mcafee.oval:def:2899487	System - Remote Procedure Call: Propagation of extended error information
oval:com.mcafee.oval:def:2899495	Network - DNS Client: Register PTR Records
oval:com.mcafee.oval:def:2899503	Network - DNS Client: Registration Refresh Interval
oval:com.mcafee.oval:def:2899511	Windows Components - Application Compatibility: Remove Program Compatibility Property Page
oval:com.mcafee.oval:def:2899519	System - Group Policy: Remove users ability to invoke machine policy refresh
oval:com.mcafee.oval:def:2899527	Remote Desktop Services - Remote Desktop Session Host - Remote Session Environment: Remove Windows Security item from Start menu
oval:com.mcafee.oval:def:2899535	Windows Components - Windows Update: Re-prompt for restart with scheduled installations
oval:com.mcafee.oval:def:2899543	System - Kerberos: Require strict KDC validation
oval:com.mcafee.oval:def:2899551	Windows Components - Smart Card: Reverse the subject name stored in a certificate when displaying
oval:com.mcafee.oval:def:2899559	System - Remote Procedure Call: RPC Troubleshooting State Information
oval:com.mcafee.oval:def:2899567	System - Scripts: Display instructions in shutdown scripts as they run
oval:com.mcafee.oval:def:2899575	System - Scripts: Run startup scripts asynchronously
oval:com.mcafee.oval:def:2899583	System - Scripts: Display instructions in startup scripts as they run
oval:com.mcafee.oval:def:2899591	System - Net Logon: Set Scavenge Interval
oval:com.mcafee.oval:def:2899599	Remote Desktop Session Host - Security: Server Authentication Certificate Template
oval:com.mcafee.oval:def:2899607	Network - BranchCache: Set BranchCache Hosted Cache mode
oval:com.mcafee.oval:def:2899615	Remote Desktop Session Host - Remote Session Environment: Configure compression for RemoteFX data

Oval ID	Title
oval:com.mcafee.oval:def:2899623	Network - BranchCache: Set percentage of disk space used for client computer cache
oval:com.mcafee.oval:def:2899631	Peer Name Resolution Protocol - Global Clouds: Set PNRP cloud to resolve only
oval:com.mcafee.oval:def:2899639	Peer Name Resolution Protocol - Site-Local Clouds: Set PNRP cloud to resolve only
oval:com.mcafee.oval:def:2899647	Windows Components - Windows System Resource Manager: Set the Email IDs to which notifications are to be sent
oval:com.mcafee.oval:def:2899655	Microsoft Peer-to-Peer Networking Services - Peer Name Resolution Protocol - Global Clouds: Set the Seed Server
oval:com.mcafee.oval:def:2899663	Microsoft Peer-to-Peer Networking Services - Peer Name Resolution Protocol - Site-Local Clouds: Set the Seed Server
oval:com.mcafee.oval:def:2899671	Windows Components - Windows System Resource Manager: Set the SMTP Server used to send notifications
oval:com.mcafee.oval:def:2899679	Network - QoS Packet Scheduler: Set timer resolution
oval:com.mcafee.oval:def:2899687	Administrative Templates - Network: Configure how often a DFS client discovers domain controllers
oval:com.mcafee.oval:def:2899695	System - Net Logon: Specify site name
oval:com.mcafee.oval:def:2899703	Desktop Window Manager - Window Frame Coloring: Specify a default color
oval:com.mcafee.oval:def:2899711	Windows Components - Windows Remote Shell: Specify idle Timeout
oval:com.mcafee.oval:def:2899719	Windows Components - Windows Remote Shell: Specify maximum amount of memory in MB per Shell
oval:com.mcafee.oval:def:2899727	Windows Components - Windows Remote Shell: Specify maximum number of processes per Shell
oval:com.mcafee.oval:def:2899735	Windows Components - Windows Remote Shell: Specify Shell Timeout
oval:com.mcafee.oval:def:2899743	System: Specify Windows installation file location
oval:com.mcafee.oval:def:2899751	System: Specify Windows Service Pack installation file location
oval:com.mcafee.oval:def:2899759	Network - SSL Configuration Settings: SSL Cipher Suite Order
oval:com.mcafee.oval:def:2899767	Tablet PC - Input Panel: Switch to the Simplified Chinese (PRC) gestures
oval:com.mcafee.oval:def:2899775	System - Net Logon: Set SYSVOL share compatibility
oval:com.mcafee.oval:def:2899783	Windows Components - Windows Customer Experience Improvement Program: Tag Windows Customer Experience Improvement data with Study Identifier
oval:com.mcafee.oval:def:2899791	TCPIP Settings - IPv6 Transition Technologies: Set teredo Client Port
oval:com.mcafee.oval:def:2899799	TCPIP Settings - IPv6 Transition Technologies: Set Teredo Default Qualified
oval:com.mcafee.oval:def:2899807	TCPIP Settings - IPv6 Transition Technologies: Set Teredo Refresh Rate
oval:com.mcafee.oval:def:2899815	TCPIP Settings - IPv6 Transition Technologies: Set Teredo Server Name
oval:com.mcafee.oval:def:2899823	System - Removable Storage Access: Set Time (in seconds) to force reboot
oval:com.mcafee.oval:def:2899831	System - Device Installation - Device Installation Restrictions: Time (in seconds) to force reboot when required for policy changes to take effect
oval:com.mcafee.oval:def:2899839	Network - SNMP: Specify traps for public community

Oval ID	Title
oval:com.mcafee.oval:def:2899847	Windows Remote Management (WinRM) - WinRM Client: Trusted Hosts
oval:com.mcafee.oval:def:2899855	Net Logon - DC Locator DNS Records: Try Next Closest Site
oval:com.mcafee.oval:def:2899863	Network - DNS Client: TTL value for A and PTR records
oval:com.mcafee.oval:def:2899871	Windows Components - Windows System Resource Manager: Turn on Accounting for WSRM
oval:com.mcafee.oval:def:2899879	Windows Components - Smart Card: Turn on certificate propagation from smart card
oval:com.mcafee.oval:def:2899887	Windows Components - Windows Defender: Turn on definition updates through both WSUS and the Microsoft Malware Protection Center
oval:com.mcafee.oval:def:2899895	Windows Components - Windows Defender: Turn on definition updates through both WSUS and Windows Update
oval:com.mcafee.oval:def:2899903	Network - Offline Files: Turn on economical application of administratively assigned Offline Files
oval:com.mcafee.oval:def:2899911	Windows Components - Windows Update: Turn on recommended updates via Automatic Updates
oval:com.mcafee.oval:def:2899919	Windows Components - Smart Card: Turn on root certificate propagation from smart card
oval:com.mcafee.oval:def:2899927	Windows Components - Windows Update: Turn on Software Notifications
oval:com.mcafee.oval:def:2899935	System - Trusted Platform Module Services: Turn on TPM backup to Active Directory Domain Services
oval:com.mcafee.oval:def:2899943	System - KDC: Use forest search order
oval:com.mcafee.oval:def:2899951	System - Kerberos: Use forest search order
oval:com.mcafee.oval:def:2899959	Remote Desktop Session Host - RD Connection Broker: Use IP Address Redirection
oval:com.mcafee.oval:def:2899967	System - Folder Redirection: Use localized subfolder names when redirecting Start Menu and My Documents
oval:com.mcafee.oval:def:2899975	Remote Desktop Session Host - Profiles: Use mandatory profiles on the RD Session Host server
oval:com.mcafee.oval:def:2899983	TCPIP Settings - Parameters: Set Windows Scaling Heuristics State
oval:com.mcafee.oval:def:2899991	System - User Profiles - Background upload of a roaming user profile's registry file while user is logged on
oval:com.mcafee.oval:def:2899999	Group Policy - Logging and tracing: Configure Applications preference logging and tracing
oval:com.mcafee.oval:def:2900007	Group Policy - Logging and tracing: Configure Data Sources preference logging and tracing
oval:com.mcafee.oval:def:2900015	Group Policy - Logging and tracing: Configure Devices preference logging and tracing
oval:com.mcafee.oval:def:2900023	Group Policy - Logging and tracing: Configure Drive Maps preference logging and tracing
oval:com.mcafee.oval:def:2900031	Group Policy - Logging and tracing: Configure Environment preference logging and tracing
oval:com.mcafee.oval:def:2900044	Group Policy - Logging and tracing: Configure Files preference logging and tracing

Oval ID	Title
oval:com.mcafee.oval:def:2900052	Group Policy - Logging and tracing: Configure Folder Options preference logging and tracing
oval:com.mcafee.oval:def:2900060	Group Policy - Logging and tracing: Configure Folders preference logging and tracing
oval:com.mcafee.oval:def:2900068	Group Policy - Logging and tracing: Configure Ini Files preference logging and tracing
oval:com.mcafee.oval:def:2900076	Group Policy - Logging and tracing: Configure Internet Settings preference logging and tracing
oval:com.mcafee.oval:def:2900084	Group Policy - Logging and tracing: Configure Local Users and Groups preference logging and tracing
oval:com.mcafee.oval:def:2900092	Group Policy - Logging and tracing: Configure Regional Options preference logging and tracing
oval:com.mcafee.oval:def:2900100	Group Policy - Logging and tracing: Configure Registry preference logging and tracing
oval:com.mcafee.oval:def:2900108	Group Policy - Logging and tracing: Configure Scheduled Tasks preference logging and tracing
oval:com.mcafee.oval:def:2900116	Group Policy - Logging and tracing: Configure Services preference logging and tracing
oval:com.mcafee.oval:def:2900124	Group Policy - Logging and tracing: Configure Shortcuts preference logging and tracing
oval:com.mcafee.oval:def:2900132	Group Policy - Logging and tracing: Configure Start Menu preference logging and tracing
oval:com.mcafee.oval:def:2900140	Windows Components - Windows Installer: Turn off logging via package settings
oval:com.mcafee.oval:def:2900148	System - User Profiles: Do not forcefully unload the users registry at user logoff
oval:com.mcafee.oval:def:2900156	System - User Profiles: Do not log users on with temporary profiles
oval:com.mcafee.oval:def:2900164	Administrative Templates - Printers: Log directory pruning retry events
oval:com.mcafee.oval:def:2900172	System - Disk Quotas: Log event when quota limit exceeded
oval:com.mcafee.oval:def:2900180	Event Log Service - Application: Log File Path
oval:com.mcafee.oval:def:2900188	Event Log Service - Setup: Log File Path
oval:com.mcafee.oval:def:2900196	Event Log Service - System: Log File Path
oval:com.mcafee.oval:def:2900204	Windows Components - Windows Installer: Remove browse dialog box for new source
oval:com.mcafee.oval:def:2900212	Control Panel - Regional and Language Options: Restricts the UI language Windows uses for all logged users
oval:com.mcafee.oval:def:2900220	System - User Profiles: Set roaming profile path for all users logging onto this computer
oval:com.mcafee.oval:def:2900228	System - Group Policy: Turn off Resultant Set of Policy logging
oval:com.mcafee.oval:def:2900236	Event Log Service - Setup: Turn on logging
oval:com.mcafee.oval:def:2900356	Event Log: Setup Log - Retention Method
oval:com.mcafee.oval:def:2900362	Event Log: System Log - Retention Method
oval:com.mcafee.oval:def:2900368	Event Log Service - System: Configure log access

Oval ID	Title
oval:com.mcafee.oval:def:2900376	Event Log Service - Application: Configure log access
oval:com.mcafee.oval:def:2900384	Event Log Service - Security: Configure log access
oval:com.mcafee.oval:def:2900392	Event Log Service - Setup: Configure log access
oval:com.mcafee.oval:def:2900394	Windows Components - Windows SideShow: Delete data from devices running Microsoft firmware when a user logs off from the computer
oval:com.mcafee.oval:def:2900401	Windows Components - Windows System Resource Manager: Set the Time interval in minutes for logging accounting data
oval:com.mcafee.oval:def:2900409	Windows Components - Windows Installer: Specify the types of events Windows Installer records in its transaction log
oval:com.mcafee.oval:def:2900417	Windows Components - Security Center: Turn on Security Center (Domain PCs only)
oval:com.mcafee.oval:def:2900430	Administrative Templates - Printers: Computer location path
oval:com.mcafee.oval:def:2900434	Troubleshooting and Diagnostics - Disk Diagnostic: Configure custom alert text to be used
oval:com.mcafee.oval:def:2900439	Windows Components - Smart Card: Display string to be entered when smart card is blocked
oval:com.mcafee.oval:def:2900440	Network - Network Connectivity Status Indicator: Specify domain location determination URL required
oval:com.mcafee.oval:def:2900444	Windows Components - Event Viewer: Events.asp program required
oval:com.mcafee.oval:def:2900448	Windows Components - Event Viewer: Events.asp program command line parameters required
oval:com.mcafee.oval:def:2900452	Windows Components - Event Viewer: Events.asp URL required
oval:com.mcafee.oval:def:2900463	System - Logon: Exclude credential providers as required
oval:com.mcafee.oval:def:2900467	Network - Offline Files: Enable file screens - exclude file extensions
oval:com.mcafee.oval:def:2900471	Network - TCP/IP Settings - IPv6 Transition Technologies: ISATAP Router Name required
oval:com.mcafee.oval:def:2900475	Remote Desktop Session Host - Security: Server Authentication Certificate Template name required
oval:com.mcafee.oval:def:2900479	Network - BranchCache: Set BranchCache Hosted Cache mode as required
oval:com.mcafee.oval:def:2900483	Windows Components - Windows System Resource Manager: Set the Email IDs to which notifications are to be sent as required
oval:com.mcafee.oval:def:2900487	Microsoft Peer-to-Peer Networking Services - Peer Name Resolution Protocol - Global Clouds: Set the Seed Server as required
oval:com.mcafee.oval:def:2900491	Microsoft Peer-to-Peer Networking Services - Peer Name Resolution Protocol - Site-Local Clouds: Set the Seed Server as required
oval:com.mcafee.oval:def:2900495	Windows Components - Windows System Resource Manager: Set the SMTP Server used to send notifications as required
oval:com.mcafee.oval:def:2900499	System - Net Logon: Specify site name as required
oval:com.mcafee.oval:def:2900503	System: Specify Windows installation file location as required
oval:com.mcafee.oval:def:2900507	System: Specify Windows Service Pack installation file location as required
oval:com.mcafee.oval:def:2900511	Network - SSL Configuration Settings: SSL Cipher Suite Order as required

Oval ID	Title
oval:com.mcafee.oval:def:2900515	TCPIP Settings - IPv6 Transition Technologies: Set Teredo Server Name as required
oval:com.mcafee.oval:def:2900519	Windows Remote Management (WinRM) - WinRM Client: Trusted Hosts list
oval:com.mcafee.oval:def:2900523	Event Log Service - Application: Log File Path as required
oval:com.mcafee.oval:def:2900527	Event Log Service - Setup: Log File Path as required
oval:com.mcafee.oval:def:2900531	Event Log Service - System: Log File Path as required
oval:com.mcafee.oval:def:2900535	System - User Profiles: Set roaming profile path for all users logging onto this computer as required
oval:com.mcafee.oval:def:2900539	Event Log Service - System: Configure log access as required
oval:com.mcafee.oval:def:2900543	Event Log Service - Application: Configure log access as required
oval:com.mcafee.oval:def:2900547	Event Log Service - Security: Configure log access as required
oval:com.mcafee.oval:def:2900551	Event Log Service - Setup: Configure log access as required
oval:com.mcafee.oval:def:2900556	Windows Components - Windows Installer: Specify the types of events Windows Installer records in its transaction log as required
oval:com.mcafee.oval:def:2900694	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Prohibit unicast response to multicast or broadcast requests
oval:com.mcafee.oval:def:2901959	Java Development Kit Security Update 8 update 141 for Windows
oval:com.mcafee.oval:def:2901960	Java Runtime Environment Security Update 8 update 141 for Windows
oval:com.mcafee.oval:def:2901961	Java Development Kit Security Update 7 update 151 for Windows
oval:com.mcafee.oval:def:2901962	Java Runtime Environment Security Update 7 update 151 for Windows
oval:com.mcafee.oval:def:2901970	Apple iTunes Security Update 12.6.2 for Windows
oval:com.mcafee.oval:def:2901973	Apple Safari Security Update 10.1.2 for Mac OS X
oval:com.mcafee.oval:def:2902603	Patch for AIX ntp advisory9
oval:com.mcafee.oval:def:2902604	Apple macOS 10.12.5 - 10.12.6 Update
oval:com.mcafee.oval:def:2902605	Apple Mac OSX 10.11 - Security Update 2017-003
oval:com.mcafee.oval:def:2902606	Apple Mac OSX 10.10 - Security Update 2017-003
oval:com.mcafee.oval:def:2902897	Security Update for Windows Server 2008 for x64-based Systems (KB4025872)
oval:com.mcafee.oval:def:2902900	Security Update for Windows Server 2008 (KB4025872)
oval:mil.disa.stig.windows:def:1001	Microsoft Windows Server 2016 is installed
oval:mil.disa.stig.windows:def:1010	The system is a DC.
oval:mil.disa.stig.windows:def:1011	Lockout Duration
oval:mil.disa.stig.windows:def:1012	Bad Logon Attempts
oval:mil.disa.stig.windows:def:1013	Bad Logon Counter Reset
oval:mil.disa.stig.windows:def:1014	Password Uniqueness
oval:mil.disa.stig.windows:def:1015	Maximum Password Age
oval:mil.disa.stig.windows:def:1016	Minimum Password Age

Oval ID	Title
oval:mil.disa.stig.windows:def:1017	Minimum Password Length
oval:mil.disa.stig.windows:def:1018	Microsoft Strong Password Filtering
oval:mil.disa.stig.windows:def:1019	Reversible Password Encryption
oval:mil.disa.stig.windows:def:1020	Systems must be maintained at a supported servicing level.
oval:mil.disa.stig.windows:def:1024	NTFS ReFS Filesystems Only
oval:mil.disa.stig.windows:def:1035	Software Certificate Installation Files - Windows 2016
oval:mil.disa.stig.windows:def:1041	The Fax Server role must not be installed.
oval:mil.disa.stig.windows:def:1042	The Microsoft FTP service must not be installed unless required.
oval:mil.disa.stig.windows:def:1043	The Peer Name Resolution Protocol must not be installed.
oval:mil.disa.stig.windows:def:1044	Simple TCP/IP Services must not be installed.
oval:mil.disa.stig.windows:def:1045	The Telnet Client must not be installed.
oval:mil.disa.stig.windows:def:1054	Event Viewer must be protected from unauthorized modification and deletion. Windows 2016.
oval:mil.disa.stig.windows:def:1055	Windows Server 2016 must be configured to audit Account Logon - Credential Validation successes.
oval:mil.disa.stig.windows:def:1056	Windows Server 2016 must be configured to audit Account Logon - Credential Validation failures.
oval:mil.disa.stig.windows:def:1057	Windows Server 2016 must be configured to audit Account Management - Other Account Management Events successes.
oval:mil.disa.stig.windows:def:1058	Windows Server 2016 must be configured to audit Account Management - Other Account Management Events failures.
oval:mil.disa.stig.windows:def:1059	Windows Server 2016 must be configured to audit Account Management - Security Group Management successes.
oval:mil.disa.stig.windows:def:1060	Windows Server 2016 must be configured to audit Account Management - Security Group Management failures.
oval:mil.disa.stig.windows:def:1061	Windows Server 2016 must be configured to audit Account Management - User Account Management successes.
oval:mil.disa.stig.windows:def:1062	Windows Server 2016 must be configured to audit Account Management - User Account Management failures.
oval:mil.disa.stig.windows:def:1063	Windows Server 2016 must be configured to audit Detailed Tracking - Process Creation successes.
oval:mil.disa.stig.windows:def:1064	Windows Server 2016 must be configured to audit Logon/Logoff - Logoff successes.
oval:mil.disa.stig.windows:def:1065	Windows Server 2016 must be configured to audit Logon/Logoff - Logon successes.
oval:mil.disa.stig.windows:def:1066	Windows Server 2016 must be configured to audit Logon/Logoff - Logon failures.
oval:mil.disa.stig.windows:def:1067	Windows Server 2016 must be configured to audit Logon/Logoff - Special Logon successes.
oval:mil.disa.stig.windows:def:1070	Windows Server 2016 must be configured to audit Policy Change - Audit Policy Change successes.

Oval ID	Title
oval:mil.disa.stig.windows:def:1071	Windows Server 2016 must be configured to audit Policy Change - Audit Policy Change failures.
oval:mil.disa.stig.windows:def:1072	Windows Server 2016 must be configured to audit Policy Change - Authentication Policy Change successes.
oval:mil.disa.stig.windows:def:1073	Windows Server 2016 must be configured to audit Policy Change - Authorization Policy Change successes.
oval:mil.disa.stig.windows:def:1074	Windows Server 2016 must be configured to audit Privilege Use - Sensitive Privilege Use successes.
oval:mil.disa.stig.windows:def:1075	Windows Server 2016 must be configured to audit Privilege Use - Sensitive Privilege Use failures.
oval:mil.disa.stig.windows:def:1076	Windows Server 2016 must be configured to audit System - IPsec Driver successes.
oval:mil.disa.stig.windows:def:1077	Windows Server 2016 must be configured to audit System - IPsec Driver failures.
oval:mil.disa.stig.windows:def:1078	Windows Server 2016 must be configured to audit System - Security State Change successes.
oval:mil.disa.stig.windows:def:1079	Windows Server 2016 must be configured to audit System - Security System Extension successes.
oval:mil.disa.stig.windows:def:1080	Windows Server 2016 must be configured to audit System - Security System Extension failures.
oval:mil.disa.stig.windows:def:1081	Windows Server 2016 must be configured to audit System - System Integrity successes.
oval:mil.disa.stig.windows:def:1082	Windows Server 2016 must be configured to audit System - System Integrity failures.
oval:mil.disa.stig.windows:def:1084	IPv6 Source Routing
oval:mil.disa.stig.windows:def:1085	Disable IP Source Routing
oval:mil.disa.stig.windows:def:1086	Disable ICMP Redirect
oval:mil.disa.stig.windows:def:1087	Name-Release Attacks
oval:mil.disa.stig.windows:def:1089	WN16-CC-000140
oval:mil.disa.stig.windows:def:1090	WN16-CC-000150
oval:mil.disa.stig.windows:def:1091	WN16-CC-000160
oval:mil.disa.stig.windows:def:1092	WN16-CC-000170
oval:mil.disa.stig.windows:def:1094	WN16-CC-000210
oval:mil.disa.stig.windows:def:1095	WN16-CC-000220
oval:mil.disa.stig.windows:def:1096	WN16-CC-000240
oval:mil.disa.stig.windows:def:1097	WN16-CC-000250
oval:mil.disa.stig.windows:def:1098	WN16-CC-000260
oval:mil.disa.stig.windows:def:1099	WN16-CC-000270
oval:mil.disa.stig.windows:def:1101	WN16-PK-000010
oval:mil.disa.stig.windows:def:1102	WN16-PK-000020

Oval ID	Title
oval:mil.disa.stig.windows:def:1103	WN16-PK-000030
oval:mil.disa.stig.windows:def:1104	WN16-CC-000280
oval:mil.disa.stig.windows:def:1105	WN16-CC-000300
oval:mil.disa.stig.windows:def:1106	WN16-CC-000310
oval:mil.disa.stig.windows:def:1107	WN16-CC-000320
oval:mil.disa.stig.windows:def:1108	WN16-CC-000330
oval:mil.disa.stig.windows:def:1109	WN16-CC-000340
oval:mil.disa.stig.windows:def:1110	WN16-CC-000350
oval:mil.disa.stig.windows:def:1111	WN16-CC-000360
oval:mil.disa.stig.windows:def:1112	WN-16-CC-000370
oval:mil.disa.stig.windows:def:1113	WN16-CC-000380
oval:mil.disa.stig.windows:def:1114	WN16-CC-000390
oval:mil.disa.stig.windows:def:1115	WN16-CC-000400
oval:mil.disa.stig.windows:def:1116	WN16-CC-000410
oval:mil.disa.stig.windows:def:1117	WN16-CC-000420
oval:mil.disa.stig.windows:def:1118	WN16-CC-000430
oval:mil.disa.stig.windows:def:1119	WN16-CC-000450
oval:mil.disa.stig.windows:def:1120	WN16-CC-000460
oval:mil.disa.stig.windows:def:1121	WN16-CC-000470
oval:mil.disa.stig.windows:def:1123	WN16-CC-000500
oval:mil.disa.stig.windows:def:1124	WN16-CC-000510
oval:mil.disa.stig.windows:def:1125	WN16-CC-000520
oval:mil.disa.stig.windows:def:1126	WN16-CC-000530
oval:mil.disa.stig.windows:def:1127	WN16-CC-000540
oval:mil.disa.stig.windows:def:1128	WN16-CC-000550
oval:mil.disa.stig.windows:def:1130	Kerberos - User Logon Restrictions
oval:mil.disa.stig.windows:def:1131	Kerberos - Service Ticket Lifetime
oval:mil.disa.stig.windows:def:1132	Kerberos - User Ticket Lifetime
oval:mil.disa.stig.windows:def:1133	Kerberos - User Ticket Renewal
oval:mil.disa.stig.windows:def:1134	Kerberos - Computer Clock Sync
oval:mil.disa.stig.windows:def:1135	Active Directory data files must have proper access control permissions.
oval:mil.disa.stig.windows:def:1152	Audit - Directory Service Access - Success
oval:mil.disa.stig.windows:def:1153	Audit - Directory Service Access - Failure
oval:mil.disa.stig.windows:def:1154	Audit - Directory Service Changes - Success

Oval ID	Title
oval:mil.disa.stig.windows:def:1155	Audit - Directory Service Changes - Failure
oval:mil.disa.stig.windows:def:1160	LDAP Signing Requirements
oval:mil.disa.stig.windows:def:1161	Computer Account Password Change
oval:mil.disa.stig.windows:def:1162	UR: Access this computer from the network - Domain Controller
oval:mil.disa.stig.windows:def:1163	UR: Add workstations to domain
oval:mil.disa.stig.windows:def:1164	UR: Allow log on through Remote Desktop Services
oval:mil.disa.stig.windows:def:1165	UR: Deny access to this computer from the network - Domain Controller
oval:mil.disa.stig.windows:def:1166	UR: Deny log on as a batch job - Domain Controllers
oval:mil.disa.stig.windows:def:1167	UR: Deny log on as a service - Domain Controller
oval:mil.disa.stig.windows:def:1168	UR: Deny log on locally - Domain Controller
oval:mil.disa.stig.windows:def:1169	UR: Deny log on through Remote Desktop Services - Domain Controllers
oval:mil.disa.stig.windows:def:1170	UR: Enable computer and user accounts to be trusted for delegation - Domain Controller
oval:mil.disa.stig.windows:def:1171	The system is a domain joined member server.
oval:mil.disa.stig.windows:def:1172	Local admin accounts filtered token policy enabled on domain systems
oval:mil.disa.stig.windows:def:1173	WN16-MS-000030
oval:mil.disa.stig.windows:def:1174	RPC - Unauthenticated RPC Clients
oval:mil.disa.stig.windows:def:1175	Caching of logon credentials
oval:mil.disa.stig.windows:def:1176	WN16-MS-000340
oval:mil.disa.stig.windows:def:1177	WN16-MS-000370
oval:mil.disa.stig.windows:def:1178	UR: Deny log on as a batch job - Member Server
oval:mil.disa.stig.windows:def:1179	Deny log on as a service - Member and Standalone Servers
oval:mil.disa.stig.windows:def:1180	Deny log on locally - Member and Standalone Server
oval:mil.disa.stig.windows:def:1181	Deny log on through Remote Desktop Services - Member and Standalone Servers
oval:mil.disa.stig.windows:def:1182	Enable computer and user accounts to be trusted for delegation - Member and Standalone Server
oval:mil.disa.stig.windows:def:1183	Disable Guest Account
oval:mil.disa.stig.windows:def:1184	Limit Blank Passwords
oval:mil.disa.stig.windows:def:1185	Rename Built-in Administrator Account
oval:mil.disa.stig.windows:def:1186	Rename Built-in Guest Account
oval:mil.disa.stig.windows:def:1187	Audit policy using subcategories must be enabled
oval:mil.disa.stig.windows:def:1188	Encrypting and Signing of Secure Channel Traffic (always)
oval:mil.disa.stig.windows:def:1189	Encryption of Secure Channel Traffic
oval:mil.disa.stig.windows:def:1190	Signing of Secure Channel Traffic
oval:mil.disa.stig.windows:def:1191	Computer Account Password Reset

Oval ID	Title
oval:mil.disa.stig.windows:def:1192	Maximum Machine Account Password Age
oval:mil.disa.stig.windows:def:1193	Windows Server 2016 must be configured to require a strong session key
oval:mil.disa.stig.windows:def:1194	WN16-SO-000140
oval:mil.disa.stig.windows:def:1195	Legal Notice Display
oval:mil.disa.stig.windows:def:1196	Legal Banner Dialog Box Title
oval:mil.disa.stig.windows:def:1197	Smart Card Removal Option
oval:mil.disa.stig.windows:def:1198	SMB Client Packet Signing (Always)
oval:mil.disa.stig.windows:def:1199	SMB Client Packet Signing (if server agrees)
oval:mil.disa.stig.windows:def:1200	Unencrypted passwords must not be sent to a third-party Server Message Block (SMB) Server
oval:mil.disa.stig.windows:def:1201	The amount of idle time required before suspending a session must be configured to 15 minutes or less.
oval:mil.disa.stig.windows:def:1202	The setting Microsoft network server: Digitally sign communications (always) must be configured to Enabled.
oval:mil.disa.stig.windows:def:1203	The Setting Microsoft network server: Digitally sign communications (if client agrees) must be configured to Enabled.
oval:mil.disa.stig.windows:def:1205	Restrict Anonymous SAM Enumeration
oval:mil.disa.stig.windows:def:1206	Restrict Anonymous Network Shares
oval:mil.disa.stig.windows:def:1207	Windows Server 2016 must be configured to prevent the storage of passwords and credentials.
oval:mil.disa.stig.windows:def:1208	Windows Server 2016 must be configured to prevent anonymous users from having the same permissions as the Everyone group.
oval:mil.disa.stig.windows:def:1209	Anonymous Access to Named Pipes and Shares
oval:mil.disa.stig.windows:def:1210	Security Account Manager (SAM) RPC
oval:mil.disa.stig.windows:def:1211	Services using Local System that use Negotiate when reverting to NTLM authentication must use the computer identity instead of authenticating anonymously.
oval:mil.disa.stig.windows:def:1212	NTLM must be prevented from falling back to a Null session.
oval:mil.disa.stig.windows:def:1213	PKU2U authentication using online identities must be prevented.
oval:mil.disa.stig.windows:def:1214	Kerberos Encryption Types
oval:mil.disa.stig.windows:def:1215	LAN Manager Hash Value Stored
oval:mil.disa.stig.windows:def:1216	Windows Server 2016 must be configured to force users to log off when their allowed logon hours expire.
oval:mil.disa.stig.windows:def:1217	LanMan Authentication Level
oval:mil.disa.stig.windows:def:1218	Windows Server 2016 must be configured to at least negotiate signing for LDAP client signing.
oval:mil.disa.stig.windows:def:1219	Session security for NTLM SSP-based clients must be configured to require NTLMv2 session security and 128-bit encryption.
oval:mil.disa.stig.windows:def:1220	Session security for NTLM SSP-based servers must be configured to require NTLMv2 session security and 128-bit encryption.

Oval ID	Title
oval:mil.disa.stig.windows:def:1221	Users must be required to enter a password to access private keys stored on the computer.
oval:mil.disa.stig.windows:def:1222	Windows Server 2016 must be configured to use FIPS-compliant algorithms for encryption, hashing, and signing.
oval:mil.disa.stig.windows:def:1223	Windows Server 2016 must be configured to require case insensitivity for non-Windows subsystems.
oval:mil.disa.stig.windows:def:1224	The default permissions of global system objects must be strengthened.
oval:mil.disa.stig.windows:def:1225	User Account Control approval mode for the built-in Administrator must be enabled.
oval:mil.disa.stig.windows:def:1226	UIAccess applications must not be allowed to prompt for elevation without using the secure desktop.
oval:mil.disa.stig.windows:def:1227	User Account Control must, at a minimum, prompt administrators for consent on the secure desktop.
oval:mil.disa.stig.windows:def:1228	User Account Control must automatically deny standard user requests for elevation.
oval:mil.disa.stig.windows:def:1229	User Account Control must be configured to detect application installations and prompt for elevation.
oval:mil.disa.stig.windows:def:1230	User Account Control must only elevate UIAccess applications that are installed in secure locations.
oval:mil.disa.stig.windows:def:1231	User Account Control must run all administrators in Admin Approval Mode, enabling UAC.
oval:mil.disa.stig.windows:def:1232	User Account Control must virtualize file and registry write failures to per-user locations.
oval:mil.disa.stig.windows:def:1236	WN16-UR-000010
oval:mil.disa.stig.windows:def:1237	WN16-UR-000030
oval:mil.disa.stig.windows:def:1238	WN16-UR-000050
oval:mil.disa.stig.windows:def:1239	WN16-UR-000070
oval:mil.disa.stig.windows:def:1240	WN16-UR-000080
oval:mil.disa.stig.windows:def:1241	WN16-UR-000090
oval:mil.disa.stig.windows:def:1242	WN16-UR-000100
oval:mil.disa.stig.windows:def:1243	WN16-UR-000110
oval:mil.disa.stig.windows:def:1244	WN16-UR-000120
oval:mil.disa.stig.windows:def:1245	WN16-UR-000130
oval:mil.disa.stig.windows:def:1246	WN16-UR-000200
oval:mil.disa.stig.windows:def:1247	WN16-UR-000210
oval:mil.disa.stig.windows:def:1248	WN16-UR-000220
oval:mil.disa.stig.windows:def:1249	WN16-UR-000230
oval:mil.disa.stig.windows:def:1250	WN16-UR-000240
oval:mil.disa.stig.windows:def:1251	WN16-UR-000250

Oval ID	Title
oval:mil.disa.stig.windows:def:1252	WN16-UR-000260
oval:mil.disa.stig.windows:def:1253	WN16-UR-000270
oval:mil.disa.stig.windows:def:1254	WN16-UR-000280
oval:mil.disa.stig.windows:def:1255	WN16-UR-000290
oval:mil.disa.stig.windows:def:1256	WN16-UR-000300
oval:mil.disa.stig.windows:def:1257	WN16-UR-000310

Updated Checks

Oval ID	Title
oval:com.mcafee.oval:def:218673	Oracle Solaris 10 - 124393-11, Dtlogin smf patch
oval:com.mcafee.oval.gen:def:291302	kernel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291305	kernel-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291308	kernel-debug-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291312	kernel-debug-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291315	kernel-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291319	kernel-debuginfo-common-i686 patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291323	kernel-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291326	kernel-doc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291329	kernel-firmware patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291333	kernel-headers patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291336	perf patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291612	bind patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291615	bind-chroot patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291618	bind-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291622	bind-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291625	bind-libs patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291628	bind-sdb patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291631	bind-utils patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292658	perf-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293496	httpd patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293499	httpd-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293503	httpd-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293506	httpd-manual patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293509	httpd-tools patch for Redhat EL6

Oval ID	Title
oval:com.mcafee.oval.gen:def:293513	mod_ssl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303860	kernel-debuginfo-common-x86_64 patch for Redhat EL6
oval:com.mcafee.oval:def:402507	Oracle Solaris 10 - 147673-06, Oracle Java Web Console 3.1 Patch
oval:com.mcafee.oval:def:402535	Oracle Solaris 10 - 150400-03, Kernel patch
oval:com.mcafee.oval.gen:def:298780	python-perf patch for Redhat EL6
oval:com.mcafee.oval.gen:def:299164	python-perf-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:234617	Oracle Solaris 10 - 147673-03, Oracle Java Web Console 3.1 Patch
oval:com.mcafee.oval.gen:def:303601	freeradius patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303604	freeradius-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303608	freeradius-krb5 patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303612	freeradius-ldap patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303616	freeradius-mysql patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303619	freeradius-perl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303623	freeradius-postgresql patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303626	freeradius-python patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303630	freeradius-unixODBC patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303633	freeradius-utils patch for Redhat EL6
oval:com.mcafee.oval.gen:def:316059	kernel-abi-whitelists patch for Redhat EL6
oval:com.mcafee.oval:def:405081	Oracle Solaris 10 - 147673-08, Oracle Java Web Console 3.1 Patch
oval:com.mcafee.oval:def:421720	Oracle Solaris 10 - 151145-01, vntsd vcc Patch
oval:com.mcafee.oval:def:421711	Oracle Solaris 10 - 150400-11, Kernel Patch
oval:com.mcafee.oval.gen:def:327735	java-1.8.0-openjdk patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327739	java-1.8.0-openjdk-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327743	java-1.8.0-openjdk-demo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327747	java-1.8.0-openjdk-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327751	java-1.8.0-openjdk-headless patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327755	java-1.8.0-openjdk-javadoc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:327759	java-1.8.0-openjdk-src patch for Redhat EL6
oval:com.mcafee.oval:def:558900	Oracle Solaris 10 - 150312-06, iscsi patch
oval:com.mcafee.oval:def:558899	Oracle Solaris 10 - 150400-16, Kernel patch
oval:com.mcafee.oval:def:958916	Oracle Solaris 10 - 150400-10, Kernel Patch
oval:com.mcafee.oval.gen:def:329924	kernel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329927	kernel-abi-whitelists patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329930	kernel-debug patch for Redhat EL7

Oval ID	Title
oval:com.mcafee.oval.gen:def:329933	kernel-debug-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329936	kernel-debug-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329939	kernel-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329942	kernel-debuginfo-common-x86_64 patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329945	kernel-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329948	kernel-doc patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329951	kernel-headers patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329954	kernel-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329958	kernel-tools-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329962	kernel-tools-libs patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329966	kernel-tools-libs-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329970	perf patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329973	perf-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329976	python-perf patch for Redhat EL7
oval:com.mcafee.oval.gen:def:329979	python-perf-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330164	qemu-img patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330167	qemu-kvm patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330170	qemu-kvm-common patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330174	qemu-kvm-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:330177	qemu-kvm-tools patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333656	bind patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333659	bind-chroot patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333662	bind-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333665	bind-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333668	bind-libs patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333671	bind-libs-lite patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333675	bind-license patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333679	bind-lite-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333683	bind-sdb patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333686	bind-sdb-chroot patch for Redhat EL7
oval:com.mcafee.oval.gen:def:333690	bind-utils patch for Redhat EL7
oval:com.mcafee.oval.gen:def:1405031	Oracle Solaris 10 - 150400-23, Kernel patch
oval:com.mcafee.oval.gen:def:335671	java-1.8.0-openjdk patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335674	java-1.8.0-openjdk-accessibility patch for Redhat EL7

Oval ID	Title
oval:com.mcafee.oval.gen:def:335678	java-1.8.0-openjdk-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335681	java-1.8.0-openjdk-demo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335684	java-1.8.0-openjdk-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335687	java-1.8.0-openjdk-headless patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335690	java-1.8.0-openjdk-javadoc patch for Redhat EL7
oval:com.mcafee.oval.gen:def:335693	java-1.8.0-openjdk-src patch for Redhat EL7
oval:com.mcafee.oval:def:1412475	Oracle Solaris 10 - 150400-27, kernel patch
oval:com.mcafee.oval.gen:def:346452	java-1.8.0-openjdk-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:346456	java-1.8.0-openjdk-demo-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:346460	java-1.8.0-openjdk-devel-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:346464	java-1.8.0-openjdk-headless-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:346468	java-1.8.0-openjdk-javadoc-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:346472	java-1.8.0-openjdk-src-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:348617	bind-pkcs11 patch for Redhat EL7
oval:com.mcafee.oval.gen:def:348621	bind-pkcs11-devel patch for Redhat EL7
oval:com.mcafee.oval.gen:def:348625	bind-pkcs11-libs patch for Redhat EL7
oval:com.mcafee.oval.gen:def:348629	bind-pkcs11-utils patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350355	java-1.8.0-openjdk-accessibility-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350359	java-1.8.0-openjdk-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350362	java-1.8.0-openjdk-demo-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350365	java-1.8.0-openjdk-devel-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350368	java-1.8.0-openjdk-headless-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350371	java-1.8.0-openjdk-javadoc-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:350374	java-1.8.0-openjdk-src-debug patch for Redhat EL7
oval:com.mcafee.oval.gen:def:356635	graphite2 patch for Redhat EL7
oval:com.mcafee.oval.gen:def:356639	graphite2-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:356643	graphite2-devel patch for Redhat EL7
oval:com.mcafee.oval:def:2487609	Oracle Solaris 10 - 150400-35, kernel patch
oval:com.mcafee.oval.gen:def:360052	emacs-mercurial patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360056	emacs-mercurial-el patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360060	mercurial patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360064	mercurial-debuginfo patch for Redhat EL7
oval:com.mcafee.oval.gen:def:360068	mercurial-hgk patch for Redhat EL7
oval:com.mcafee.oval:def:2487894	Oracle Solaris 10 - 150400-38, kernel patch

Oval ID	Title
oval:com.mcafee.oval:def:2488031	Oracle Solaris 10 - 150400-40, kernel patch
oval:com.mcafee.oval.auto:def:336438	Patches for CESA-2016-2872 for CentOS 6
oval:com.mcafee.oval.gen:def:375257	java-1.8.0-openjdk-javadoc-zip patch for Redhat EL7
oval:com.mcafee.oval.gen:def:375261	java-1.8.0-openjdk-javadoc-zip-debug patch for Redhat EL7
oval:com.mcafee.oval:def:2899022	Apple Safari Security Update 10.1.1 for Mac OS X
oval:com.mcafee.oval.common:def:2899422	APSB17-21 Vulnerability Security Update 26.0.0.137 for Adobe Flash Player
oval:com.mcafee.oval:def:2899421	APSB17-21 Vulnerability Security Update 26.0.0.137 for Adobe Flash Player for Mac
oval:com.mcafee.oval:def:2899398	Security Update for Microsoft Office Excel 2010 SP2 (KB3191907)
oval:com.mcafee.oval:def:2901893	Security Update for Microsoft Office 2010 SP2 (KB3213624)
oval:com.mcafee.oval:def:2899410	Security Update for Microsoft Office Sharepoint Server 2013 SP1 Excel Services (KB3213559)
oval:com.mcafee.oval:def:2901895	Security Update for Microsoft Office Online Server (KB3213657)
oval:com.mcafee.oval:def:2899403	Security Update for Microsoft Office Excel 2016 (KB3203477)
oval:com.mcafee.oval:def:2901885	Security Update for Microsoft Office 2007 Service Pack 3 (KB3213640)
oval:com.mcafee.oval:def:2899392	Security Update for Microsoft Office Outlook 2016 (KB3213539)
oval:com.mcafee.oval:def:2899408	Security Update for Microsoft Office SharePoint Server 2016 (KB3213544)
oval:com.mcafee.oval:def:2899386	Security Update for Microsoft Office 2013 SP1 (KB3213555)
oval:com.mcafee.oval:def:2901882	Security Update for Microsoft SharePoint Server 2010 SP2 Excel Services (KB3191902)
oval:com.mcafee.oval:def:2899415	Security Update for Microsoft Office Excel Viewer 2007 Service Pack 3 (KB3191833)
oval:com.mcafee.oval:def:2901891	Security Update for Microsoft Office 2016 (KB3213545)
oval:com.mcafee.oval:def:2901916	Security Update for Microsoft Office Compatibility Pack SP3 (KB3191897)
oval:com.mcafee.oval:def:2901912	Security Update for Microsoft Office Excel 2007 Service Pack 3 (KB3191894)
oval:com.mcafee.oval:def:2901909	Security Update for Microsoft Office Excel 2013 SP1 (KB3213537)
oval:com.mcafee.oval:def:2899389	Security Update for Microsoft Office Outlook 2013 SP1 (KB3213570)
oval:com.mcafee.oval:def:2900572	Cumulative Update for Windows 10 Version 1703 for x64-based Systems (KB4025342)
oval:com.mcafee.oval:def:2900628	July, 2017 Security Only Quality Update for Windows 7 (KB4025337)
oval:com.mcafee.oval:def:2900629	July, 2017 Security Only Quality Update for Windows Server 2012 (KB4025343)
oval:com.mcafee.oval:def:2900589	July, 2017 Security Monthly Quality Rollup for Windows Server 2008 R2 for x64-based Systems (KB4025341)
oval:com.mcafee.oval:def:2900621	MS16-110 Security Update for Windows Server 2008 (KB4025409)
oval:com.mcafee.oval:def:2900579	Security Update for Adobe Flash Player for Windows 8.1 (KB4025376)
oval:com.mcafee.oval:def:2900615	Cumulative Update for Windows Server 2016 for x64-based Systems (KB4025339)
oval:com.mcafee.oval:def:2900582	Security Update for Adobe Flash Player for Windows Server 2012 (KB4025376)

Oval ID	Title
oval:com.mcafee.oval:def:2900627	July, 2017 Security Only Quality Update for Windows 7 for x64-based Systems (KB4025337)
oval:com.mcafee.oval:def:2900590	July, 2017 Security Monthly Quality Rollup for Windows Server 2012 (KB4025331)
oval:com.mcafee.oval:def:2900664	Security Update for Windows Server 2008 for x64-based Systems (KB4022748)
oval:com.mcafee.oval:def:2900632	July, 2017 Security Only Quality Update for Windows 8.1 for x64-based Systems (KB4025333)
oval:com.mcafee.oval:def:2900567	Cumulative Update for Windows 10 Version 1511 for x64-based Systems (KB4025344)
oval:com.mcafee.oval:def:2900617	Cumulative Update for Windows 10 Version 1607 (KB4025339)
oval:com.mcafee.oval:def:2900609	Cumulative Security Update for Internet Explorer 11 for Windows 8.1 (KB4025252)
oval:com.mcafee.oval:def:2900683	Security Update for Windows Server 2008 (KB4025877)
oval:com.mcafee.oval:def:2900584	Security Update for Adobe Flash Player for Windows 10 Version 1607 (for x64-based Systems) (KB4025376)
oval:com.mcafee.oval:def:2900587	July, 2017 Security Monthly Quality Rollup for Windows 7 (KB4025341)
oval:com.mcafee.oval:def:2900687	Security Update for Windows Server 2008 (KB4025497)
oval:com.mcafee.oval:def:2900595	Security Update for Windows Server 2008 (KB4022746)
oval:com.mcafee.oval:def:2900565	July, 2017 Security Monthly Quality Rollup for Windows 8.1 (KB4025336)
oval:com.mcafee.oval:def:2900596	Security Update for Windows Server 2008 x64 Edition (KB4022746)
oval:com.mcafee.oval:def:2900630	July, 2017 Security Only Quality Update for Windows Server 2012 R2 (KB4025333)
oval:com.mcafee.oval:def:2900578	Security Update for Adobe Flash Player for Windows 8.1 for x64-based Systems (KB4025376)
oval:com.mcafee.oval:def:2900603	Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 (KB4025252)
oval:com.mcafee.oval:def:2900604	Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 for x64-based Systems (KB4025252)
oval:com.mcafee.oval:def:2900611	Cumulative Security Update for Internet Explorer 11 for Windows 7 for x64-based Systems (KB4025252)
oval:com.mcafee.oval:def:2900642	Security Update for Windows Server 2008 (KB4025674)
oval:com.mcafee.oval:def:2900601	Cumulative Update for Windows 10 (KB4025338)
oval:com.mcafee.oval:def:2900566	July, 2017 Security Monthly Quality Rollup for Windows 8.1 for x64-based Systems (KB4025336)
oval:com.mcafee.oval:def:2900575	Security Update for Adobe Flash Player for Windows 10 Version 1511 (for x64-based Systems) (KB4025376)
oval:com.mcafee.oval:def:2900631	July, 2017 Security Only Quality Update for Windows 8.1 (KB4025333)
oval:com.mcafee.oval:def:2900677	Security Update for Windows Server 2008 for x64-based Systems (KB4026061)
oval:com.mcafee.oval:def:2900571	Cumulative Update for Windows 10 Version 1703 (KB4025342)
oval:com.mcafee.oval:def:2900580	Security Update for Adobe Flash Player for Windows Server 2016 (for x64-based Systems) (KB4025376)

Oval ID	Title
oval:com.mcafee.oval:def:2900581	Security Update for Adobe Flash Player for Windows Server 2012 R2 (KB4025376)
oval:com.mcafee.oval:def:2900671	Security Update for Windows Server 2008 (KB4032955)
oval:com.mcafee.oval:def:2900564	July, 2017 Security Monthly Quality Rollup for Windows Server 2012 R2 (KB4025336)
oval:com.mcafee.oval:def:2900647	Security Update for Windows Server 2008 for x64-based Systems (KB4025398)
oval:com.mcafee.oval:def:2900607	Cumulative Security Update for Internet Explorer 11 for Windows Server 2012 R2 (KB4025252)
oval:com.mcafee.oval:def:2900648	Security Update for Windows Server 2008 (KB4025398)
oval:com.mcafee.oval:def:2900577	Security Update for Adobe Flash Player for Windows 10 (for x64-based Systems) (KB4025376)
oval:com.mcafee.oval:def:2900608	Cumulative Security Update for Internet Explorer 11 for Windows 8.1 for x64-based Systems (KB4025252)
oval:com.mcafee.oval:def:2900670	Security Update for Windows Server 2008 for x64-based Systems (KB4032955)
oval:com.mcafee.oval:def:2900688	Security Update for Windows Server 2008 for x64-based Systems (KB4025497)
oval:com.mcafee.oval:def:2900610	Cumulative Security Update for Internet Explorer 11 for Windows Server 2008 R2 for x64-based Systems (KB4025252)
oval:com.mcafee.oval:def:2900637	Cumulative Security Update for Internet Explorer 10 for Windows Server 2012 (KB4025252)
oval:com.mcafee.oval:def:2900616	Cumulative Update for Windows 10 Version 1607 for x64-based Systems (KB4025339)
oval:com.mcafee.oval:def:2900684	Security Update for Windows Server 2008 x64 Edition (KB4025877)
oval:com.mcafee.oval:def:2900658	Security Update for Windows Server 2008 for x64-based Systems (KB4022914)
oval:com.mcafee.oval:def:2900612	Cumulative Security Update for Internet Explorer 11 for Windows 7 (KB4025252)
oval:com.mcafee.oval:def:2900665	Security Update for Windows Server 2008 (KB4022748)
oval:com.mcafee.oval:def:2900574	Security Update for Adobe Flash Player for Windows 10 Version 1511 (KB4025376)
oval:com.mcafee.oval:def:2900652	Security Update for Windows Server 2008 for x64-based Systems (KB4025397)
oval:com.mcafee.oval:def:2900568	Cumulative Update for Windows 10 Version 1511 (KB4025344)
oval:com.mcafee.oval:def:2900620	MS16-110 Security Update for Windows Server 2008 x64 Edition (KB4025409)
oval:com.mcafee.oval:def:2900593	Security Update for Windows Server 2008 (KB4026059)
oval:com.mcafee.oval:def:2900600	Cumulative Update for Windows 10 for x64-based Systems (KB4025338)
oval:com.mcafee.oval:def:2900576	Security Update for Adobe Flash Player for Windows 10 (KB4025376)
oval:com.mcafee.oval:def:2900586	Security Update for Windows Server 2008 for x64-based Systems (KB4025240)
oval:com.mcafee.oval:def:2900653	Security Update for Windows Server 2008 (KB4025397)
oval:com.mcafee.oval:def:2900643	Security Update for Windows Server 2008 for x64-based Systems (KB4025674)
oval:com.mcafee.oval:def:2900659	Security Update for Windows Server 2008 (KB4022914)
oval:com.mcafee.oval:def:2900588	July, 2017 Security Monthly Quality Rollup for Windows 7 for x64-based Systems (KB4025341)

Oval ID	Title
oval:com.mcafee.oval:def:2900594	Security Update for Windows Server 2008 for x64-based Systems (KB4026059)
oval:com.mcafee.oval:def:2900585	Security Update for Windows Server 2008 (KB4025240)
oval:com.mcafee.oval:def:2900583	Security Update for Adobe Flash Player for Windows 10 Version 1607 (KB4025376)
oval:com.mcafee.oval:def:2900626	July, 2017 Security Only Quality Update for Windows Server 2008 R2 for x64-based Systems (KB4025337)
oval:com.mcafee.oval:def:2900676	Security Update for Windows Server 2008 (KB4026061)
oval:com.mcafee.oval:def:2901880	Security Update for Microsoft Office Web Apps 2010 SP2 (KB3203469)
oval:com.mcafee.oval:def:2899395	Security Update for Microsoft Office 2007 SP3 (KB2880514)
oval:com.mcafee.oval:def:2899405	Security Update for Microsoft Office 2010 SP2 (KB3203468)

New Benchmarks

Benchmark ID	Title
xccdf_mil.disa.stig_benchmark_Windows_Server_2016_STIG	Windows Server 2016 Security Technical Implementation Guide

Updated Benchmarks

Benchmark ID	Title
WindowsServer2008-800-53	Windows Server 2008 - NIST 800-53 Benchmark
LatestPatchPolicyBenchmark	Latest Patch Policy Benchmark - 07.28.2017
WindowsPCIDSSSecurityBenchmark	Windows PCI DSS Benchmark
AppleMacOSXPatchPolicy	Apple Mac OSX Patch Policy
AIXPatchPolicy	AIX Patch Policy
OracleLinuxPatchPolicy	Oracle Linux Patch Policy
CentOSPatchPolicy	CentOS Patch Policy
DebianPatchPolicy	Debian Patch Policy
SusePatchPolicy	Suse Patch Policy
RedhatPatchPolicy	Redhat and CentOS Patch Policy
OracleSolarisPatchPolicy	Oracle Solaris Patch Policy
Solaris11PatchPolicy	Oracle Solaris 11 Patch Policy
MS_Windows_Bulletin_Benchmark_2017_	MS Windows Bulletin Benchmark 2017

McAfee Technical Support

PrimeSupport ServicePortal:

<https://support.mcafee.com>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright © 2017 McAfee, LLC www.mcafee.com

McAfee and the McAfee logo, McAfee Active Protection, ePolicy Orchestrator, McAfee ePO, Foundstone, McAfee LiveSafe, McAfee QuickClean, McAfee SECURE, SecureOS, McAfee Shredder, SiteAdvisor, McAfee Stinger, TrustedSource, VirusScan are trademarks of McAfee LLC or its subsidiaries in the US and other countries. Other marks and brands may be claimed as the property of others.