

## McAfee Policy Auditor Content Update Summary

| Product / Version         | Content Version |
|---------------------------|-----------------|
| McAfee Policy Auditor 6.x | 1221            |

## New Checks

| Oval ID                              | Title                                   |
|--------------------------------------|---|
| oval:com.mcafee.oval.auto:def:350487 | Patches for DSA-3916-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:350491 | Patches for DSA-3917-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:350833 | Patches for DSA-3918-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:350837 | Patches for CESA-2017-1793 for CentOS 7 |
| oval:com.mcafee.oval.auto:def:350848 | Patches for CESA-2017-1759 for CentOS 6 |
| oval:com.mcafee.oval.auto:def:350862 | Patches for CESA-2017-1789 for CentOS 6 |
| oval:com.mcafee.oval.auto:def:350880 | Patches for CESA-2017-1789 for CentOS 7 |
| oval:com.mcafee.oval.auto:def:350918 | Patches for DSA-3922-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:350922 | Patches for DSA-3921-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351026 | Patches for DSA-3923-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351037 | Patches for DSA-3924-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351049 | Patches for CESA-2017-1809 for CentOS 7 |
| oval:com.mcafee.oval.auto:def:351067 | Patches for DSA-3934-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351093 | Patches for DSA-3933-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351120 | Patches for DSA-3932-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351144 | Patches for DSA-3930-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351160 | Patches for DSA-3929-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351348 | Patches for DSA-3928-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351389 | Patches for DSA-3935-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351397 | Patches for DSA-3939-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351405 | Patches for DSA-3938-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351415 | Patches for DSA-3937-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351419 | Patches for DSA-3942-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351423 | Patches for DSA-3940-1 for Debian 8     |
| oval:com.mcafee.oval.auto:def:351426 | Patches for DSA-3943-1 for Debian 8     |

| Oval ID                              | Title   |
|--------------------------------------|---|
| oval:com.mcafee.oval.auto:def:351429 | Patches for CESA-2017-2456 for CentOS 6       |
| oval:com.mcafee.oval.auto:def:351436 | Patches for CESA-2017-2478 for CentOS 6       |
| oval:com.mcafee.oval.auto:def:351443 | Patches for CESA-2017-2424 for CentOS 6       |
| oval:com.mcafee.oval.auto:def:352292 | Patches for DSA-3945-1 for Debian 8           |
| oval:com.mcafee.oval.auto:def:352330 | Patches for DSA-3944-1 for Debian 8           |
| oval:com.mcafee.oval.auto:def:352336 | Patches for DSA-3947-1 for Debian 8           |
| oval:com.mcafee.oval.auto:def:352346 | Patches for DSA-3946-1 for Debian 8           |
| oval:com.mcafee.oval.auto:def:352351 | Patches for DSA-3948-1 for Debian 8           |
| oval:com.mcafee.oval.auto:def:352365 | Patches for DSA-3949-1 for Debian 8           |
| oval:com.mcafee.oval.auto:def:352369 | Patches for ELSA-2017-1931 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352375 | Patches for ELSA-2017-2285 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352389 | Patches for ELSA-2017-2389 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352402 | Patches for ELSA-2017-2029 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352537 | Patches for ELSA-2017-1975 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352544 | Patches for ELSA-2017-2478 for Oracle Linux 6 |
| oval:com.mcafee.oval.auto:def:352553 | Patches for ELSA-2017-1868 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352557 | Patches for ELSA-2017-2471 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352575 | Patches for ELSA-2017-2004 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352583 | Patches for ELSA-2017-1859 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352588 | Patches for ELSA-2017-1860 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352604 | Patches for ELSA-2017-2480 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352609 | Patches for ELSA-2017-2016 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352619 | Patches for ELSA-2017-3595 for Oracle Linux 6 |
| oval:com.mcafee.oval.auto:def:352629 | Patches for ELSA-2017-3595 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352645 | Patches for ELSA-2017-2335 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352649 | Patches for ELSA-2017-1793 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352656 | Patches for ELSA-2017-1852 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352668 | Patches for ELSA-2017-1809 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352682 | Patches for ELSA-2017-1789 for Oracle Linux 6 |
| oval:com.mcafee.oval.auto:def:352700 | Patches for ELSA-2017-1789 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352715 | Patches for ELSA-2017-1842 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352723 | Patches for ELSA-2017-3597 for Oracle Linux 6 |
| oval:com.mcafee.oval.auto:def:352745 | Patches for ELSA-2017-2258 for Oracle Linux 7 |
| oval:com.mcafee.oval.auto:def:352755 | Patches for ELSA-2017-3596 for Oracle Linux 6 |

| Oval ID                                 | Title  |
|---|--|
| oval:com.mcafee.oval.auto:def:352765    | Patches for ELSA-2017-3596 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352769    | Patches for ELSA-2017-1871 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352801    | Patches for ELSA-2017-2299 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352822    | Patches for ELSA-2017-2000 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352836    | Patches for ELSA-2017-2473 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352847    | Patches for ELSA-2017-1854 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352855    | Patches for ELSA-2017-2423 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352865    | Patches for ELSA-2017-2192 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352868    | Patches for ELSA-2017-2456 for Oracle Linux 6        |
| oval:com.mcafee.oval.auto:def:352871    | Patches for ELSA-2017-2456 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352884    | Patches for ELSA-2017-2128 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352890    | Patches for ELSA-2017-2445 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:352902    | Patches for ELSA-2017-2247 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:353110    | Patches for ELSA-2017-2292 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:353124    | Patches for ELSA-2017-2388 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:353130    | Patches for ELSA-2017-1856 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:353136    | Patches for ELSA-2017-2459 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:353151    | Patches for ELSA-2017-1983 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:353160    | Patches for ELSA-2017-1916 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:353170    | Patches for ELSA-2017-2479 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:353177    | Patches for ELSA-2017-2180 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:353203    | Patches for ELSA-2017-1950 for Oracle Linux 7        |
| oval:com.mcafee.oval.auto:def:353210    | Patches for ELSA-2017-2424 for Oracle Linux 6        |
| oval:com.mcafee.oval.auto:def:353219    | Patches for ELSA-2017-2424 for Oracle Linux 7        |
| oval:com.mcafee.oval.common:def:2902023 | Mozilla Firefox Security Update 55.0 for Windows     |
| oval:com.mcafee.oval.common:def:2902030 | Mozilla Firefox ESR Security Update 52.3 for Windows |
| oval:com.mcafee.oval.common:def:2902105 | Mozilla Thunderbird Security Update 52.3 for Windows |
| oval:com.mcafee.oval.gen:def:385349     | groovy patch for Redhat EL7                          |
| oval:com.mcafee.oval.gen:def:385353     | groovy-javadoc patch for Redhat EL7                  |
| oval:com.mcafee.oval.gen:def:385357     | java-1.8.0-ibm patch for Redhat EL7                  |
| oval:com.mcafee.oval.gen:def:385361     | java-1.8.0-ibm-demo patch for Redhat EL7             |
| oval:com.mcafee.oval.gen:def:385365     | java-1.8.0-ibm-devel patch for Redhat EL7            |
| oval:com.mcafee.oval.gen:def:385369     | java-1.8.0-ibm-jdbc patch for Redhat EL7             |
| oval:com.mcafee.oval.gen:def:385373     | java-1.8.0-ibm-plugin patch for Redhat EL7           |

| Oval ID                             | Title   |
|-------------------------------------|---|
| oval:com.mcafee.oval.gen:def:385377 | java-1.8.0-ibm-src patch for Redhat EL7         |
| oval:com.mcafee.oval.gen:def:385381 | java-1.7.1-ibm patch for Redhat EL7             |
| oval:com.mcafee.oval.gen:def:385385 | java-1.7.1-ibm-demo patch for Redhat EL7        |
| oval:com.mcafee.oval.gen:def:385389 | java-1.7.1-ibm-devel patch for Redhat EL7       |
| oval:com.mcafee.oval.gen:def:385393 | java-1.7.1-ibm-jdbc patch for Redhat EL7        |
| oval:com.mcafee.oval.gen:def:385397 | java-1.7.1-ibm-plugin patch for Redhat EL7      |
| oval:com.mcafee.oval.gen:def:385401 | java-1.7.1-ibm-src patch for Redhat EL7         |
| oval:com.mcafee.oval.gen:def:385405 | libsoup patch for Redhat EL7                    |
| oval:com.mcafee.oval.gen:def:385408 | libsoup-debuginfo patch for Redhat EL7          |
| oval:com.mcafee.oval.gen:def:385411 | libsoup-devel patch for Redhat EL7              |
| oval:com.mcafee.oval.gen:def:385414 | log4j patch for Redhat EL7                      |
| oval:com.mcafee.oval.gen:def:385418 | log4j-javadoc patch for Redhat EL7              |
| oval:com.mcafee.oval.gen:def:385422 | log4j-manual patch for Redhat EL7               |
| oval:com.mcafee.oval.gen:def:385426 | evince patch for Redhat EL7                     |
| oval:com.mcafee.oval.gen:def:385429 | evince-browser-plugin patch for Redhat EL7      |
| oval:com.mcafee.oval.gen:def:385433 | evince-debuginfo patch for Redhat EL7           |
| oval:com.mcafee.oval.gen:def:385436 | evince-devel patch for Redhat EL7               |
| oval:com.mcafee.oval.gen:def:385439 | evince-dvi patch for Redhat EL7                 |
| oval:com.mcafee.oval.gen:def:385442 | evince-libs patch for Redhat EL7                |
| oval:com.mcafee.oval.gen:def:385445 | evince-nautilus patch for Redhat EL7            |
| oval:com.mcafee.oval.gen:def:385449 | java-1.7.1-ibm patch for Redhat EL6             |
| oval:com.mcafee.oval.gen:def:385452 | java-1.7.1-ibm-demo patch for Redhat EL6        |
| oval:com.mcafee.oval.gen:def:385455 | java-1.7.1-ibm-devel patch for Redhat EL6       |
| oval:com.mcafee.oval.gen:def:385458 | java-1.7.1-ibm-jdbc patch for Redhat EL6        |
| oval:com.mcafee.oval.gen:def:385461 | java-1.7.1-ibm-plugin patch for Redhat EL6      |
| oval:com.mcafee.oval.gen:def:385464 | java-1.7.1-ibm-src patch for Redhat EL6         |
| oval:com.mcafee.oval.gen:def:385467 | java-1.8.0-ibm patch for Redhat EL6             |
| oval:com.mcafee.oval.gen:def:385470 | java-1.8.0-ibm-demo patch for Redhat EL6        |
| oval:com.mcafee.oval.gen:def:385473 | java-1.8.0-ibm-devel patch for Redhat EL6       |
| oval:com.mcafee.oval.gen:def:385476 | java-1.8.0-ibm-jdbc patch for Redhat EL6        |
| oval:com.mcafee.oval.gen:def:385479 | java-1.8.0-ibm-plugin patch for Redhat EL6      |
| oval:com.mcafee.oval.gen:def:385482 | java-1.8.0-ibm-src patch for Redhat EL6         |
| oval:com.mcafee.oval.gen:def:385485 | chromium-browser patch for Redhat EL6           |
| oval:com.mcafee.oval.gen:def:385489 | chromium-browser-debuginfo patch for Redhat EL6 |

| Oval ID                             | Title   |
|-------------------------------------|---|
| oval:com.mcafee.oval.gen:def:385496 | Test for apache2-doc On SUSE Linux Enterprise Server 12 SP2               |
| oval:com.mcafee.oval.gen:def:385500 | Test for apache2-utils On SUSE Linux Enterprise Server 12 SP3             |
| oval:com.mcafee.oval.gen:def:385504 | Test for apache2-example-pages On SUSE Linux Enterprise Server 12 SP3     |
| oval:com.mcafee.oval.gen:def:385508 | Test for apache2-debuginfo On SUSE Linux Enterprise Server 12 SP3         |
| oval:com.mcafee.oval.gen:def:385512 | Test for apache2-worker-debuginfo On SUSE Linux Enterprise Server 12 SP3  |
| oval:com.mcafee.oval.gen:def:385516 | Test for apache2-worker On SUSE Linux Enterprise Server 12 SP3            |
| oval:com.mcafee.oval.gen:def:385520 | Test for apache2-prefork-debuginfo On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:385524 | Test for apache2-debugsource On SUSE Linux Enterprise Server 12 SP3       |
| oval:com.mcafee.oval.gen:def:385528 | Test for apache2-utils-debuginfo On SUSE Linux Enterprise Server 12 SP3   |
| oval:com.mcafee.oval.gen:def:385532 | Test for apache2 On SUSE Linux Enterprise Server 12 SP3                   |
| oval:com.mcafee.oval.gen:def:385536 | Test for apache2-prefork On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:385537 | Test for apache2-utils On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:385538 | Test for apache2-example-pages On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:385539 | Test for apache2-debuginfo On SUSE Linux Enterprise Server 12 SP2         |
| oval:com.mcafee.oval.gen:def:385540 | Test for apache2-worker-debuginfo On SUSE Linux Enterprise Server 12 SP2  |
| oval:com.mcafee.oval.gen:def:385541 | Test for apache2-worker On SUSE Linux Enterprise Server 12 SP2            |
| oval:com.mcafee.oval.gen:def:385542 | Test for apache2-prefork-debuginfo On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:385543 | Test for apache2-debugsource On SUSE Linux Enterprise Server 12 SP2       |
| oval:com.mcafee.oval.gen:def:385544 | Test for apache2-utils-debuginfo On SUSE Linux Enterprise Server 12 SP2   |
| oval:com.mcafee.oval.gen:def:385545 | Test for apache2 On SUSE Linux Enterprise Server 12 SP2                   |
| oval:com.mcafee.oval.gen:def:385546 | Test for apache2-prefork On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:385547 | Test for apache2-doc On SUSE Linux Enterprise Server 12 SP3               |
| oval:com.mcafee.oval.gen:def:385551 | Test for libquicktime-debugsource On SUSE Linux Enterprise Server 12 SP3  |
| oval:com.mcafee.oval.gen:def:385555 | Test for libquicktime0-debuginfo On SUSE Linux Enterprise Server 12 SP3   |
| oval:com.mcafee.oval.gen:def:385559 | Test for libquicktime0 On SUSE Linux Enterprise Server 12 SP3             |
| oval:com.mcafee.oval.gen:def:385560 | Test for libquicktime-debugsource On SUSE Linux Enterprise Server 12 SP2  |
| oval:com.mcafee.oval.gen:def:385561 | Test for libquicktime0-debuginfo On SUSE Linux Enterprise Server 12 SP2   |
| oval:com.mcafee.oval.gen:def:385562 | Test for libquicktime0 On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:385566 | Test for libical-debugsource On SUSE Linux Enterprise Server 12 SP3       |
| oval:com.mcafee.oval.gen:def:385570 | Test for libical1-debuginfo On SUSE Linux Enterprise Server 12 SP3        |
| oval:com.mcafee.oval.gen:def:385574 | Test for libical1 On SUSE Linux Enterprise Server 12 SP3                  |
| oval:com.mcafee.oval.gen:def:385578 | Test for libical1-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2  |
| oval:com.mcafee.oval.gen:def:385582 | Test for libical1-32bit On SUSE Linux Enterprise Server 12 SP2            |
| oval:com.mcafee.oval.gen:def:385583 | Test for libical1-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP3  |

| Oval ID                             | Title  |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:385584 | Test for libical1-32bit On SUSE Linux Enterprise Server 12 SP3             |
| oval:com.mcafee.oval.gen:def:385585 | Test for libical-debugsource On SUSE Linux Enterprise Server 12 SP2        |
| oval:com.mcafee.oval.gen:def:385586 | Test for libical1-debuginfo On SUSE Linux Enterprise Server 12 SP2         |
| oval:com.mcafee.oval.gen:def:385587 | Test for libical1 On SUSE Linux Enterprise Server 12 SP2                   |
| oval:com.mcafee.oval.gen:def:385591 | Test for apache2-utils On SUSE Linux Enterprise Server 11 SP4              |
| oval:com.mcafee.oval.gen:def:385595 | Test for apache2-example-pages On SUSE Linux Enterprise Server 11 SP4      |
| oval:com.mcafee.oval.gen:def:385599 | Test for apache2-worker On SUSE Linux Enterprise Server 11 SP4             |
| oval:com.mcafee.oval.gen:def:385603 | Test for apache2-doc On SUSE Linux Enterprise Server 11 SP4                |
| oval:com.mcafee.oval.gen:def:385607 | Test for apache2 On SUSE Linux Enterprise Server 11 SP4                    |
| oval:com.mcafee.oval.gen:def:385611 | Test for apache2-prefork On SUSE Linux Enterprise Server 11 SP4            |
| oval:com.mcafee.oval.gen:def:385615 | Test for libpoppler44-debuginfo On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:385619 | Test for libpoppler44 On SUSE Linux Enterprise Server 12 SP2               |
| oval:com.mcafee.oval.gen:def:385623 | Test for libpoppler-qt4-4-debuginfo On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:385627 | Test for libpoppler-qt4-4 On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:385631 | Test for poppler-qt-debugsource On SUSE Linux Enterprise Server 12 SP3     |
| oval:com.mcafee.oval.gen:def:385635 | Test for libpoppler-glib8-debuginfo On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:385639 | Test for libpoppler-glib8 On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:385643 | Test for libpoppler60 On SUSE Linux Enterprise Server 12 SP3               |
| oval:com.mcafee.oval.gen:def:385647 | Test for poppler-debugsource On SUSE Linux Enterprise Server 12 SP3        |
| oval:com.mcafee.oval.gen:def:385651 | Test for poppler-tools-debuginfo On SUSE Linux Enterprise Server 12 SP3    |
| oval:com.mcafee.oval.gen:def:385655 | Test for libpoppler60-debuginfo On SUSE Linux Enterprise Server 12 SP3     |
| oval:com.mcafee.oval.gen:def:385659 | Test for poppler-tools On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:385660 | Test for libpoppler-qt4-4-debuginfo On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:385661 | Test for libpoppler-qt4-4 On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:385662 | Test for poppler-qt-debugsource On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:385663 | Test for libpoppler-glib8-debuginfo On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:385664 | Test for libpoppler-glib8 On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:385665 | Test for libpoppler60 On SUSE Linux Enterprise Server 12 SP2               |
| oval:com.mcafee.oval.gen:def:385666 | Test for poppler-debugsource On SUSE Linux Enterprise Server 12 SP2        |
| oval:com.mcafee.oval.gen:def:385667 | Test for poppler-tools-debuginfo On SUSE Linux Enterprise Server 12 SP2    |
| oval:com.mcafee.oval.gen:def:385668 | Test for libpoppler60-debuginfo On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:385669 | Test for poppler-tools On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:385673 | Test for wireshark On SUSE Linux Enterprise Server 11 SP4                  |
| oval:com.mcafee.oval.gen:def:385677 | Test for wireshark-gtk On SUSE Linux Enterprise Server 11 SP4              |

| Oval ID                             | Title  |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:385681 | Test for wireshark-debuginfo On SUSE Linux Enterprise Server 12 SP3        |
| oval:com.mcafee.oval.gen:def:385685 | Test for libwsutil7 On SUSE Linux Enterprise Server 12 SP3                 |
| oval:com.mcafee.oval.gen:def:385689 | Test for libwsutil7-debuginfo On SUSE Linux Enterprise Server 12 SP3       |
| oval:com.mcafee.oval.gen:def:385693 | Test for wireshark On SUSE Linux Enterprise Server 12 SP3                  |
| oval:com.mcafee.oval.gen:def:385697 | Test for wireshark-debugsource On SUSE Linux Enterprise Server 12 SP3      |
| oval:com.mcafee.oval.gen:def:385701 | Test for wireshark-gtk-debuginfo On SUSE Linux Enterprise Server 12 SP3    |
| oval:com.mcafee.oval.gen:def:385705 | Test for libwiretap6-debuginfo On SUSE Linux Enterprise Server 12 SP3      |
| oval:com.mcafee.oval.gen:def:385709 | Test for libwireshark8-debuginfo On SUSE Linux Enterprise Server 12 SP3    |
| oval:com.mcafee.oval.gen:def:385713 | Test for libwscodecs1-debuginfo On SUSE Linux Enterprise Server 12 SP3     |
| oval:com.mcafee.oval.gen:def:385717 | Test for libwiretap6 On SUSE Linux Enterprise Server 12 SP3                |
| oval:com.mcafee.oval.gen:def:385721 | Test for libwireshark8 On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:385725 | Test for wireshark-gtk On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:385729 | Test for libwscodecs1 On SUSE Linux Enterprise Server 12 SP3               |
| oval:com.mcafee.oval.gen:def:385730 | Test for wireshark-debuginfo On SUSE Linux Enterprise Server 12 SP2        |
| oval:com.mcafee.oval.gen:def:385731 | Test for libwsutil7 On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:385732 | Test for libwsutil7-debuginfo On SUSE Linux Enterprise Server 12 SP2       |
| oval:com.mcafee.oval.gen:def:385733 | Test for wireshark On SUSE Linux Enterprise Server 12 SP2                  |
| oval:com.mcafee.oval.gen:def:385734 | Test for wireshark-debugsource On SUSE Linux Enterprise Server 12 SP2      |
| oval:com.mcafee.oval.gen:def:385735 | Test for wireshark-gtk-debuginfo On SUSE Linux Enterprise Server 12 SP2    |
| oval:com.mcafee.oval.gen:def:385736 | Test for libwiretap6-debuginfo On SUSE Linux Enterprise Server 12 SP2      |
| oval:com.mcafee.oval.gen:def:385737 | Test for libwireshark8-debuginfo On SUSE Linux Enterprise Server 12 SP2    |
| oval:com.mcafee.oval.gen:def:385738 | Test for libwscodecs1-debuginfo On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:385739 | Test for libwiretap6 On SUSE Linux Enterprise Server 12 SP2                |
| oval:com.mcafee.oval.gen:def:385740 | Test for libwireshark8 On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:385741 | Test for wireshark-gtk On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:385742 | Test for libwscodecs1 On SUSE Linux Enterprise Server 12 SP2               |
| oval:com.mcafee.oval.gen:def:385746 | Test for mariadb-tools-debuginfo On SUSE Linux Enterprise Server 12 SP3    |
| oval:com.mcafee.oval.gen:def:385750 | Test for mariadb-debugsource On SUSE Linux Enterprise Server 12 SP3        |
| oval:com.mcafee.oval.gen:def:385754 | Test for mariadb-debuginfo On SUSE Linux Enterprise Server 12 SP3          |
| oval:com.mcafee.oval.gen:def:385758 | Test for mariadb-tools On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:385762 | Test for libmysqlclient18-debuginfo On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:385766 | Test for mariadb-client-debuginfo On SUSE Linux Enterprise Server 12 SP3   |
| oval:com.mcafee.oval.gen:def:385770 | Test for mariadb-client On SUSE Linux Enterprise Server 12 SP3             |
| oval:com.mcafee.oval.gen:def:385774 | Test for libmysqlclient18 On SUSE Linux Enterprise Server 12 SP3           |

| Oval ID                             | Title  |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:385778 | Test for mariadb-errormessages On SUSE Linux Enterprise Server 12 SP3            |
| oval:com.mcafee.oval.gen:def:385782 | Test for mariadb On SUSE Linux Enterprise Server 12 SP3                          |
| oval:com.mcafee.oval.gen:def:385786 | Test for libmysqlclient18-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:385790 | Test for libmysqlclient18-32bit On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:385791 | Test for libmysqlclient18-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:385792 | Test for libmysqlclient18-32bit On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:385793 | Test for mariadb-tools-debuginfo On SUSE Linux Enterprise Server 12 SP2          |
| oval:com.mcafee.oval.gen:def:385794 | Test for mariadb-debugsource On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:385795 | Test for mariadb-debuginfo On SUSE Linux Enterprise Server 12 SP2                |
| oval:com.mcafee.oval.gen:def:385796 | Test for mariadb-tools On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:385797 | Test for libmysqlclient18-debuginfo On SUSE Linux Enterprise Server 12 SP2       |
| oval:com.mcafee.oval.gen:def:385798 | Test for mariadb-client-debuginfo On SUSE Linux Enterprise Server 12 SP2         |
| oval:com.mcafee.oval.gen:def:385799 | Test for mariadb-client On SUSE Linux Enterprise Server 12 SP2                   |
| oval:com.mcafee.oval.gen:def:385800 | Test for libmysqlclient18 On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:385801 | Test for mariadb-errormessages On SUSE Linux Enterprise Server 12 SP2            |
| oval:com.mcafee.oval.gen:def:385802 | Test for mariadb On SUSE Linux Enterprise Server 12 SP2                          |
| oval:com.mcafee.oval.gen:def:385806 | Test for zypper-log On SUSE Linux Enterprise Server 12 SP2                       |
| oval:com.mcafee.oval.gen:def:385810 | Test for zypper-debugsource On SUSE Linux Enterprise Server 12 SP2               |
| oval:com.mcafee.oval.gen:def:385814 | Test for libzypp-debuginfo On SUSE Linux Enterprise Server 12 SP2                |
| oval:com.mcafee.oval.gen:def:385818 | Test for zypper On SUSE Linux Enterprise Server 12 SP2                           |
| oval:com.mcafee.oval.gen:def:385822 | Test for zypper-debuginfo On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:385826 | Test for libzypp On SUSE Linux Enterprise Server 12 SP2                          |
| oval:com.mcafee.oval.gen:def:385830 | Test for libzypp-debugsource On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:385834 | Test for kernel-source On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:385838 | Test for kernel-macros On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:385842 | Test for kernel-devel On SUSE Linux Enterprise Server 12 SP2                     |
| oval:com.mcafee.oval.gen:def:385846 | Test for kernel-default-debugsource On SUSE Linux Enterprise Server 12 SP2       |
| oval:com.mcafee.oval.gen:def:385850 | Test for kernel-default-devel On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:385854 | Test for kernel-default-base-debuginfo On SUSE Linux Enterprise Server 12 SP2    |
| oval:com.mcafee.oval.gen:def:385858 | Test for kernel-default On SUSE Linux Enterprise Server 12 SP2                   |
| oval:com.mcafee.oval.gen:def:385862 | Test for kernel-default-base On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:385866 | Test for kernel-default-debuginfo On SUSE Linux Enterprise Server 12 SP2         |
| oval:com.mcafee.oval.gen:def:385870 | Test for kernel-syms On SUSE Linux Enterprise Server 12 SP2                      |



| Oval ID                             | Title   |
|-------------------------------------|---|
| oval:com.mcafee.oval.gen:def:385874 | Test for libncurses5 On SUSE Linux Enterprise Server 12 SP3                   |
| oval:com.mcafee.oval.gen:def:385878 | Test for tack On SUSE Linux Enterprise Server 12 SP3                          |
| oval:com.mcafee.oval.gen:def:385882 | Test for libncurses6 On SUSE Linux Enterprise Server 12 SP3                   |
| oval:com.mcafee.oval.gen:def:385886 | Test for libncurses6-debuginfo On SUSE Linux Enterprise Server 12 SP3         |
| oval:com.mcafee.oval.gen:def:385890 | Test for libncurses5-debuginfo On SUSE Linux Enterprise Server 12 SP3         |
| oval:com.mcafee.oval.gen:def:385894 | Test for terminfo-base On SUSE Linux Enterprise Server 12 SP3                 |
| oval:com.mcafee.oval.gen:def:385898 | Test for terminfo On SUSE Linux Enterprise Server 12 SP3                      |
| oval:com.mcafee.oval.gen:def:385902 | Test for ncurses-utils-debuginfo On SUSE Linux Enterprise Server 12 SP3       |
| oval:com.mcafee.oval.gen:def:385906 | Test for ncurses-debugsource On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:385910 | Test for ncurses-devel On SUSE Linux Enterprise Server 12 SP3                 |
| oval:com.mcafee.oval.gen:def:385914 | Test for tack-debuginfo On SUSE Linux Enterprise Server 12 SP3                |
| oval:com.mcafee.oval.gen:def:385918 | Test for ncurses-devel-debuginfo On SUSE Linux Enterprise Server 12 SP3       |
| oval:com.mcafee.oval.gen:def:385922 | Test for ncurses-utils On SUSE Linux Enterprise Server 12 SP3                 |
| oval:com.mcafee.oval.gen:def:385926 | Test for libncurses6-32bit On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:385930 | Test for ncurses-devel-32bit On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:385934 | Test for libncurses5-32bit On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:385938 | Test for libncurses6-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2   |
| oval:com.mcafee.oval.gen:def:385942 | Test for libncurses5-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2   |
| oval:com.mcafee.oval.gen:def:385946 | Test for ncurses-devel-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:385947 | Test for libncurses6-32bit On SUSE Linux Enterprise Server 12 SP3             |
| oval:com.mcafee.oval.gen:def:385948 | Test for ncurses-devel-32bit On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:385949 | Test for libncurses5-32bit On SUSE Linux Enterprise Server 12 SP3             |
| oval:com.mcafee.oval.gen:def:385950 | Test for libncurses6-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP3   |
| oval:com.mcafee.oval.gen:def:385951 | Test for libncurses5-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP3   |
| oval:com.mcafee.oval.gen:def:385952 | Test for ncurses-devel-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:385953 | Test for libncurses5 On SUSE Linux Enterprise Server 12 SP2                   |
| oval:com.mcafee.oval.gen:def:385954 | Test for tack On SUSE Linux Enterprise Server 12 SP2                          |
| oval:com.mcafee.oval.gen:def:385955 | Test for libncurses6 On SUSE Linux Enterprise Server 12 SP2                   |
| oval:com.mcafee.oval.gen:def:385956 | Test for libncurses6-debuginfo On SUSE Linux Enterprise Server 12 SP2         |
| oval:com.mcafee.oval.gen:def:385957 | Test for libncurses5-debuginfo On SUSE Linux Enterprise Server 12 SP2         |
| oval:com.mcafee.oval.gen:def:385958 | Test for terminfo-base On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:385959 | Test for terminfo On SUSE Linux Enterprise Server 12 SP2                      |
| oval:com.mcafee.oval.gen:def:385960 | Test for ncurses-utils-debuginfo On SUSE Linux Enterprise Server 12 SP2       |
| oval:com.mcafee.oval.gen:def:385961 | Test for ncurses-debugsource On SUSE Linux Enterprise Server 12 SP2           |

| Oval ID                             | Title  |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:385962 | Test for ncurses-devel On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:385963 | Test for tack-debuginfo On SUSE Linux Enterprise Server 12 SP2                   |
| oval:com.mcafee.oval.gen:def:385964 | Test for ncurses-devel-debuginfo On SUSE Linux Enterprise Server 12 SP2          |
| oval:com.mcafee.oval.gen:def:385965 | Test for ncurses-utils On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:385969 | Test for libncurses6-32bit On SUSE Linux Enterprise Server 11 SP4                |
| oval:com.mcafee.oval.gen:def:385973 | Test for ncurses-devel-32bit On SUSE Linux Enterprise Server 11 SP4              |
| oval:com.mcafee.oval.gen:def:385977 | Test for libncurses5-32bit On SUSE Linux Enterprise Server 11 SP4                |
| oval:com.mcafee.oval.gen:def:385981 | Test for libncurses5 On SUSE Linux Enterprise Server 11 SP4                      |
| oval:com.mcafee.oval.gen:def:385985 | Test for tack On SUSE Linux Enterprise Server 11 SP4                             |
| oval:com.mcafee.oval.gen:def:385989 | Test for libncurses6 On SUSE Linux Enterprise Server 11 SP4                      |
| oval:com.mcafee.oval.gen:def:385993 | Test for terminfo-base On SUSE Linux Enterprise Server 11 SP4                    |
| oval:com.mcafee.oval.gen:def:385997 | Test for terminfo On SUSE Linux Enterprise Server 11 SP4                         |
| oval:com.mcafee.oval.gen:def:386001 | Test for ncurses-devel On SUSE Linux Enterprise Server 11 SP4                    |
| oval:com.mcafee.oval.gen:def:386005 | Test for ncurses-utils On SUSE Linux Enterprise Server 11 SP4                    |
| oval:com.mcafee.oval.gen:def:386009 | Test for libxml2-32bit On SUSE Linux Enterprise Server 11 SP4                    |
| oval:com.mcafee.oval.gen:def:386013 | Test for libxml2-python On SUSE Linux Enterprise Server 11 SP4                   |
| oval:com.mcafee.oval.gen:def:386017 | Test for libxml2-doc On SUSE Linux Enterprise Server 11 SP4                      |
| oval:com.mcafee.oval.gen:def:386021 | Test for libxml2 On SUSE Linux Enterprise Server 11 SP4                          |
| oval:com.mcafee.oval.gen:def:386025 | Test for rsvg-view-debuginfo On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:386029 | Test for librsvg-debugsource On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:386033 | Test for librsvg-2-2 On SUSE Linux Enterprise Server 12 SP3                      |
| oval:com.mcafee.oval.gen:def:386037 | Test for gdk-pixbuf-loader-rsvg On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:386041 | Test for gdk-pixbuf-loader-rsvg-debuginfo On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:386045 | Test for rsvg-view On SUSE Linux Enterprise Server 12 SP3                        |
| oval:com.mcafee.oval.gen:def:386049 | Test for librsvg-2-2-debuginfo On SUSE Linux Enterprise Server 12 SP3            |
| oval:com.mcafee.oval.gen:def:386053 | Test for librsvg-2-2-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2      |
| oval:com.mcafee.oval.gen:def:386057 | Test for librsvg-2-2-32bit On SUSE Linux Enterprise Server 12 SP2                |
| oval:com.mcafee.oval.gen:def:386058 | Test for librsvg-2-2-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP3      |
| oval:com.mcafee.oval.gen:def:386059 | Test for librsvg-2-2-32bit On SUSE Linux Enterprise Server 12 SP3                |
| oval:com.mcafee.oval.gen:def:386060 | Test for rsvg-view-debuginfo On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:386061 | Test for librsvg-debugsource On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:386062 | Test for librsvg-2-2 On SUSE Linux Enterprise Server 12 SP2                      |
| oval:com.mcafee.oval.gen:def:386063 | Test for gdk-pixbuf-loader-rsvg On SUSE Linux Enterprise Server 12 SP2           |

| Oval ID                             | Title  |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:386064 | Test for gdk-pixbuf-loader-rsvg-debuginfo On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:386065 | Test for rsvg-view On SUSE Linux Enterprise Server 12 SP2                        |
| oval:com.mcafee.oval.gen:def:386066 | Test for libsvg-2-2-debuginfo On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:386070 | Test for libsoup-lang On SUSE Linux Enterprise Server 12 SP2                     |
| oval:com.mcafee.oval.gen:def:386074 | Test for libsoup-debugsource On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:386078 | Test for libsoup-2_4-1-debuginfo On SUSE Linux Enterprise Server 12 SP3          |
| oval:com.mcafee.oval.gen:def:386082 | Test for libsoup-2_4-1 On SUSE Linux Enterprise Server 12 SP3                    |
| oval:com.mcafee.oval.gen:def:386086 | Test for typelib-1_0-Soup-2_4 On SUSE Linux Enterprise Server 12 SP3             |
| oval:com.mcafee.oval.gen:def:386087 | Test for libsoup-lang On SUSE Linux Enterprise Server 12 SP3                     |
| oval:com.mcafee.oval.gen:def:386091 | Test for libsoup-2_4-1-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2    |
| oval:com.mcafee.oval.gen:def:386095 | Test for libsoup-2_4-1-32bit On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:386096 | Test for libsoup-2_4-1-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP3    |
| oval:com.mcafee.oval.gen:def:386097 | Test for libsoup-2_4-1-32bit On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:386098 | Test for libsoup-debugsource On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:386099 | Test for libsoup-2_4-1-debuginfo On SUSE Linux Enterprise Server 12 SP2          |
| oval:com.mcafee.oval.gen:def:386100 | Test for libsoup-2_4-1 On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:386101 | Test for typelib-1_0-Soup-2_4 On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:386105 | Test for kernel-source On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:386109 | Test for kernel-macros On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:386113 | Test for kernel-devel On SUSE Linux Enterprise Server 12 SP2                     |
| oval:com.mcafee.oval.gen:def:386117 | Test for kernel-default-debugsource On SUSE Linux Enterprise Server 12 SP2       |
| oval:com.mcafee.oval.gen:def:386121 | Test for kernel-default-devel On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:386125 | Test for kernel-default-base-debuginfo On SUSE Linux Enterprise Server 12 SP2    |
| oval:com.mcafee.oval.gen:def:386129 | Test for kernel-default On SUSE Linux Enterprise Server 12 SP2                   |
| oval:com.mcafee.oval.gen:def:386133 | Test for kernel-default-base On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:386137 | Test for kernel-default-debuginfo On SUSE Linux Enterprise Server 12 SP2         |
| oval:com.mcafee.oval.gen:def:386141 | Test for kernel-syms On SUSE Linux Enterprise Server 12 SP2                      |
| oval:com.mcafee.oval.gen:def:386145 | Test for libxml2-doc On SUSE Linux Enterprise Server 12 SP2                      |
| oval:com.mcafee.oval.gen:def:386149 | Test for python-libxml2-debuginfo On SUSE Linux Enterprise Server 12 SP3         |
| oval:com.mcafee.oval.gen:def:386153 | Test for libxml2-debugsource On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:386157 | Test for libxml2-2-debuginfo On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:386161 | Test for python-libxml2 On SUSE Linux Enterprise Server 12 SP3                   |
| oval:com.mcafee.oval.gen:def:386165 | Test for libxml2-tools-debuginfo On SUSE Linux Enterprise Server 12 SP3          |

| Oval ID                             | Title  |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:386169 | Test for python-libxml2-debugsource On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:386173 | Test for libxml2-tools On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:386177 | Test for libxml2-2 On SUSE Linux Enterprise Server 12 SP3                  |
| oval:com.mcafee.oval.gen:def:386178 | Test for libxml2-doc On SUSE Linux Enterprise Server 12 SP3                |
| oval:com.mcafee.oval.gen:def:386182 | Test for libxml2-2-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2  |
| oval:com.mcafee.oval.gen:def:386186 | Test for libxml2-2-32bit On SUSE Linux Enterprise Server 12 SP2            |
| oval:com.mcafee.oval.gen:def:386187 | Test for libxml2-2-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP3  |
| oval:com.mcafee.oval.gen:def:386188 | Test for libxml2-2-32bit On SUSE Linux Enterprise Server 12 SP3            |
| oval:com.mcafee.oval.gen:def:386189 | Test for python-libxml2-debuginfo On SUSE Linux Enterprise Server 12 SP2   |
| oval:com.mcafee.oval.gen:def:386190 | Test for libxml2-debugsource On SUSE Linux Enterprise Server 12 SP2        |
| oval:com.mcafee.oval.gen:def:386191 | Test for libxml2-2-debuginfo On SUSE Linux Enterprise Server 12 SP2        |
| oval:com.mcafee.oval.gen:def:386192 | Test for python-libxml2 On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:386193 | Test for libxml2-tools-debuginfo On SUSE Linux Enterprise Server 12 SP2    |
| oval:com.mcafee.oval.gen:def:386194 | Test for python-libxml2-debugsource On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:386195 | Test for libxml2-tools On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:386196 | Test for libxml2-2 On SUSE Linux Enterprise Server 12 SP2                  |
| oval:com.mcafee.oval.gen:def:386200 | Test for strongswan-doc On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:386204 | Test for strongswan On SUSE Linux Enterprise Server 12 SP3                 |
| oval:com.mcafee.oval.gen:def:386208 | Test for strongswan-hmac On SUSE Linux Enterprise Server 12 SP3            |
| oval:com.mcafee.oval.gen:def:386212 | Test for strongswan-ipsec-debuginfo On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:386216 | Test for strongswan-ipsec On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:386220 | Test for strongswan-libs0 On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:386224 | Test for strongswan-debugsource On SUSE Linux Enterprise Server 12 SP3     |
| oval:com.mcafee.oval.gen:def:386228 | Test for strongswan-libs0-debuginfo On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:386229 | Test for strongswan-doc On SUSE Linux Enterprise Server 12 SP3             |
| oval:com.mcafee.oval.gen:def:386230 | Test for strongswan On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:386231 | Test for strongswan-hmac On SUSE Linux Enterprise Server 12 SP2            |
| oval:com.mcafee.oval.gen:def:386232 | Test for strongswan-ipsec-debuginfo On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:386233 | Test for strongswan-ipsec On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:386234 | Test for strongswan-libs0 On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:386235 | Test for strongswan-debugsource On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:386236 | Test for strongswan-libs0-debuginfo On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:386240 | Test for openjpeg2-debuginfo On SUSE Linux Enterprise Server 12 SP3        |
| oval:com.mcafee.oval.gen:def:386244 | Test for libopenjp2-7 On SUSE Linux Enterprise Server 12 SP3               |

| Oval ID                             | Title   |
|-------------------------------------|---|
| oval:com.mcafee.oval.gen:def:386248 | Test for openjpeg2-debugsource On SUSE Linux Enterprise Server 12 SP3                 |
| oval:com.mcafee.oval.gen:def:386252 | Test for libopenjp2-7-debuginfo On SUSE Linux Enterprise Server 12 SP3                |
| oval:com.mcafee.oval.gen:def:386253 | Test for openjpeg2-debuginfo On SUSE Linux Enterprise Server 12 SP2                   |
| oval:com.mcafee.oval.gen:def:386254 | Test for libopenjp2-7 On SUSE Linux Enterprise Server 12 SP2                          |
| oval:com.mcafee.oval.gen:def:386255 | Test for openjpeg2-debugsource On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:386256 | Test for libopenjp2-7-debuginfo On SUSE Linux Enterprise Server 12 SP2                |
| oval:com.mcafee.oval.gen:def:386260 | Test for gnome-session On SUSE Linux Enterprise Server 11 SP4                         |
| oval:com.mcafee.oval.gen:def:386264 | Test for gnome-session-lang On SUSE Linux Enterprise Server 11 SP4                    |
| oval:com.mcafee.oval.gen:def:386268 | Test for libcurl4-debuginfo On SUSE Linux Enterprise Server 12 SP3                    |
| oval:com.mcafee.oval.gen:def:386272 | Test for curl On SUSE Linux Enterprise Server 12 SP3                                  |
| oval:com.mcafee.oval.gen:def:386276 | Test for curl-debuginfo On SUSE Linux Enterprise Server 12 SP3                        |
| oval:com.mcafee.oval.gen:def:386280 | Test for curl-debugsource On SUSE Linux Enterprise Server 12 SP3                      |
| oval:com.mcafee.oval.gen:def:386284 | Test for libcurl4 On SUSE Linux Enterprise Server 12 SP3                              |
| oval:com.mcafee.oval.gen:def:386288 | Test for libcurl4-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:386292 | Test for libcurl4-32bit On SUSE Linux Enterprise Server 12 SP2                        |
| oval:com.mcafee.oval.gen:def:386293 | Test for libcurl4-debuginfo-32bit On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:386294 | Test for libcurl4-32bit On SUSE Linux Enterprise Server 12 SP3                        |
| oval:com.mcafee.oval.gen:def:386295 | Test for libcurl4-debuginfo On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:386296 | Test for curl On SUSE Linux Enterprise Server 12 SP2                                  |
| oval:com.mcafee.oval.gen:def:386297 | Test for curl-debuginfo On SUSE Linux Enterprise Server 12 SP2                        |
| oval:com.mcafee.oval.gen:def:386298 | Test for curl-debugsource On SUSE Linux Enterprise Server 12 SP2                      |
| oval:com.mcafee.oval.gen:def:386299 | Test for libcurl4 On SUSE Linux Enterprise Server 12 SP2                              |
| oval:com.mcafee.oval.gen:def:386303 | Test for java-1_8_0-openjdk-debugsource On SUSE Linux Enterprise Server 12 SP3        |
| oval:com.mcafee.oval.gen:def:386307 | Test for java-1_8_0-openjdk On SUSE Linux Enterprise Server 12 SP3                    |
| oval:com.mcafee.oval.gen:def:386311 | Test for java-1_8_0-openjdk-devel On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:386315 | Test for java-1_8_0-openjdk-headless On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:386319 | Test for java-1_8_0-openjdk-demo-debuginfo On SUSE Linux Enterprise Server 12 SP3     |
| oval:com.mcafee.oval.gen:def:386323 | Test for java-1_8_0-openjdk-devel-debuginfo On SUSE Linux Enterprise Server 12 SP3    |
| oval:com.mcafee.oval.gen:def:386327 | Test for java-1_8_0-openjdk-demo On SUSE Linux Enterprise Server 12 SP3               |
| oval:com.mcafee.oval.gen:def:386331 | Test for java-1_8_0-openjdk-debuginfo On SUSE Linux Enterprise Server 12 SP3          |
| oval:com.mcafee.oval.gen:def:386335 | Test for java-1_8_0-openjdk-headless-debuginfo On SUSE Linux Enterprise Server 12 SP3 |

| Oval ID                             | Title   |
|-------------------------------------|---|
| oval:com.mcafee.oval.gen:def:386336 | Test for java-1_8_0-openjdk-debugsource On SUSE Linux Enterprise Server 12 SP2        |
| oval:com.mcafee.oval.gen:def:386337 | Test for java-1_8_0-openjdk On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:386338 | Test for java-1_8_0-openjdk-devel On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:386339 | Test for java-1_8_0-openjdk-headless On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:386340 | Test for java-1_8_0-openjdk-demo-debuginfo On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:386341 | Test for java-1_8_0-openjdk-devel-debuginfo On SUSE Linux Enterprise Server 12 SP2    |
| oval:com.mcafee.oval.gen:def:386342 | Test for java-1_8_0-openjdk-demo On SUSE Linux Enterprise Server 12 SP2               |
| oval:com.mcafee.oval.gen:def:386343 | Test for java-1_8_0-openjdk-debuginfo On SUSE Linux Enterprise Server 12 SP2          |
| oval:com.mcafee.oval.gen:def:386344 | Test for java-1_8_0-openjdk-headless-debuginfo On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:386348 | Test for libMagickCore1-32bit On SUSE Linux Enterprise Server 11 SP4                  |
| oval:com.mcafee.oval.gen:def:386352 | Test for libMagickCore1 On SUSE Linux Enterprise Server 11 SP4                        |
| oval:com.mcafee.oval.gen:def:386356 | Test for libMagickWand-6_Q16-1 On SUSE Linux Enterprise Server 12 SP3                 |
| oval:com.mcafee.oval.gen:def:386360 | Test for ImageMagick-debuginfo On SUSE Linux Enterprise Server 12 SP3                 |
| oval:com.mcafee.oval.gen:def:386364 | Test for libMagickWand-6_Q16-1-debuginfo On SUSE Linux Enterprise Server 12 SP3       |
| oval:com.mcafee.oval.gen:def:386368 | Test for ImageMagick-debugsource On SUSE Linux Enterprise Server 12 SP3               |
| oval:com.mcafee.oval.gen:def:386372 | Test for libMagickCore-6_Q16-1-debuginfo On SUSE Linux Enterprise Server 12 SP3       |
| oval:com.mcafee.oval.gen:def:386376 | Test for libMagickCore-6_Q16-1 On SUSE Linux Enterprise Server 12 SP3                 |
| oval:com.mcafee.oval.gen:def:386377 | Test for libMagickWand-6_Q16-1 On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:386378 | Test for ImageMagick-debuginfo On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:386379 | Test for libMagickWand-6_Q16-1-debuginfo On SUSE Linux Enterprise Server 12 SP2       |
| oval:com.mcafee.oval.gen:def:386380 | Test for ImageMagick-debugsource On SUSE Linux Enterprise Server 12 SP2               |
| oval:com.mcafee.oval.gen:def:386381 | Test for libMagickCore-6_Q16-1-debuginfo On SUSE Linux Enterprise Server 12 SP2       |
| oval:com.mcafee.oval.gen:def:386382 | Test for libMagickCore-6_Q16-1 On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:386386 | Test for libplist3-debuginfo On SUSE Linux Enterprise Server 12 SP3                   |
| oval:com.mcafee.oval.gen:def:386390 | Test for libplist3 On SUSE Linux Enterprise Server 12 SP3                             |
| oval:com.mcafee.oval.gen:def:386394 | Test for libplist-debugsource On SUSE Linux Enterprise Server 12 SP3                  |
| oval:com.mcafee.oval.gen:def:386395 | Test for libplist3-debuginfo On SUSE Linux Enterprise Server 12 SP2                   |
| oval:com.mcafee.oval.gen:def:386396 | Test for libplist3 On SUSE Linux Enterprise Server 12 SP2                             |
| oval:com.mcafee.oval.gen:def:386397 | Test for libplist-debugsource On SUSE Linux Enterprise Server 12 SP2                  |
| oval:com.mcafee.oval.gen:def:386401 | Test for gnome-shell-lang On SUSE Linux Enterprise Server 12 SP2                      |

| Oval ID                             | Title  |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:386405 | Test for gnome-shell-browser-plugin-debuginfo On SUSE Linux Enterprise Server 12 SP3 |
| oval:com.mcafee.oval.gen:def:386409 | Test for gnome-shell-debuginfo On SUSE Linux Enterprise Server 12 SP3                |
| oval:com.mcafee.oval.gen:def:386413 | Test for gnome-shell On SUSE Linux Enterprise Server 12 SP3                          |
| oval:com.mcafee.oval.gen:def:386417 | Test for gnome-shell-browser-plugin On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:386421 | Test for gnome-shell-debugsource On SUSE Linux Enterprise Server 12 SP3              |
| oval:com.mcafee.oval.gen:def:386422 | Test for gnome-shell-lang On SUSE Linux Enterprise Server 12 SP3                     |
| oval:com.mcafee.oval.gen:def:386423 | Test for gnome-shell-browser-plugin-debuginfo On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:386424 | Test for gnome-shell-debuginfo On SUSE Linux Enterprise Server 12 SP2                |
| oval:com.mcafee.oval.gen:def:386425 | Test for gnome-shell On SUSE Linux Enterprise Server 12 SP2                          |
| oval:com.mcafee.oval.gen:def:386426 | Test for gnome-shell-browser-plugin On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:386427 | Test for gnome-shell-debugsource On SUSE Linux Enterprise Server 12 SP2              |
| oval:com.mcafee.oval.gen:def:386431 | Test for MozillaFirefox On SUSE Linux Enterprise Server 11 SP4                       |
| oval:com.mcafee.oval.gen:def:386435 | Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 11 SP4          |
| oval:com.mcafee.oval.gen:def:386439 | Test for MozillaFirefox-branding-SLED On SUSE Linux Enterprise Server 11 SP4         |
| oval:com.mcafee.oval.gen:def:386443 | Test for libfreebl3-32bit On SUSE Linux Enterprise Server 11 SP4                     |
| oval:com.mcafee.oval.gen:def:386447 | Test for mozilla-nss-32bit On SUSE Linux Enterprise Server 11 SP4                    |
| oval:com.mcafee.oval.gen:def:386451 | Test for libsoftokn3-32bit On SUSE Linux Enterprise Server 11 SP4                    |
| oval:com.mcafee.oval.gen:def:386455 | Test for mozilla-nss-tools On SUSE Linux Enterprise Server 11 SP4                    |
| oval:com.mcafee.oval.gen:def:386459 | Test for libfreebl3 On SUSE Linux Enterprise Server 11 SP4                           |
| oval:com.mcafee.oval.gen:def:386463 | Test for firefox-libstdc++6 On SUSE Linux Enterprise Server 11 SP4                   |
| oval:com.mcafee.oval.gen:def:386467 | Test for libsoftokn3 On SUSE Linux Enterprise Server 11 SP4                          |
| oval:com.mcafee.oval.gen:def:386471 | Test for mozilla-nss On SUSE Linux Enterprise Server 11 SP4                          |
| oval:com.mcafee.oval.gen:def:386475 | Test for firefox-libffi4 On SUSE Linux Enterprise Server 11 SP4                      |
| oval:com.mcafee.oval.gen:def:386479 | Test for freeradius-server-sqlite On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:386483 | Test for freeradius-server-ldap-debuginfo On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:386487 | Test for freeradius-server-krb5-debuginfo On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:386491 | Test for freeradius-server-utils-debuginfo On SUSE Linux Enterprise Server 12 SP2    |
| oval:com.mcafee.oval.gen:def:386495 | Test for freeradius-server-python On SUSE Linux Enterprise Server 12 SP2             |
| oval:com.mcafee.oval.gen:def:386499 | Test for freeradius-server-perl-debuginfo On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:386503 | Test for freeradius-server-perl On SUSE Linux Enterprise Server 12 SP2               |
| oval:com.mcafee.oval.gen:def:386507 | Test for freeradius-server-krb5 On SUSE Linux Enterprise Server 12 SP2               |

| Oval ID                             | Title  |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:386511 | Test for freeradius-server-utils On SUSE Linux Enterprise Server 12 SP2                |
| oval:com.mcafee.oval.gen:def:386515 | Test for freeradius-server-python-debuginfo On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:386519 | Test for freeradius-server-libs On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:386523 | Test for freeradius-server-doc On SUSE Linux Enterprise Server 12 SP2                  |
| oval:com.mcafee.oval.gen:def:386527 | Test for freeradius-server-postgresql On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:386531 | Test for freeradius-server-postgresql-debuginfo On SUSE Linux Enterprise Server 12 SP2 |
| oval:com.mcafee.oval.gen:def:386535 | Test for freeradius-server-ldap On SUSE Linux Enterprise Server 12 SP2                 |
| oval:com.mcafee.oval.gen:def:386539 | Test for freeradius-server-sqlite-debuginfo On SUSE Linux Enterprise Server 12 SP2     |
| oval:com.mcafee.oval.gen:def:386543 | Test for freeradius-server-mysql-debuginfo On SUSE Linux Enterprise Server 12 SP2      |
| oval:com.mcafee.oval.gen:def:386547 | Test for freeradius-server-mysql On SUSE Linux Enterprise Server 12 SP2                |
| oval:com.mcafee.oval.gen:def:386551 | Test for freeradius-server-libs-debuginfo On SUSE Linux Enterprise Server 12 SP2       |
| oval:com.mcafee.oval.gen:def:386555 | Test for freeradius-server On SUSE Linux Enterprise Server 12 SP2                      |
| oval:com.mcafee.oval.gen:def:386559 | Test for freeradius-server-debugsource On SUSE Linux Enterprise Server 12 SP2          |
| oval:com.mcafee.oval.gen:def:386563 | Test for freeradius-server-debuginfo On SUSE Linux Enterprise Server 12 SP2            |
| oval:com.mcafee.oval.gen:def:386567 | Test for freeradius-server-dialupadmin On SUSE Linux Enterprise Server 11 SP4          |
| oval:com.mcafee.oval.gen:def:386571 | Test for freeradius-server-utils On SUSE Linux Enterprise Server 11 SP4                |
| oval:com.mcafee.oval.gen:def:386575 | Test for freeradius-server-libs On SUSE Linux Enterprise Server 11 SP4                 |
| oval:com.mcafee.oval.gen:def:386579 | Test for freeradius-server-doc On SUSE Linux Enterprise Server 11 SP4                  |
| oval:com.mcafee.oval.gen:def:386583 | Test for freeradius-server On SUSE Linux Enterprise Server 11 SP4                      |
| oval:com.mcafee.oval.gen:def:386587 | Test for libpq5-32bit On SUSE Linux Enterprise Server 11 SP4                           |
| oval:com.mcafee.oval.gen:def:386591 | Test for postgresql94-server On SUSE Linux Enterprise Server 11 SP4                    |
| oval:com.mcafee.oval.gen:def:386595 | Test for postgresql94-docs On SUSE Linux Enterprise Server 11 SP4                      |
| oval:com.mcafee.oval.gen:def:386599 | Test for libpq5 On SUSE Linux Enterprise Server 11 SP4                                 |
| oval:com.mcafee.oval.gen:def:386603 | Test for postgresql94 On SUSE Linux Enterprise Server 11 SP4                           |
| oval:com.mcafee.oval.gen:def:386607 | Test for libecpg6 On SUSE Linux Enterprise Server 11 SP4                               |
| oval:com.mcafee.oval.gen:def:386611 | Test for postgresql94-contrib On SUSE Linux Enterprise Server 11 SP4                   |
| oval:com.mcafee.oval.gen:def:386615 | Test for java-1_8_0-ibm On SUSE Linux Enterprise Server 12 SP2                         |
| oval:com.mcafee.oval.gen:def:386619 | Test for java-1_8_0-ibm-plugin On SUSE Linux Enterprise Server 12 SP3                  |
| oval:com.mcafee.oval.gen:def:386623 | Test for java-1_8_0-ibm-alsa On SUSE Linux Enterprise Server 12 SP3                    |
| oval:com.mcafee.oval.gen:def:386624 | Test for java-1_8_0-ibm-plugin On SUSE Linux Enterprise Server 12 SP2                  |
| oval:com.mcafee.oval.gen:def:386625 | Test for java-1_8_0-ibm-alsa On SUSE Linux Enterprise Server 12 SP2                    |
| oval:com.mcafee.oval.gen:def:386626 | Test for java-1_8_0-ibm On SUSE Linux Enterprise Server 12 SP3                         |



| Oval ID                             | Title   |
|-------------------------------------|---|
| oval:com.mcafee.oval.gen:def:386630 | Test for java-1_7_1-ibm On SUSE Linux Enterprise Server 12 SP2                |
| oval:com.mcafee.oval.gen:def:386634 | Test for java-1_7_1-ibm-jdbc On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:386638 | Test for java-1_7_1-ibm-plugin On SUSE Linux Enterprise Server 12 SP3         |
| oval:com.mcafee.oval.gen:def:386642 | Test for java-1_7_1-ibm-alsa On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:386643 | Test for java-1_7_1-ibm-plugin On SUSE Linux Enterprise Server 12 SP2         |
| oval:com.mcafee.oval.gen:def:386644 | Test for java-1_7_1-ibm-alsa On SUSE Linux Enterprise Server 12 SP2           |
| oval:com.mcafee.oval.gen:def:386645 | Test for java-1_7_1-ibm On SUSE Linux Enterprise Server 12 SP3                |
| oval:com.mcafee.oval.gen:def:386646 | Test for java-1_7_1-ibm-jdbc On SUSE Linux Enterprise Server 12 SP3           |
| oval:com.mcafee.oval.gen:def:386650 | Test for java-1_7_1-ibm-plugin On SUSE Linux Enterprise Server 11 SP4         |
| oval:com.mcafee.oval.gen:def:386654 | Test for java-1_7_1-ibm-alsa On SUSE Linux Enterprise Server 11 SP4           |
| oval:com.mcafee.oval.gen:def:386658 | Test for java-1_7_1-ibm On SUSE Linux Enterprise Server 11 SP4                |
| oval:com.mcafee.oval.gen:def:386662 | Test for java-1_7_1-ibm-jdbc On SUSE Linux Enterprise Server 11 SP4           |
| oval:com.mcafee.oval:def:2902023    | Mozilla Firefox Security Update 55.0 for Windows is installed or not          |
| oval:com.mcafee.oval:def:2902024    | Mozilla Firefox Security Update 55.0 for Mac OS                               |
| oval:com.mcafee.oval:def:2902029    | Mozilla Firefox ESR Security Update 52.3 for Mac OS                           |
| oval:com.mcafee.oval:def:2902030    | Mozilla Firefox Security Update 52.3 for Windows is installed or not          |
| oval:com.mcafee.oval:def:2902036    | System Services: Bluetooth Handsfree Service                                  |
| oval:com.mcafee.oval:def:2902044    | System Services: Downloaded Maps Manager (MapsBroker)                         |
| oval:com.mcafee.oval:def:2902050    | System Services: Geolocation Service (Isvc)                                   |
| oval:com.mcafee.oval:def:2902055    | System Services: Peer Networking Grouping (p2psvc)                            |
| oval:com.mcafee.oval:def:2902060    | System Services: Xbox Live Auth Manager (XblAuthManager)                      |
| oval:com.mcafee.oval:def:2902065    | System Services: Xbox Live Game Save (XblGameSave)                            |
| oval:com.mcafee.oval:def:2902070    | System Services: Xbox Live Networking Service (XboxNetApiSvc)                 |
| oval:com.mcafee.oval:def:2902075    | System Services: Windows Mobile Hotspot Service (icssvc)                      |
| oval:com.mcafee.oval:def:2902080    | System Services: LxssManager (LxssManager)                                    |
| oval:com.mcafee.oval:def:2902085    | System Services: Windows Media Player Network Sharing Service (WMPNetworkSvc) |
| oval:com.mcafee.oval:def:2902090    | System Services: Microsoft FTP Service (FTPSVC)                               |
| oval:com.mcafee.oval:def:2902104    | Mozilla Thunderbird Security Update 52.3 for Mac OS                           |
| oval:com.mcafee.oval:def:2902105    | Mozilla Thunderbird Security Update 52.3 for Windows is installed or not      |
| oval:com.mcafee.oval:def:2902665    | Patch for AIX bind advisory16   |
| oval:mil.disa.fso.windows:def:4978  | Anonymous Access to the Registry  |
| oval:mil.disa.fso.windows:def:4980  | Winlogon Registry Permissions   |
| oval:mil.disa.fso.windows:def:5175  | Active Setup\Installed Components Registry Permissions                        |

| Oval ID                            | Title                         |
|------------------------------------|-------------------------------|
| oval:mil.disa.fso.windows:def:5176 | Winlogon Registry Permissions |
| oval:mil.disa.fso.windows:def:5177 | Winlogon Registry Permissions |
| oval:mil.disa.stig.windows:def:157 | WN10-AU-000083                |
| oval:mil.disa.stig.windows:def:158 | WN10-AU-000084                |
| oval:mil.disa.stig.windows:def:159 | WN10-AU-000082                |
| oval:mil.disa.stig.windows:def:160 | WN10-AU-000081                |
| oval:mil.disa.stig.windows:def:162 | WN10-CC-000068                |
| oval:mil.disa.stig.windows:def:163 | WN10-CC-000228                |
| oval:mil.disa.stig.windows:def:164 | WN10-CC-000252                |
| oval:mil.disa.stig.windows:def:165 | WN10-00-000175                |
| oval:mil.disa.stig.windows:def:166 | WN10-00-000165                |
| oval:mil.disa.stig.windows:def:167 | WN10-00-000170                |

### Updated Checks

| Oval ID                                | Title   |
|--|---|
| oval:com.mcafee.oval.vista:def:8036    | Advanced Audit Policy Configuration - Policy Change: Audit Authorization Policy Change                |
| oval:com.mcafee.oval.windows:def:6720  | Service: Simple TCP/IP Services Service (simptcp) Startup Type  |
| oval:com.mcafee.oval.windows:def:6139  | Service: Infrared Monitoring Service (Irmon) Startup Type   |
| oval:com.mcafee.oval.windows:def:6024  | Network - Network Connections: Prohibit use of Internet Connection Sharing on your DNS domain network |
| oval:com.mcafee.oval.windows:def:54387 | Service: Server Service (LanmanServer) Startup Type   |
| oval:com.mcafee.oval.windows:def:54384 | Service: Remote Registry Service (RemoteRegistry) Startup Type  |
| oval:com.mcafee.oval.gen:def:291013    | firefox patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:291045    | java-1.6.0-ibm-plugin patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:291048    | java-1.6.0-ibm-src patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291030    | java-1.6.0-ibm patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291033    | java-1.6.0-ibm-demo patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:291016    | firefox-debuginfo patch for Redhat EL6  |
| oval:mil.disa.fso.windows:def:3650     | Lockout Duration  |
| oval:com.mcafee.oval.gen:def:291036    | java-1.6.0-ibm-devel patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291039    | java-1.6.0-ibm-javacomm patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:291042    | java-1.6.0-ibm-jdbc patch for Redhat EL6  |
| oval:mil.disa.fso.windows:def:214      | Bad Logon Counter Reset   |
| oval:mil.disa.fso.windows:def:215      | Lockout Duration  |

| Oval ID                             | Title  |
|-------------------------------------|--|
| oval:com.mcafee.oval.gen:def:291172 | flash-plugin patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:291278 | thunderbird patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291281 | thunderbird-debuginfo patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291657 | emacs-git patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291661 | emacs-git-el patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:291665 | git patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291669 | git-all patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291673 | git-cvs patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291677 | git-daemon patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:291681 | git-debuginfo patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291685 | git-email patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291689 | git-gui patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291693 | git-svn patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:291697 | gitk patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:291701 | gitweb patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:291705 | perl-Git patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:293496 | httpd patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:293499 | httpd-debuginfo patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:293503 | httpd-devel patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:293506 | httpd-manual patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:293509 | httpd-tools patch for Redhat EL6   |
| oval:com.mcafee.oval.gen:def:293513 | mod_ssl patch for Redhat EL6   |
| oval:mil.disa.fso.windows:def:3652  | Bad Logon Counter Reset  |
| oval:mil.disa.fso.windows:def:2916  | Bad Logon Counter Reset  |
| oval:mil.disa.fso.windows:def:2917  | Lockout Duration   |
| oval:com.mcafee.oval.gen:def:303071 | java-1.7.0-openjdk patch for Redhat EL6  |
| oval:com.mcafee.oval.gen:def:303075 | java-1.7.0-openjdk-debuginfo patch for Redhat EL6                                  |
| oval:com.mcafee.oval.gen:def:303079 | java-1.7.0-openjdk-demo patch for Redhat EL6                                       |
| oval:com.mcafee.oval.gen:def:303083 | java-1.7.0-openjdk-devel patch for Redhat EL6                                      |
| oval:com.mcafee.oval.gen:def:303087 | java-1.7.0-openjdk-javadoc patch for Redhat EL6                                    |
| oval:com.mcafee.oval.gen:def:303091 | java-1.7.0-openjdk-src patch for Redhat EL6  |
| oval:com.mcafee.oval:def:244319     | MS13-030 - Security Update for Microsoft Office SharePoint Server 2013 (KB2737969) |
| oval:com.mcafee.oval:def:215779     | Service: Bluetooth Support Service (bthserv) Startup Type                          |

| Oval ID                             | Title  |
|-------------------------------------|--|
| oval:com.mcafee.oval:def:215781     | Service: HomeGroup Provider Service (HomeGroupProvider) Startup Type |
| oval:com.mcafee.oval:def:215780     | Service: HomeGroup Listener Service (HomeGroupListener) Startup Type |
| oval:com.mcafee.oval:def:546982     | System Services: Windows Error Reporting Service                     |
| oval:com.mcafee.oval:def:543904     | System Services: Remote Procedure Call (RPC) Locator                 |
| oval:com.mcafee.oval:def:543801     | System Services: Computer Browser                                    |
| oval:com.mcafee.oval:def:539509     | System Services: Windows Remote Management (WS-Management)           |
| oval:com.mcafee.oval:def:543873     | System Services: Problem Reports and Solutions Control Panel Support |
| oval:com.mcafee.oval:def:546973     | System Services: Remote Access Auto Connection Manager               |
| oval:com.mcafee.oval:def:546969     | System Services: SSDP Discovery                                      |
| oval:com.mcafee.oval:def:540871     | System Services: UPnP Device Host                                    |
| oval:com.mcafee.oval:def:543829     | System Services: Microsoft iSCSI Initiator Service                   |
| oval:com.mcafee.oval:def:540853     | System Services: Windows Event Collector                             |
| oval:com.mcafee.oval:def:543832     | System Services: Link-Layer Topology Discovery Mapper                |
| oval:com.mcafee.oval:def:548495     | System Services: Internet Connection Sharing (ICS)                   |
| oval:com.mcafee.oval:def:641349     | System Services: Peer Name Resolution Protocol                       |
| oval:com.mcafee.oval:def:635100     | System Services: Remote Desktop UserMode Port Redirector             |
| oval:com.mcafee.oval:def:641507     | System Services: PNRP Machine Name Publication Service               |
| oval:com.mcafee.oval:def:668298     | System Services: Routing and Remote Access                           |
| oval:com.mcafee.oval:def:641429     | System Services: World Wide Web Publishing Service                   |
| oval:com.mcafee.oval:def:641340     | System Services: Remote Desktop Services                             |
| oval:com.mcafee.oval:def:635060     | System Services: Web Management Service                              |
| oval:com.mcafee.oval:def:641455     | System Services: SNMP Service  |
| oval:com.mcafee.oval:def:641400     | System Services: Remote Desktop Configuration                        |
| oval:com.mcafee.oval:def:635036     | System Services: IIS Admin Service                                   |
| oval:com.mcafee.oval:def:641373     | System Services: Peer Networking Identity Manager                    |
| oval:com.mcafee.oval.gen:def:329898 | java-1.7.0-openjdk patch for Redhat EL7                              |
| oval:com.mcafee.oval.gen:def:329901 | java-1.7.0-openjdk-accessibility patch for Redhat EL7                |
| oval:com.mcafee.oval.gen:def:329905 | java-1.7.0-openjdk-debuginfo patch for Redhat EL7                    |
| oval:com.mcafee.oval.gen:def:329908 | java-1.7.0-openjdk-demo patch for Redhat EL7                         |
| oval:com.mcafee.oval.gen:def:329911 | java-1.7.0-openjdk-devel patch for Redhat EL7                        |
| oval:com.mcafee.oval.gen:def:329914 | java-1.7.0-openjdk-headless patch for Redhat EL7                     |
| oval:com.mcafee.oval.gen:def:329918 | java-1.7.0-openjdk-javadoc patch for Redhat EL7                      |
| oval:com.mcafee.oval.gen:def:329921 | java-1.7.0-openjdk-src patch for Redhat EL7                          |
| oval:com.mcafee.oval.gen:def:329924 | kernel patch for Redhat EL7  |

| Oval ID                             | Title   |
|-------------------------------------|---|
| oval:com.mcafee.oval.gen:def:329927 | kernel-abi-whitelists patch for Redhat EL7          |
| oval:com.mcafee.oval.gen:def:329930 | kernel-debug patch for Redhat EL7                   |
| oval:com.mcafee.oval.gen:def:329933 | kernel-debug-debuginfo patch for Redhat EL7         |
| oval:com.mcafee.oval.gen:def:329936 | kernel-debug-devel patch for Redhat EL7             |
| oval:com.mcafee.oval.gen:def:329939 | kernel-debuginfo patch for Redhat EL7               |
| oval:com.mcafee.oval.gen:def:329942 | kernel-debuginfo-common-x86_64 patch for Redhat EL7 |
| oval:com.mcafee.oval.gen:def:329945 | kernel-devel patch for Redhat EL7                   |
| oval:com.mcafee.oval.gen:def:329948 | kernel-doc patch for Redhat EL7                     |
| oval:com.mcafee.oval.gen:def:329951 | kernel-headers patch for Redhat EL7                 |
| oval:com.mcafee.oval.gen:def:329954 | kernel-tools patch for Redhat EL7                   |
| oval:com.mcafee.oval.gen:def:329958 | kernel-tools-debuginfo patch for Redhat EL7         |
| oval:com.mcafee.oval.gen:def:329962 | kernel-tools-libs patch for Redhat EL7              |
| oval:com.mcafee.oval.gen:def:329966 | kernel-tools-libs-devel patch for Redhat EL7        |
| oval:com.mcafee.oval.gen:def:329970 | perf patch for Redhat EL7                           |
| oval:com.mcafee.oval.gen:def:329973 | perf-debuginfo patch for Redhat EL7                 |
| oval:com.mcafee.oval.gen:def:329976 | python-perf patch for Redhat EL7                    |
| oval:com.mcafee.oval.gen:def:329979 | python-perf-debuginfo patch for Redhat EL7          |
| oval:com.mcafee.oval.gen:def:330045 | tomcat patch for Redhat EL7                         |
| oval:com.mcafee.oval.gen:def:330049 | tomcat-admin-webapps patch for Redhat EL7           |
| oval:com.mcafee.oval.gen:def:330053 | tomcat-docs-webapp patch for Redhat EL7             |
| oval:com.mcafee.oval.gen:def:330061 | tomcat-javadoc patch for Redhat EL7                 |
| oval:com.mcafee.oval.gen:def:330069 | tomcat-jsvc patch for Redhat EL7                    |
| oval:com.mcafee.oval.gen:def:330073 | tomcat-lib patch for Redhat EL7                     |
| oval:com.mcafee.oval.gen:def:330081 | tomcat-webapps patch for Redhat EL7                 |
| oval:com.mcafee.oval.gen:def:330333 | httpd patch for Redhat EL7                          |
| oval:com.mcafee.oval.gen:def:330336 | httpd-debuginfo patch for Redhat EL7                |
| oval:com.mcafee.oval.gen:def:330339 | httpd-devel patch for Redhat EL7                    |
| oval:com.mcafee.oval.gen:def:330342 | httpd-manual patch for Redhat EL7                   |
| oval:com.mcafee.oval.gen:def:330345 | httpd-tools patch for Redhat EL7                    |
| oval:com.mcafee.oval.gen:def:330348 | mod_ldap patch for Redhat EL7                       |
| oval:com.mcafee.oval.gen:def:330352 | mod_proxy_html patch for Redhat EL7                 |
| oval:com.mcafee.oval.gen:def:330356 | mod_session patch for Redhat EL7                    |
| oval:com.mcafee.oval.gen:def:330360 | mod_ssl patch for Redhat EL7                        |
| oval:com.mcafee.oval.gen:def:330853 | firefox patch for Redhat EL7                        |

| Oval ID                             | Title   |
|-------------------------------------|---|
| oval:com.mcafee.oval.gen:def:330856 | firefox-debuginfo patch for Redhat EL7        |
| oval:com.mcafee.oval.gen:def:330883 | tomcat-el-2.2-api patch for Redhat EL7        |
| oval:com.mcafee.oval.gen:def:331235 | tomcat-jsp-2.2-api patch for Redhat EL7       |
| oval:com.mcafee.oval.gen:def:331239 | tomcat-servlet-3.0-api patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:331904 | mod_dav_svn patch for Redhat EL7              |
| oval:com.mcafee.oval.gen:def:331907 | subversion patch for Redhat EL7               |
| oval:com.mcafee.oval.gen:def:331910 | subversion-debuginfo patch for Redhat EL7     |
| oval:com.mcafee.oval.gen:def:331913 | subversion-devel patch for Redhat EL7         |
| oval:com.mcafee.oval.gen:def:331916 | subversion-gnome patch for Redhat EL7         |
| oval:com.mcafee.oval.gen:def:331919 | subversion-javahl patch for Redhat EL7        |
| oval:com.mcafee.oval.gen:def:331922 | subversion-kde patch for Redhat EL7           |
| oval:com.mcafee.oval.gen:def:331925 | subversion-libs patch for Redhat EL7          |
| oval:com.mcafee.oval.gen:def:331929 | subversion-perl patch for Redhat EL7          |
| oval:com.mcafee.oval.gen:def:331932 | subversion-python patch for Redhat EL7        |
| oval:com.mcafee.oval.gen:def:331936 | subversion-ruby patch for Redhat EL7          |
| oval:com.mcafee.oval.gen:def:331939 | subversion-tools patch for Redhat EL7         |
| oval:com.mcafee.oval.gen:def:333650 | thunderbird patch for Redhat EL7              |
| oval:com.mcafee.oval.gen:def:333653 | thunderbird-debuginfo patch for Redhat EL7    |
| oval:com.mcafee.oval:def:1503952    | Patches for ELSA-2015-0983 for Oracle Linux 7 |
| oval:com.mcafee.oval:def:1505282    | Patches for ELSA-2015-0986 for Oracle Linux 7 |
| oval:com.mcafee.oval.gen:def:345876 | spice-debuginfo patch for Redhat EL7          |
| oval:com.mcafee.oval.gen:def:345880 | spice-server patch for Redhat EL7             |
| oval:com.mcafee.oval.gen:def:345883 | spice-server-devel patch for Redhat EL7       |
| oval:com.mcafee.oval:def:1959868    | Patches for ELSA-2015-1699 for Oracle Linux 7 |
| oval:com.mcafee.oval:def:2050003    | Patches for ELSA-2015-1840 for Oracle Linux 7 |
| oval:com.mcafee.oval.gen:def:348534 | emacs-git patch for Redhat EL7                |
| oval:com.mcafee.oval.gen:def:348537 | emacs-git-el patch for Redhat EL7             |
| oval:com.mcafee.oval.gen:def:348540 | git patch for Redhat EL7                      |
| oval:com.mcafee.oval.gen:def:348543 | git-all patch for Redhat EL7                  |
| oval:com.mcafee.oval.gen:def:348546 | git-bzr patch for Redhat EL7                  |
| oval:com.mcafee.oval.gen:def:348550 | git-cvs patch for Redhat EL7                  |
| oval:com.mcafee.oval.gen:def:348553 | git-daemon patch for Redhat EL7               |
| oval:com.mcafee.oval.gen:def:348556 | git-debuginfo patch for Redhat EL7            |
| oval:com.mcafee.oval.gen:def:348559 | git-email patch for Redhat EL7                |

| Oval ID                                 | Title  |
|---|--|
| oval:com.mcafee.oval.gen:def:348562     | git-gui patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:348565     | git-hg patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:348569     | git-p4 patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:348573     | git-svn patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:348576     | gitk patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:348579     | gitweb patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:348582     | perl-Git patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:348585     | perl-Git-SVN patch for Redhat EL7  |
| oval:com.mcafee.oval:def:2377331        | Patches for ELSA-2015-2131 for Oracle Linux 7  |
| oval:com.mcafee.oval:def:2377846        | Patches for ELSA-2015-2233 for Oracle Linux 7  |
| oval:com.mcafee.oval.gen:def:360052     | emacs-mercurial patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:360056     | emacs-mercurial-el patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:360060     | mercurial patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:360064     | mercurial-debuginfo patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:360068     | mercurial-hgk patch for Redhat EL7   |
| oval:mil.disa.fso.redhat.rhel6:def:159  | Enable Auditing for Processes Which Start Prior to the Audit Daemon  |
| oval:mil.disa.fso.redhat.rhel6:def:508  | File grub.conf Permissions   |
| oval:mil.disa.fso.redhat.rhel6:def:1078 | Set Boot Loader Password   |
| oval:com.mcafee.oval.auto:def:332692    | Patches for ELSA-2016-2046 for Oracle Linux 7  |
| oval:mil.disa.fso.solaris11:def:48      | The password hashes stored on the system must have been generated using a FIPS 140-2 approved cryptographic hashing algorithm.   |
| oval:mil.disa.fso.windows:def:3931      | Lockout Duration   |
| oval:mil.disa.fso.windows:def:4849      | UR: Access this computer from the network  |
| oval:mil.disa.stig.windows:def:15       | Domain-joined systems must use Windows 10 Enterprise Edition 64-bit version.   |
| oval:mil.disa.stig.windows:def:99       | The Windows SmartScreen must be configured to require approval from an administrator before running downloaded unknown software. |
| oval:mil.disa.fso.windows:def:4422      | Lockout Duration   |
| oval:mil.disa.fso.windows:def:4424      | Bad Logon Counter Reset  |
| oval:mil.disa.fso.windows:def:4503      | Maximum Log Size - Security  |
| oval:mil.disa.fso.windows:def:4614      | NTFS or ReFS Requirement   |
| oval:mil.disa.fso.windows:def:5063      | UR: Access this computer from the network  |
| oval:mil.disa.fso.windows:def:5096      | Bad Logon Counter Reset (Windows 8)  |
| oval:mil.disa.stig.windows:def:141      | WN10-00-000160   |
| oval:com.mcafee.oval.auto:def:335979    | Patches for ELSA-2016-2599 for Oracle Linux 7  |
| oval:com.mcafee.oval:def:2899419        | DNS Client: NetBIOS node type  |

| Oval ID                              | Title  |
|--------------------------------------|--|
| oval:com.mcafee.oval.auto:def:341391 | Patches for ELSA-2017-0935 for Oracle Linux 7  |
| oval:com.mcafee.oval.auto:def:347867 | Patches for ELSA-2017-1265 for Oracle Linux 7  |
| oval:com.mcafee.oval.auto:def:348329 | Patches for ELSA-2017-1270 for Oracle Linux 7  |
| oval:com.mcafee.oval:def:2899236     | Power Management - Allow network connectivity during connectedstandby (plugged in)               |
| oval:com.mcafee.oval:def:2899190     | Network access: Restrict clients allowed to make remote calls to SAM                             |
| oval:com.mcafee.oval:def:2899434     | Fonts: Enable Font Providers   |
| oval:com.mcafee.oval:def:2899216     | System - Logon: Block user from showing account details on signin                                |
| oval:com.mcafee.oval:def:2899205     | System - Group Policy: Continue experiences on this device                                       |
| oval:com.mcafee.oval:def:2899373     | Defer Updates: Select when Quality Updates are received  |
| oval:com.mcafee.oval:def:2899401     | Cloud Content: Do not suggest third-party content in Windows spotlight                           |
| oval:com.mcafee.oval:def:2899393     | Cloud Content: Configure Windows spotlight on Lock Screen  |
| oval:com.mcafee.oval:def:2899255     | App Privacy: Let Windows apps access notifications   |
| oval:com.mcafee.oval:def:2899246     | App Privacy: Let Windows apps access phone   |
| oval:com.mcafee.oval:def:2899226     | Power Management (On Battery) - Allow network connectivity during connected standby (on battery) |
| oval:com.mcafee.oval:def:2899351     | Windows Ink Workspace: Allow Windows Ink Workspace   |
| oval:com.mcafee.oval:def:2899195     | Network - DNSClient: Turn off multicast name resolution  |
| oval:com.mcafee.oval:def:2899411     | Cloud Content: Turn off all Windows spotlight features   |
| oval:com.mcafee.oval:def:2899307     | Microsoft Edge - Allow Extensions  |
| oval:com.mcafee.oval:def:2899287     | Windows Components - Allow Use of Camera   |
| oval:com.mcafee.oval:def:2899317     | Microsoft Edge - Prevent access to the about:flags page in Microsoft Edge                        |
| oval:com.mcafee.oval:def:2899297     | Windows Components - Require pin for pairing   |
| oval:com.mcafee.oval.gen:def:385307  | freeradius patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:385310  | freeradius-debuginfo patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:385313  | freeradius-devel patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:385317  | freeradius-doc patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:385321  | freeradius-krb5 patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:385324  | freeradius-ldap patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:385327  | freeradius-mysql patch for Redhat EL7  |
| oval:com.mcafee.oval.gen:def:385330  | freeradius-perl patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:385333  | freeradius-postgresql patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:385336  | freeradius-python patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:385339  | freeradius-sqlite patch for Redhat EL7   |
| oval:com.mcafee.oval.gen:def:385343  | freeradius-unixODBC patch for Redhat EL7   |



| Oval ID                                 | Title   |
|---|---|
| oval:com.mcafee.oval.gen:def:385346     | freeradius-utils patch for Redhat EL7   |
| oval:com.mcafee.oval:def:2901992        | Adobe Reader Security Update 11.0.21 for vulnerability APSB17-24 for Mac OS                                       |
| oval:com.mcafee.oval.common:def:2901995 | APSB17-23 Vulnerability Security Update 26.0.0.151 for Adobe Flash Player   |
| oval:com.mcafee.oval:def:2901999        | APSB17-23 Vulnerability Security Update 26.0.0.151 for Adobe Flash Player for Mac                                 |
| oval:com.mcafee.oval.common:def:2901989 | Adobe Acrobat Security Update 11.0.21 for APSB17-24 Vulnerability   |
| oval:com.mcafee.oval.common:def:2902002 | Adobe Reader Security Update 11.0.21 for APSB17-24 Vulnerability  |
| oval:com.mcafee.oval:def:2902017        | Security Update for Microsoft Office Outlook 2013 SP1 (KB4011078)   |
| oval:com.mcafee.oval:def:2902020        | Security Update for Microsoft Office Outlook 2016 (KB4011052)   |
| oval:com.mcafee.oval:def:2902014        | Security Update for Microsoft Office Outlook 2010 SP2 (KB2956078)   |
| oval:com.mcafee.oval:def:2902006        | Security Update for Microsoft Office SharePoint Server 2010 SP2 (KB2956077)                                       |
| oval:com.mcafee.oval:def:2902011        | Security Update for Microsoft Office Outlook 2007 SP3 (KB3213643)   |
| oval:com.mcafee.oval:def:2900818        | August 2017 Cumulative Update for Windows 10 Version 1703 for x64-based Systems (KB4034674)                       |
| oval:com.mcafee.oval:def:2902440        | August 2017 Security Update for Windows Server 2008 for x64-based Systems (KB4034775)                             |
| oval:com.mcafee.oval:def:2902451        | August 2017 Security Update for Adobe Flash Player for Windows Server 2016 (for x64-based Systems) (KB4034662)    |
| oval:com.mcafee.oval:def:2900792        | August 2017 Security Only Quality Update for Windows 8.1 (KB4034672)  |
| oval:com.mcafee.oval:def:2900756        | August 2017 Security Only Quality Update for Windows 7 for x64-based Systems (KB4034679)                          |
| oval:com.mcafee.oval:def:2902448        | August 2017 Security Update for Adobe Flash Player for Windows 10 (for x64-based Systems) (KB4034662)             |
| oval:com.mcafee.oval:def:2900760        | August 2017 Security Monthly Quality Rollup for Windows 7 (KB4034664)   |
| oval:com.mcafee.oval:def:2900723        | August 2017 Cumulative Security Update for Internet Explorer 11 for Windows 8.1 for x64-based Systems (KB4034733) |
| oval:com.mcafee.oval:def:2900757        | August 2017 Security Only Quality Update for Windows Server 2008 R2 for x64-based Systems (KB4034679)             |
| oval:com.mcafee.oval:def:2902452        | August 2017 Security Update for Adobe Flash Player for Windows Server 2012 R2 (KB4034662)                         |
| oval:com.mcafee.oval:def:2900793        | August 2017 Cumulative Security update for Microsoft SQL Server 2016 SP1 (KB4019095)                              |
| oval:com.mcafee.oval:def:2900804        | August 2017 Security Update for Windows Server 2008 for x64-based Systems (KB4034744)                             |
| oval:com.mcafee.oval:def:2900805        | August 2017 Security Update for Windows Server 2008 (KB4034744)   |
| oval:com.mcafee.oval:def:2900745        | August 2017 Cumulative Update for Windows 10 Version 1511 for x64-based Systems (KB4034660)                       |
| oval:com.mcafee.oval:def:2900763        | August 2017 Security update for Microsoft SQL Server 2016 (KB4019088)   |
| oval:com.mcafee.oval:def:2900770        | August 2017 Cumulative Update for Windows 10 Version 1607 (KB4034658)   |

| Oval ID                          | Title  |
|----------------------------------|--|
| oval:com.mcafee.oval:def:2900779 | August 2017 Cumulative Security update for Microsoft SQL Server 2016 (KB4019086)   |
| oval:com.mcafee.oval:def:2902449 | August 2017 Security Update for Adobe Flash Player for Windows 8.1 for x64-based Systems (KB4034662)                     |
| oval:com.mcafee.oval:def:2900733 | August 2017 Security Update for Windows Server 2008 for x64-based Systems (KB4034034)                                    |
| oval:com.mcafee.oval:def:2900716 | August 2017 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 (KB4034733)                       |
| oval:com.mcafee.oval:def:2902442 | August 2017 Cumulative Security update for Microsoft SQL Server 2014 SP2 (KB4036996)                                     |
| oval:com.mcafee.oval:def:2900774 | August 2017 Security Update for Windows Server 2008 for x64-based Systems (KB4022750)                                    |
| oval:com.mcafee.oval:def:2900715 | August 2017 Cumulative Security Update for Internet Explorer 11 for Windows Server 2012 R2 (KB4034733)                   |
| oval:com.mcafee.oval:def:2900784 | August 2017 Security Monthly Quality Rollup for Windows Server 2012 (KB4034665)  |
| oval:com.mcafee.oval:def:2900787 | August 2017 Security update for Microsoft SQL Server 2012 SP3 (KB4019092)  |
| oval:com.mcafee.oval:def:2900812 | August 2017 Security Update for Windows Server 2008 (KB4035679)  |
| oval:com.mcafee.oval:def:2900811 | August 2017 Security Update for Windows Server 2008 for x64-based Systems (KB4035679)                                    |
| oval:com.mcafee.oval:def:2900761 | August 2017 Security Monthly Quality Rollup for Windows 7 for x64-based Systems (KB4034664)                              |
| oval:com.mcafee.oval:def:2900717 | August 2017 Cumulative Security Update for Internet Explorer 9 for Windows Server 2008 for x64-based Systems (KB4034733) |
| oval:com.mcafee.oval:def:2900721 | August 2017 Cumulative Security Update for Internet Explorer 10 for Windows Server 2012 (KB4034733)                      |
| oval:com.mcafee.oval:def:2900753 | August 2017 Security Update for Windows Server 2008 for x64-based Systems (KB4034745)                                    |
| oval:com.mcafee.oval:def:2900741 | August 2017 Security Monthly Quality Rollup for Windows 8.1 (KB4034681)  |
| oval:com.mcafee.oval:def:2902455 | August 2017 Security Update for Adobe Flash Player for Windows 10 Version 1607 (for x64-based Systems) (KB4034662)       |
| oval:com.mcafee.oval:def:2900780 | August 2017 Cumulative Update for Windows 10 for x64-based Systems (KB4034668)   |
| oval:com.mcafee.oval:def:2900773 | August 2017 Security Update for Windows Server 2008 (KB4022750)  |
| oval:com.mcafee.oval:def:2900781 | August 2017 Cumulative Update for Windows 10 (KB4034668)   |
| oval:com.mcafee.oval:def:2900722 | August 2017 Cumulative Security Update for Internet Explorer 11 for Windows 8.1 (KB4034733)                              |
| oval:com.mcafee.oval:def:2900791 | August 2017 Security Only Quality Update for Windows 8.1 for x64-based Systems (KB4034672)                               |
| oval:com.mcafee.oval:def:2900769 | August 2017 Cumulative Update for Windows Server 2016 for x64-based Systems (KB4034658)                                  |
| oval:com.mcafee.oval:def:2900739 | August 2017 Security Monthly Quality Rollup for Windows Server 2012 R2 (KB4034681)                                       |

| Oval ID                          | Title  |
|----------------------------------|--|
| oval:com.mcafee.oval:def:2902439 | August 2017 Security Update for Windows Server 2008 (KB4034775)  |
| oval:com.mcafee.oval:def:2900810 | August 2017 Security update for Microsoft SQL Server 2016 SP1 (KB4019089)  |
| oval:com.mcafee.oval:def:2900766 | August 2017 Security Only Quality Update for Windows 7 (KB4034679)   |
| oval:com.mcafee.oval:def:2900817 | August 2017 Cumulative Update for Windows 10 Version 1703 (KB4034674)  |
| oval:com.mcafee.oval:def:2902420 | August 2017 Cumulative Security update for Microsoft SQL Server 2012 SP3 (KB4019090)   |
| oval:com.mcafee.oval:def:2900720 | August 2017 Cumulative Security Update for Internet Explorer 11 for Windows Server 2008 R2 for x64-based Systems (KB4034733) |
| oval:com.mcafee.oval:def:2900762 | August 2017 Security Monthly Quality Rollup for Windows Server 2008 R2 for x64-based Systems (KB4034664)                     |
| oval:com.mcafee.oval:def:2900718 | August 2017 Cumulative Security Update for Internet Explorer 11 for Windows 7 (KB4034733)                                    |
| oval:com.mcafee.oval:def:2902423 | August 2017 Security Update for Windows Server 2008 for x64-based Systems (KB4035056)  |
| oval:com.mcafee.oval:def:2902424 | August 2017 Security Update for Windows Server 2008 (KB4035056)  |
| oval:com.mcafee.oval:def:2902457 | August 2017 Security Update for Adobe Flash Player for Windows 10 Version 1511 (for x64-based Systems) (KB4034662)           |
| oval:com.mcafee.oval:def:2902456 | August 2017 Security Update for Adobe Flash Player for Windows 10 Version 1511 (KB4034662)                                   |
| oval:com.mcafee.oval:def:2900790 | August 2017 Security Only Quality Update for Windows Server 2012 R2 (KB4034672)  |
| oval:com.mcafee.oval:def:2902454 | August 2017 Security Update for Adobe Flash Player for Windows 10 Version 1607 (KB4034662)                                   |
| oval:com.mcafee.oval:def:2900768 | August 2017 Cumulative Update for Windows 10 Version 1607 for x64-based Systems (KB4034658)                                  |
| oval:com.mcafee.oval:def:2900801 | August 2017 Cumulative Security update for Microsoft SQL Server 2014 SP1 (KB4032542)   |
| oval:com.mcafee.oval:def:2902453 | August 2017 Security Update for Adobe Flash Player for Windows Server 2012 (KB4034662)                                       |
| oval:com.mcafee.oval:def:2900734 | August 2017 Security Update for Windows Server 2008 (KB4034034)  |
| oval:com.mcafee.oval:def:2900749 | August 2017 Security Update for Windows Server 2008 for x64-based Systems (KB4035055)  |
| oval:com.mcafee.oval:def:2902447 | August 2017 Security Only Quality Update for Windows Server 2012 (KB4034666)   |
| oval:com.mcafee.oval:def:2902458 | August 2017 Security Update for Adobe Flash Player for Windows 10 (KB4034662)  |
| oval:com.mcafee.oval:def:2900719 | August 2017 Cumulative Security Update for Internet Explorer 11 for Windows 7 for x64-based Systems (KB4034733)              |
| oval:com.mcafee.oval:def:2900730 | August 2017 Security update for Microsoft SQL Server 2014 SP2 (KB4019093)  |
| oval:com.mcafee.oval:def:2900740 | August 2017 Security Monthly Quality Rollup for Windows 8.1 for x64-based Systems (KB4034681)                                |
| oval:com.mcafee.oval:def:2900744 | August 2017 Cumulative Update for Windows 10 Version 1511 (KB4034660)  |
| oval:com.mcafee.oval:def:2902450 | August 2017 Security Update for Adobe Flash Player for Windows 8.1 (KB4034662)   |

| Oval ID                          | Title   |
|----------------------------------|---|
| oval:com.mcafee.oval:def:2902441 | August 2017 Security update for Microsoft SQL Server 2014 SP1 (KB4019091) |
| oval:com.mcafee.oval:def:2900752 | August 2017 Security Update for Windows Server 2008 (KB4034745)           |
| oval:com.mcafee.oval:def:2900748 | August 2017 Security Update for Windows Server 2008 (KB4035055)           |

## New Benchmarks

| Benchmark ID               | Title                          |
|----------------------------|--------------------------------|
| MicrosoftIIS10CISBenchmark | Microsoft IIS 10 CIS Benchmark |

## Updated Benchmarks

| Benchmark ID                    | Title   |
|---------------------------------|---|
| Windows_8_STIG                  | Windows 8/8.1 Security Technical Implementation Guide                                 |
| Solaris_10_SPARC_STIG           | SOLARIS 10 SPARC SECURITY TECHNICAL IMPLEMENTATION GUIDE                              |
| Solaris_11_SPARC_STIG           | Solaris 11 SPARC Security Technical Implementation Guide                              |
| RedhatPatchPolicy               | Redhat and CentOS Patch Policy  |
| Windows_10_STIG                 | Windows 10 Security Technical Implementation Guide                                    |
| WindowsServer2008-800-53        | Windows Server 2008 - NIST 800-53 Benchmark   |
| LatestPatchPolicyBenchmark      | Latest Patch Policy Benchmark - 09.04.2017  |
| Windows10CISBenchmark           | Windows 10 CIS Benchmark  |
| WindowsPCIDSSSecurityBenchmark  | Windows PCI DSS Benchmark   |
| MicrosoftIIS8CISBenchmark       | Microsoft IIS 8 CIS Benchmark   |
| Windows_2008_R2_MS_STIG         | Windows Server 2008 R2 Member Server Security Technical Implementation Guide          |
| Solaris11PatchPolicy            | Oracle Solaris 11 Patch Policy  |
| SusePatchPolicy                 | Suse Patch Policy   |
| Windows_2008_DC_STIG            | Windows 2008 Domain Controller Security Technical Implementation Guide                |
| Windows_7_STIG                  | Windows 7 Security Technical Implementation Guide                                     |
| Windows_2008_R2_DC_STIG         | Windows Server 2008 R2 Domain Controller Security Technical Implementation Guide      |
| Windows_2008_MS_STIG            | Windows 2008 Member Server Security Technical Implementation Guide                    |
| RHEL_6_STIG                     | Red Hat Enterprise Linux 6 Security Technical Implementation Guide                    |
| Windows_2012_DC_STIG            | Windows Server 2012/2012 R2 Domain Controller Security Technical Implementation Guide |
| Windows_2012_MS_STIG            | Windows Server 2012/2012 R2 Member Server Security Technical Implementation Guide     |
| MicrosoftOfficePatchPolicy_2013 | Microsoft Office Patch Policy for 2013  |

| Benchmark ID           | Title                     |
|------------------------|---------------------------|
| AIXPatchPolicy         | AIX Patch Policy          |
| CentOSPatchPolicy      | CentOS Patch Policy       |
| DebianPatchPolicy      | Debian Patch Policy       |
| OracleLinuxPatchPolicy | Oracle Linux Patch Policy |

## McAfee Technical Support

PrimeSupport ServicePortal:

<https://support.mcafee.com>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright © 2017 McAfee, LLC [www.mcafee.com](http://www.mcafee.com)

McAfee and the McAfee logo, McAfee Active Protection, ePolicy Orchestrator, McAfee ePO, Foundstone, McAfee LiveSafe, McAfee QuickClean, McAfee SECURE, SecureOS, McAfee Shredder, SiteAdvisor, McAfee Stinger, TrustedSource, VirusScan are trademarks of McAfee LLC or its subsidiaries in the US and other countries. Other marks and brands may be claimed as the property of others.