



McAfee Policy Auditor/McAfee NAC Content Update Summary

Product / Version	Content Version
McAfee Policy Auditor 5.x/6.x	1115
McAfee NAC 3.x	1115

New Checks

Oval ID	Title
oval:com.mcafee.oval:def:242760	Solaris 11 Operating System is Installed
oval:com.mcafee.oval:def:242761	Solaris 11 (SPARC) is installed
oval:com.mcafee.oval:def:242762	Solaris 11 (x86) is installed
oval:com.mcafee.oval:def:243399	Solaris 7 (SPARC) is installed
oval:com.mcafee.oval:def:243400	Solaris 7 (x86) is installed
oval:com.mcafee.oval:def:243401	Solaris 8 (SPARC) is installed
oval:com.mcafee.oval:def:243402	Solaris 8 (x86) is installed
oval:com.mcafee.oval:def:243403	Solaris 9 (SPARC) is installed
oval:com.mcafee.oval:def:243404	Solaris 9 (x86) is installed
oval:com.mcafee.oval:def:243405	Solaris 10 (SPARC) is installed
oval:com.mcafee.oval:def:243406	Solaris 10 (x86) is installed
oval:com.mcafee.oval:def:244063	Service - GNOME Display Manager - running state
oval:com.mcafee.oval:def:244067	Service - NIS Domain initialization - running state
oval:com.mcafee.oval:def:244071	Service - removable volume manager - running state
oval:com.mcafee.oval:def:244075	Service - Apache 2.2 HTTP server - running state
oval:com.mcafee.oval:def:244285	Auditing and Logging: Enable Auditing of Incoming Network Connections
oval:com.mcafee.oval:def:244286	Auditing and Logging: Enable Auditing of File Metadata Modification Events
oval:com.mcafee.oval:def:244307	Auditing and Logging: Ensure CIS audit class is created
oval:com.mcafee.oval:def:244690	Enable a Warning Banner for the FTP service
oval:com.mcafee.oval:def:244706	Enable a warning banner for the GNOME service
oval:com.mcafee.oval:def:244723	Autologin capabilities from GNOME desktop should be disabled
oval:com.mcafee.oval:def:245547	The ftpusers file should restrict the aiuser account as appropriate.
oval:com.mcafee.oval:def:245550	Set default file creation mask for FTP users
oval:com.mcafee.oval:def:245557	The default GNOME screenlock timeout should be set appropriately

Oval ID	Title
oval:com.mcafee.oval:def:245560	The GNOME screenlock should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:245563	The default GNOME screenlock lockTimeout should be set appropriately
oval:com.mcafee.oval:def:249222	Test the permissions of the directory - /var/cores or /var/share/cores
oval:com.mcafee.oval:def:249223	Test the owner of the directory - /var/cores or /var/share/cores
oval:com.mcafee.oval:def:249224	Test the group owner of the directory -/var/cores or /var/share/cores
oval:com.mcafee.oval:def:249618	verify if defined user home directories exists on the system
oval:com.mcafee.oval:def:249619	Test the permissions of the directory - user home directories

Updated Checks

Oval ID	Title
oval:com.mcafee.oval:def:7726	Unencrypted services rsh, and rlogin should be disabled.
oval:com.mcafee.oval:def:7218	Remote Login or Shell Is Enabled
oval:com.mcafee.oval:def:7211	Remote Login or Shell Is Enabled
oval:com.mcafee.oval:def:6213	The tooltalk service should be disabled.
oval:com.mcafee.oval:def:5773	Ensure the rexec service is disabled
oval:com.mcafee.oval:def:5870	The root account can be directly logged into from other than the system console
oval:com.mcafee.oval:def:6356	The ftpusers file should restrict the nobody account as appropriate.
oval:com.mcafee.oval:def:6362	The ftpusers file should restrict the nobody4 account as appropriate.
oval:com.mcafee.oval:def:6359	The ftpusers file should restrict the noaccess account as appropriate.
oval:com.mcafee.oval:def:6421	The TFTP server functionality should be configured and enabled or disabled as appropriate.
oval:com.mcafee.oval:def:6365	PAM Rhosts support should be disabled.
oval:com.mcafee.oval:def:5966	The file dot-forward should not exist in any users home directories
oval:com.mcafee.oval:def:232425	Test the permissions of the file - users dot-netrc file
oval:com.mcafee.oval:def:8382	The volume manager GUI mdcomm service should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:8386	The tooltalk service should be disabled
oval:com.mcafee.oval:def:8268	The telnet service should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:8243	The smsserver service should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:8667	The rquotad service should be disabled
oval:com.mcafee.oval:def:8684	The rsh service should be disabled
oval:com.mcafee.oval:def:8680	The rlogin service should be disabled
oval:com.mcafee.oval:def:50104	Only enable rlogin/rsh/rcp if absolutely necessary
oval:com.mcafee.oval:def:8198	The BSD line printer protocol should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:8432	The meta service should be enabled or disabled as appropriate.

Oval ID	Title
oval:com.mcafee.oval:def:8378	The metaed service should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:8234	The Kerberos TGT Expiration warning should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:8264	The Kerberos ktkk_warnd service should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:8260	The Kerberos kproxd service should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:8398	The Generic Security Service daemons (gssd) should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:8272	The FTP service should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:215332	Test if kernel non-executable user stack protection is enabled or disabled
oval:com.mcafee.oval:def:50264	The metamh service should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:50271	Solaris 8 Operating System is Installed
oval:com.mcafee.oval:def:50272	Solaris 9 Operating System is Installed
oval:com.mcafee.oval:def:50273	Solaris 10 Operating System is Installed
oval:com.mcafee.oval:def:55673	The BSD line printer protocol should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:215319	Passwords reuse - HISTORY should be set as appropriate.
oval:com.mcafee.oval:def:215232	The file dot-netrc should not exist in any users home directories
oval:com.mcafee.oval:def:215260	Minimum password age - MINWEEKS
oval:com.mcafee.oval:def:215603	Test if the system login banner text is set correctly - /etc/motd
oval:com.mcafee.oval:def:215346	Test if only root user is listed in cron.allow file
oval:com.mcafee.oval:def:215323	MINALPHA value should be set appropriately in /etc/default/passwd
oval:com.mcafee.oval:def:215261	Test if threshold for consecutive failed login attempts - RETRIES is set as appropriate
oval:com.mcafee.oval:def:215258	Maximum password age - MAXWEEKS
oval:com.mcafee.oval:def:215455	Retry limit for account lockout - LOCK_AFTER_RETRIES should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:215303	Test if umask is set properly in /etc/default/login
oval:com.mcafee.oval:def:215333	Test if kernel non-executable user stack protection log is enabled or disabled
oval:com.mcafee.oval:def:216661	Minimum password length - PASSLENGTH
oval:com.mcafee.oval:def:215327	MINNONALPHA value should be set appropriately in /etc/default/passwd
oval:com.mcafee.oval:def:215228	The file dot-rhosts should not exist in any users home directories
oval:com.mcafee.oval:def:231616	Password policy - NAMECHECK - login name checking
oval:com.mcafee.oval:def:231137	Test If file exists - /etc/hosts.allow
oval:com.mcafee.oval:def:230332	Test the enable / disable status for - SSH PermitRootLogin
oval:com.mcafee.oval:def:230467	Service - Kerberos TGT Expiration Warning - running state
oval:com.mcafee.oval:def:230327	Test the enable / disable status for - SSH Banner
oval:com.mcafee.oval:def:231422	Test If file exists - /etc/cron.d/at.deny

Oval ID	Title
oval:com.mcafee.oval:def:231414	Test the group owner of the file - /etc/cron.d/at.allow
oval:com.mcafee.oval:def:230329	Test the configuration status for - SSH MaxAuthTries
oval:com.mcafee.oval:def:230463	Service - automount - running state
oval:com.mcafee.oval:def:231418	Test the owner of the file - /etc/cron.d/cron.allow
oval:com.mcafee.oval:def:230889	nobody access for RPC encryption key storage should be set as appropriate.
oval:com.mcafee.oval:def:231299	Test if the system login banner text is set correctly in /etc/issue
oval:com.mcafee.oval:def:231421	Test the permissions of the file - /etc/cron.d/cron.allow
oval:com.mcafee.oval:def:230326	Test the enable / disable status for - SSH X11 forwarding
oval:com.mcafee.oval:def:230478	Service - RPC Encryption Key - running state
oval:com.mcafee.oval:def:230471	Service - Local sendmail - running state
oval:com.mcafee.oval:def:231420	Test the permissions of the file - /etc/cron.d/at.allow
oval:com.mcafee.oval:def:231423	Test If file exists - /etc/cron.d/cron.deny
oval:com.mcafee.oval:def:231618	Password policy - DICTIONDBDIR - path for dictionary lookups
oval:com.mcafee.oval:def:231617	Password policy - WHITESPACE - determines if whitespace character are allowed in password
oval:com.mcafee.oval:def:231133	Test if the telnet daemon banner is set correctly in /etc/default/telnetd
oval:com.mcafee.oval:def:231138	Test If file exists - /etc/hosts.deny
oval:com.mcafee.oval:def:230328	Test the enable / disable status for - SSH IgnoreRhosts
oval:com.mcafee.oval:def:231619	Password policy - DICTIIONLIST - List of dictionary files
oval:com.mcafee.oval:def:231620	Password policy - MINDIFF - Minimum difference required between old and new password
oval:com.mcafee.oval:def:231417	Test the owner of the file - /etc/cron.d/at.allow
oval:com.mcafee.oval:def:231621	Password policy - MINLOWER - Minimum number of lowercase letters required for a password
oval:com.mcafee.oval:def:231622	Password policy - MINUPPER - Minimum number of upper case letters required for a password.
oval:com.mcafee.oval:def:230470	Service - Local RPC Port Mapping - running state
oval:com.mcafee.oval:def:231415	Test the group owner of the file - /etc/cron.d/cron.allow
oval:com.mcafee.oval:def:230486	Service - Volume Manager smsserver - running state
oval:com.mcafee.oval:def:231324	Configuration - TCP sequence number generation should be set appropriately.
oval:com.mcafee.oval:def:230466	Service - Generic Security Services (GSS) - running state
oval:com.mcafee.oval:def:230331	Test the enable / disable status for - SSH PermitEmptyPasswords
oval:com.mcafee.oval:def:231802	Set msg n as default for all users in /etc/profile
oval:com.mcafee.oval:def:230474	Service - NIS Server - running state
oval:com.mcafee.oval:def:231753	Password policy - WARNWEEKS - number of weeks that must pass since the last password change

Oval ID	Title
oval:com.mcafee.oval:def:231803	Set msg n as default for all users in /etc/.login
oval:com.mcafee.oval:def:231839	Configuration status for - failed login delay
oval:com.mcafee.oval:def:232462	Test the permissions of the files - user dot files
oval:com.mcafee.oval:def:232428	verify if users are assigned home directories
oval:com.mcafee.oval:def:218148	Service - NIS client daemon - running state
oval:com.mcafee.oval:def:234140	Password policy - MAXREPEATS - Maximum number of allowable consecutive repeating characters
oval:com.mcafee.oval:def:237169	Test the additional logging status of wu-ftpd daemon
oval:com.mcafee.oval:def:237139	Inetd based service - telnet - status
oval:com.mcafee.oval:def:236349	Disable standard inetd services, If possible
oval:com.mcafee.oval:def:237147	Inetd based service - shell - status
oval:com.mcafee.oval:def:237160	Inetd based service - ident - status
oval:com.mcafee.oval:def:237151	Inetd based service - pop3 - status
oval:com.mcafee.oval:def:237144	Inetd based service - login - status
oval:com.mcafee.oval:def:237150	Inetd based service - tftp - status
oval:com.mcafee.oval:def:237143	Inetd based service - imaps - status
oval:com.mcafee.oval:def:236421	Inetd based service - ftp - status

New Benchmarks

Benchmark ID	Title
OracleSolaris11CISBenchmark	Oracle Solaris 11 CIS Benchmark
Solaris11PatchPolicy	Oracle Solaris 11 Patch Policy
AustralianISM	Australian ISM Windows Benchmark

Updated Benchmarks

Benchmark ID	Title
AdobeWindowsBulletinBenchmark2012	Adobe Windows Bulletin Benchmark 2012
AdobeWindowsBulletinBenchmark2010	Adobe Windows Bulletin Benchmark 2010
AdobeWindowsBulletinBenchmark2013	Adobe Windows Bulletin Benchmark 2013
AdobeWindowsBulletinBenchmark2011	Adobe Windows Bulletin Benchmark 2011

McAfee Technical Support

PrimeSupport ServicePortal:

<https://mysupport.nai.com/login.asp>

Multi-National Phone Support:

<http://www.mcafeesecurity.com/us/contact/home.htm>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright 2007-2013 McAfee, Inc.

McAfee is a registered trademark of McAfee, Inc. and/or its affiliates.