



McAfee Policy Auditor/McAfee NAC Content Update Summary

Product / Version	Content Version
McAfee Policy Auditor 5.x/6.x	1116
McAfee NAC 3.x	1116

New Checks

Oval ID	Title
oval:com.mcafee.oval.common:def:250054	Mozilla Firefox Security Update 24.0 for Windows
oval:com.mcafee.oval.common:def:250056	Mozilla Firefox ESR Security Update 17.0.9 for Windows
oval:com.mcafee.oval.common:def:250058	Mozilla Thunderbird Security Update 17.0.9 for Windows
oval:com.mcafee.oval.common:def:250089	Mozilla Thunderbird Security Update 24.0 for Windows
oval:com.mcafee.oval.common:def:250199	Apple iTunes Security Update 11.1 for Windows
oval:com.mcafee.oval.gen:def:313246	spice-server patch for Redhat EL6
oval:com.mcafee.oval.gen:def:313250	spice-server-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:313254	spice-server-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:313258	gdm-debuginfo patch for Redhat EL5 and CentOS 5
oval:com.mcafee.oval.gen:def:313261	initscripts-debuginfo patch for Redhat EL5 and CentOS 5
oval:com.mcafee.oval.gen:def:313265	rtkit patch for Redhat EL6
oval:com.mcafee.oval.gen:def:313269	rtkit-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:247638	Test the permissions of the file - /etc/net-snmp/snmp/snmpd.conf
oval:com.mcafee.oval:def:247641	Test the owner of the file - /etc/net-snmp/snmp/snmpd.conf
oval:com.mcafee.oval:def:249396	Test the permissions of the files - /etc/net-snmp/snmp/mibs/*.mib
oval:com.mcafee.oval:def:249399	Test the owner of the files - /etc/net-snmp/snmp/mibs/*.mib
oval:com.mcafee.oval:def:249401	Test the group owner of the files - /etc/net-snmp/snmp/mibs/*.mib
oval:com.mcafee.oval:def:249403	Test the group owner of the file - /etc/net-snmp/snmp/snmpd.conf
oval:com.mcafee.oval:def:249876	Apple Mac OSX 10.6/ 10.7 - Security Update 2013-004
oval:com.mcafee.oval:def:249895	DSA-2760-1 chrony -- several vulnerabilities patch for Debian 6
oval:com.mcafee.oval:def:249898	DSA-2758-1 python-django -- denial of service patch for Debian 6
oval:com.mcafee.oval:def:249901	DSA-2757-1 wordpress -- several vulnerabilities patch for Debian 6
oval:com.mcafee.oval:def:249907	DSA-2756-1 wireshark -- several vulnerabilities patch for Debian 6
oval:com.mcafee.oval:def:249910	DSA-2755-1 python-django -- directory traversal patch for Debian 6

Oval ID	Title
oval:com.mcafee.oval:def:249914	DSA-2754-1 exactimage -- denial of service patch for Debian 6
oval:com.mcafee.oval:def:249917	DSA-2753-1 mediawiki -- information leak patch for Debian 6
oval:com.mcafee.oval:def:249921	DSA-2752-1 phpbb3 -- permissions too wide patch for Debian 6
oval:com.mcafee.oval:def:249924	DSA-2751-1 libmodplug -- several vulnerabilities patch for Debian 6
oval:com.mcafee.oval:def:249928	DSA-2749-1 asterisk -- several vulnerabilities patch for Debian 6
oval:com.mcafee.oval:def:249931	DSA-2748-1 exactimage -- denial of service patch for Debian 6
oval:com.mcafee.oval:def:249934	DSA-2747-1 cacti -- several vulnerabilities patch for Debian 6
oval:com.mcafee.oval:def:249992	DSA-2744-1 tiff -- several vulnerabilities patch for Debian 6
oval:com.mcafee.oval:def:250005	DSA-2742-1 php5 -- interpretation conflict patch for Debian 6
oval:com.mcafee.oval:def:250018	DSA-2740-2 python-django -- cross-site scripting vulnerability patch for Debian 6
oval:com.mcafee.oval:def:250053	Mozilla Firefox Security Update 24.0 for Mac OS
oval:com.mcafee.oval:def:250054	Mozilla Firefox Security Update 24.0 for Windows is installed or not
oval:com.mcafee.oval:def:250056	Mozilla Firefox Security Update 17.0.9 for Windows is installed or not
oval:com.mcafee.oval:def:250057	Mozilla Thunderbird ESR Security Update 17.0.9 for Mac OS
oval:com.mcafee.oval:def:250058	Mozilla Thunderbird Security Update 17.0.9 for Windows is installed or not
oval:com.mcafee.oval:def:250087	Mozilla Thunderbird Security Update 24.0 for Mac OS
oval:com.mcafee.oval:def:250089	Mozilla Thunderbird Security Update 24.0 for Windows is installed or not
oval:com.mcafee.oval:def:250186	Apple Safari Security Update 5.1.10 for Mac OS X
oval:com.mcafee.oval:def:250199	Apple iTunes Security Update 11.1 for Windows
oval:com.mcafee.oval:def:250214	Mozilla Firefox ESR Security Update 17.0.9 for Mac OS

Updated Checks

Oval ID	Title
oval:com.mcafee.oval:def:7626	Test the group owner of the file - /etc/syslog.conf
oval:com.mcafee.oval:def:8116	Test the enable / disable status for - sendmail wiz command
oval:com.mcafee.oval:def:8113	Test the enable / disable status for - sendmail help command
oval:com.mcafee.oval:def:6994	Test the group owner of /etc/profile file
oval:com.mcafee.oval:def:6982	Test the permissions of the file - /etc/profile
oval:com.mcafee.oval:def:6843	Ensure critical sendmail messages are logged
oval:com.mcafee.oval:def:6302	The setuid option should be enabled or disabled on removable media as appropriate
oval:com.mcafee.oval:def:5723	The root account's home directory has not been changed from the default /
oval:com.mcafee.oval:def:215409	The /var/adm/sulog file should exist on the system
oval:com.mcafee.oval:def:6353	The ftpusers file should restrict the webservd account as appropriate.

Oval ID	Title
oval:com.mcafee.oval:def:6341	The ftpusers file should restrict the uucp account as appropriate.
oval:com.mcafee.oval:def:6332	The ftpusers file should restrict the sys account as appropriate.
oval:com.mcafee.oval:def:6344	The ftpusers file should restrict the smmsp account as appropriate.
oval:com.mcafee.oval:def:6323	The ftpusers file should restrict the root account as appropriate.
oval:com.mcafee.oval:def:6338	The ftpusers file should restrict the lp account as appropriate.
oval:com.mcafee.oval:def:6347	The ftpusers file should restrict the listen account as appropriate.
oval:com.mcafee.oval:def:6350	The ftpusers file should restrict the gdm account as appropriate.
oval:com.mcafee.oval:def:6326	The ftpusers file should restrict the daemon account as appropriate.
oval:com.mcafee.oval:def:6329	The ftpusers file should restrict the bin account as appropriate.
oval:com.mcafee.oval:def:6335	The ftpusers file should restrict the adm account as appropriate.
oval:com.mcafee.oval:def:5663	Ensure the /etc/shells file exists
oval:com.mcafee.oval:def:6317	The default GNOME screenlock timeout should be set appropriately.
oval:com.mcafee.oval:def:5871	Successful and unsuccessful logins and logouts are logged.
oval:com.mcafee.oval:def:6427	NFS client functionality should disabled
oval:com.mcafee.oval:def:6449	The GNOME screenlock should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:6452	The debug logging option for daemons should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:6455	Capture of syslog AUTH Messages should be enabled
oval:com.mcafee.oval:def:78894	Test the owner of the file - /etc/syslog.conf
oval:com.mcafee.oval:def:50153	Verify no legacy '+' entries exist in passwd, shadow, and group files
oval:com.mcafee.oval:def:8624	The shell for the websrvd account should be assigned appropriately.
oval:com.mcafee.oval:def:8652	The shell for the uucp account should be assigned appropriately.
oval:com.mcafee.oval:def:8612	The shell for the smmsp account should be assigned appropriately.
oval:com.mcafee.oval:def:8608	The shell for the nuucp account should be assigned appropriately.
oval:com.mcafee.oval:def:8628	The shell for the nobody account should be assigned appropriately.
oval:com.mcafee.oval:def:8640	The shell for the nobody4 account should be assigned appropriately.
oval:com.mcafee.oval:def:8632	The shell for the noaccess account should be assigned appropriately.
oval:com.mcafee.oval:def:8648	The shell for the lp account should be assigned appropriately.
oval:com.mcafee.oval:def:8616	The shell for the listen account should be assigned appropriately.
oval:com.mcafee.oval:def:8620	The shell for the gdm account should be assigned appropriately.
oval:com.mcafee.oval:def:8604	The shell for the bin account should be assigned appropriately.
oval:com.mcafee.oval:def:8644	The shell for the adm account should be assigned appropriately.
oval:com.mcafee.oval:def:50234	Test the configuration status for - root file system logging
oval:com.mcafee.oval:def:50124	Ensure Capture FTP and inetd Connection Tracing Info is enabled

Oval ID	Title
oval:com.mcafee.oval:def:50241	No user dot-files should be group/world writable
oval:com.mcafee.oval:def:99454	Test the group owner of the file - /etc/named.conf
oval:com.mcafee.oval:def:200804010635	The default umask for users should be set appropriately in /etc/profile file.
oval:com.mcafee.oval:def:99066	Test the group owner of the directory - /var/spool/cron/crontabs
oval:com.mcafee.oval:def:78729	Test the permissions of the file - /etc/services
oval:com.mcafee.oval:def:99991	Test the owner of the file - /etc/.login
oval:com.mcafee.oval:def:34461	firefox patch for Redhat EL5 and CentOS 5
oval:com.mcafee.oval:def:34960	gdm patch for Redhat EL5 and CentOS 5
oval:com.mcafee.oval:def:55627	Additional Logging for the ftp daemon should be enabled or disabled as appropriate.
oval:com.mcafee.oval:def:117532	xulrunner-devel patch for Redhat EL5 and CentOS 5
oval:com.mcafee.oval:def:117547	xulrunner patch for Redhat EL5 and CentOS 5
oval:com.mcafee.oval.gen:def:291013	firefox patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291023	xulrunner-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291027	xulrunner-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291079	hplip-gui patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291083	hplip-libs patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291087	libsane-hpaio patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291065	hpijs patch for Redhat EL6
oval:com.mcafee.oval:def:65648	McAfee Host DLP/ McAfee DLPE Agent Service Running or not
oval:com.mcafee.oval:def:65649	McAfee Host DLP/ McAfee DLPE Minimum Product Version
oval:com.mcafee.oval:def:65650	McAfee Host DLP Maximum/ McAfee DLPE Product Version
oval:com.mcafee.oval.common:def:65648	McAfee Host DLP/ McAfee DLPE Agent Service Running or not
oval:com.mcafee.oval.common:def:65649	McAfee Host DLP/ McAfee DLPE Minimum Product Version
oval:com.mcafee.oval.common:def:65650	McAfee Host DLP/ McAfee DLPE Maximum Product Version
oval:com.mcafee.oval.gen:def:291016	firefox-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291020	xulrunner patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291068	hplip patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291071	hplip-common patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291075	hplip-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:252390	gdm-docs patch for Redhat EL5 and CentOS 5
oval:com.mcafee.oval.common:def:74410	Adobe Photoshop CS Minimum Product Version
oval:com.mcafee.oval:def:74410	Adobe Photoshop CS Minimum Product Version
oval:com.mcafee.oval.common:def:74405	Adobe Flash Professional Minimum Product Version

Oval ID	Title
oval:com.mcafee.oval:def:74405	Adobe Flash Professional Minimum Product Version
oval:com.mcafee.oval:def:78887	Test the owner of the file - /etc/services
oval:com.mcafee.oval:def:78999	Test the owner of the file - /etc/profile
oval:com.mcafee.oval:def:99450	Test the owner of the file - /etc/named.conf
oval:com.mcafee.oval:def:96360	Test the owner of the file - /etc/mail/aliases
oval:com.mcafee.oval:def:99062	Test the owner of the directory - /var/spool/cron/crontabs
oval:com.mcafee.oval:def:99997	Test the permissions set on the file - /etc/.login
oval:com.mcafee.oval:def:99995	Test the group owner of the file - /etc/.login
oval:com.mcafee.oval:def:96006	The default greeting string for Sendmail should be set appropriately.
oval:com.mcafee.oval:def:99068	Test the permissions set on the directory - /var/spool/cron/crontabs
oval:com.mcafee.oval:def:96366	Test the permissions set on the file - /etc/mail/aliases
oval:com.mcafee.oval:def:78736	Test the permissions of the file - /etc/syslog.conf
oval:com.mcafee.oval:def:215372	Check the /etc/syslog.conf and verify the auth facility is logging the notice
oval:com.mcafee.oval:def:216491	Disallowed Services
oval:com.mcafee.oval:def:216545	Service - rexec - running state
oval:com.mcafee.oval:def:216543	Service - finger - running state
oval:com.mcafee.oval:def:215393	SYSLOG_FAILED_LOGINS should be enabled or disabled set as appropriate
oval:com.mcafee.oval:def:216546	Service - ttdbserver - running state
oval:com.mcafee.oval:def:215302	Test if umask is set properly in /etc/.login
oval:com.mcafee.oval:def:215404	The /var/adm/authlog or /var/adm/loginlog file should exist on the system
oval:com.mcafee.oval.gen:def:291278	thunderbird patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291281	thunderbird-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291285	libvirt patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291288	libvirt-client patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291292	libvirt-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291296	libvirt-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291299	libvirt-python patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292590	polkit patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292594	polkit-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292598	polkit-desktop-policy patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292602	polkit-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292606	polkit-docs patch for Redhat EL6
oval:com.mcafee.oval:def:224539	Test the permissions of the files - /var/adm/*
oval:com.mcafee.oval:def:230468	Service - LDAP Cache Manager - running state

Oval ID	Title
oval:com.mcafee.oval:def:231519	Test the permissions of the file - /var/adm/wtmpx
oval:com.mcafee.oval:def:230330	Test the configuration status for - SSH MaxAuthTriesLog
oval:com.mcafee.oval:def:230483	Service - Solaris Volume Manager GUI metamh - running state
oval:com.mcafee.oval:def:230771	Test the group owner of the file - /etc/ftpd/ftpusers
oval:com.mcafee.oval:def:230335	Test the enable / disable status for - SSH RhostsRSAAuthentication
oval:com.mcafee.oval:def:229222	Test the permissions of the file - /var/log/syslog
oval:com.mcafee.oval:def:230334	Test the enable / disable status for - SSH RhostsAuthentication
oval:com.mcafee.oval:def:230763	Test the group owner of the file - /etc/shadow
oval:com.mcafee.oval:def:229232	Test the permissions of the file - /var/log/authlog
oval:com.mcafee.oval:def:231292	Test if CDE users warning banner text (personalized welcome message) is set correctly in /etc/dt/config*/Xresources
oval:com.mcafee.oval:def:231499	Test the owner of the file - /var/adm/utmpx
oval:com.mcafee.oval:def:231520	Test the group owner of the file - /var/adm/wtmpx
oval:com.mcafee.oval:def:230484	Service - Solaris Volume Manager mdmonitor - running state
oval:com.mcafee.oval:def:230485	Service - Solaris Volume Manager metainit - running state
oval:com.mcafee.oval:def:230888	Inetd tracing should be enabled or disabled as appropriately.
oval:com.mcafee.oval:def:231332	Test the owner of the file - /etc/ftpusers
oval:com.mcafee.oval:def:230770	Test the permissions of the file - /etc/ftpd/ftpusers
oval:com.mcafee.oval:def:230769	Test the owner of the file - /var/adm/loginlog
oval:com.mcafee.oval:def:230761	Test the owner of the file - /etc/passwd
oval:com.mcafee.oval:def:230333	Test the configuration status for - SSH Protocol
oval:com.mcafee.oval:def:231411	Test the configuration status for - CDE users default screenlock timeout
oval:com.mcafee.oval:def:231498	Test the group owner of the file - /var/adm/utmpx
oval:com.mcafee.oval:def:231416	Test the owner of the files - /var/spool/cron/crontabs/*
oval:com.mcafee.oval:def:231412	Test the configuration status for - CDE users default screensaver timeout
oval:com.mcafee.oval:def:231497	Test the permissions of the file - /var/adm/utmpx
oval:com.mcafee.oval:def:230768	Test the group owner of the file - /var/adm/loginlog
oval:com.mcafee.oval:def:230772	Test the owner of the file - /etc/ftpd/ftpusers
oval:com.mcafee.oval:def:231593	Test the permissions of the file - /var/adm/messages
oval:com.mcafee.oval:def:231309	Test if the FTP daemon warning banner is set correctly in /etc/default/ftpd
oval:com.mcafee.oval:def:230760	Test the group owner of the file - /etc/passwd
oval:com.mcafee.oval:def:230461	Service - System Accounting - running state
oval:com.mcafee.oval:def:229221	Test the owner of the file - /var/log/syslog
oval:com.mcafee.oval:def:231330	Test the permissions of the file - /etc/ftpusers

Oval ID	Title
oval:com.mcafee.oval:def:229917	Test if the FTP daemon warning banner is set correctly in /etc/ftpd/banner
oval:com.mcafee.oval:def:230998	Test the configuration status for - Cron logging
oval:com.mcafee.oval:def:231140	Test if the GNOME Users banner text is set correctly in /etc/X11/gdm/gdm.conf
oval:com.mcafee.oval:def:230773	Test the owner of the file - /etc/shadow
oval:com.mcafee.oval:def:230743	The ftpusers file should restrict the nuucp account as appropriate.
oval:com.mcafee.oval:def:230765	Test the group owner of the file - /var/cron/log
oval:com.mcafee.oval:def:231610	configuration - umask for FTP users
oval:com.mcafee.oval:def:230482	Service - Solaris Volume Manager GUI metamed - running state
oval:com.mcafee.oval:def:231135	Test the configuration status for - Inetd service
oval:com.mcafee.oval:def:230759	Test the permissions of the file - /etc/passwd
oval:com.mcafee.oval:def:229248	Test the permissions of all the files - /var/adm/sa/*
oval:com.mcafee.oval:def:230766	Test the owner of the file - /var/cron/log
oval:com.mcafee.oval:def:230932	Only enable Networking uucp utilities service if absolutely necessary
oval:com.mcafee.oval:def:231136	Test the configuration status for - TCP Wrappers
oval:com.mcafee.oval:def:231139	Test the configuration status for - NFS client requests to privileged ports
oval:com.mcafee.oval:def:230741	The ftpusers file should restrict the svctag account as appropriate.
oval:com.mcafee.oval:def:230764	Test the permissions of the file - /var/cron/log
oval:com.mcafee.oval:def:230767	Test the permissions of the file - /var/adm/loginlog
oval:com.mcafee.oval:def:229230	Test the group owner of the file - /var/log/authlog
oval:com.mcafee.oval:def:229231	Test the owner of the file - /var/log/authlog
oval:com.mcafee.oval:def:230890	Test the group owner of the account - root
oval:com.mcafee.oval:def:230742	The ftpusers file should restrict the postgres account as appropriate.
oval:com.mcafee.oval:def:230911	Only enable GUI login service if absolutely necessary
oval:com.mcafee.oval:def:229246	Test the group owner of all the files - /var/adm/sa/*
oval:com.mcafee.oval:def:230762	Test the permissions of the file - /etc/shadow
oval:com.mcafee.oval:def:231413	Test the group owner of the files - /var/spool/cron/crontabs/*
oval:com.mcafee.oval:def:230480	Service - Solaris Volume Manager GUI mdcomm - running state
oval:com.mcafee.oval:def:230481	Service - Solaris Volume Manager GUI meta - running state
oval:com.mcafee.oval:def:230219	Inetd based service - rlogin - running state
oval:com.mcafee.oval:def:229255	Test the configuration status for - Prevent Syslog from accepting messages from network
oval:com.mcafee.oval:def:230460	Service - Volume Manager volfs - running state
oval:com.mcafee.oval:def:231592	Test the owner of the file - /var/adm/messages
oval:com.mcafee.oval:def:229247	Test the owner of all the files - /var/adm/sa/*

Oval ID	Title
oval:com.mcafee.oval:def:231339	Test the enable / disable status for - SSH PermitRootLogin
oval:com.mcafee.oval:def:231591	Test the group owner of the file - /var/adm/messages
oval:com.mcafee.oval:def:229220	Test the group owner of the file - /var/log/syslog
oval:com.mcafee.oval:def:231419	Test the permissions of the files - /var/spool/cron/crontabs/*
oval:com.mcafee.oval:def:230927	Only enable samba service if absolutely necessary
oval:com.mcafee.oval:def:231521	Test the owner of the file - /var/adm/wtmpx
oval:com.mcafee.oval:def:231141	Test if CDE users warning banner text (welcome message) is set correctly in /etc/dt/config/*Xresources
oval:com.mcafee.oval:def:231661	Test the group owner of the directory - /var/cores
oval:com.mcafee.oval:def:231709	Configuration - core dumps - global core file content
oval:com.mcafee.oval:def:231713	Configuration - core dumps - init core file pattern
oval:com.mcafee.oval:def:231772	Configuration - daemon umask
oval:com.mcafee.oval:def:231710	Configuration - core dumps - global core file pattern
oval:com.mcafee.oval:def:230473	Service - Local Web Console - running state
oval:com.mcafee.oval:def:231660	Test the permissions of the directory - /var/core
oval:com.mcafee.oval:def:231712	Configuration - core dumps - init core file content
oval:com.mcafee.oval:def:230477	Service - NIS Server daemon xfr - running state
oval:com.mcafee.oval:def:231659	Test the owner of the directory - /var/core
oval:com.mcafee.oval:def:231658	Test the group owner of the directory - /var/core
oval:com.mcafee.oval:def:230479	Service - Samba - running state
oval:com.mcafee.oval:def:231768	Test the owner of the file - /var/log/connlog
oval:com.mcafee.oval:def:231708	Test the enable / disable status for - global core dump logging
oval:com.mcafee.oval:def:231808	Service - Local Graphical Login Environment gdm2-login - running state
oval:com.mcafee.oval:def:230475	Service - NIS Server daemon passwd - running state
oval:com.mcafee.oval:def:231663	Test the permissions of the directory - /var/cores
oval:com.mcafee.oval:def:230465	Service - CDE login - running state
oval:com.mcafee.oval:def:231769	Test the group owner of the file - /var/log/connlog
oval:com.mcafee.oval:def:231767	Test the permissions of the file - /var/log/connlog
oval:com.mcafee.oval:def:231662	Test the owner of the directory - /var/cores
oval:com.mcafee.oval:def:231810	Service - mpzio-upgrade - running state
oval:com.mcafee.oval:def:230476	Service - NIS Server daemon update - running state
oval:com.mcafee.oval:def:231771	Test the configuration status for - debug logging option for daemons.
oval:com.mcafee.oval:def:231706	Test the enable / disable status for - per-process set-id core dumps
oval:com.mcafee.oval:def:231711	Test the enable / disable status for - global set-id core dumps

Oval ID	Title
oval:com.mcafee.oval:def:231714	Test the enable / disable status for - per-process core dumps
oval:com.mcafee.oval:def:231770	Test the configuration status for - enable login records
oval:com.mcafee.oval:def:230464	Service - CDE Calendar Manager - running state
oval:com.mcafee.oval:def:231707	Test the enable / disable status for - global core dumps
oval:com.mcafee.oval:def:232491	Test the configuration status for - lock inactive user accounts
oval:com.mcafee.oval:def:232728	verify if defined user home directories exists on the system
oval:com.mcafee.oval:def:232427	Test the permissions of the directory - user home directories
oval:com.mcafee.oval.gen:def:299074	initscripts patch for Redhat EL5 and CentOS 5
oval:com.mcafee.oval:def:233843	Test the group owner of the file - /etc/dt/config*/sys.resources
oval:com.mcafee.oval:def:233852	Test the permissions of the file - /etc/dt/config*/Xresources
oval:com.mcafee.oval:def:233850	Test the owner of the file - /etc/dt/config*/Xresources
oval:com.mcafee.oval:def:233842	Test the owner of the file - /etc/dt/config*/sys.resources
oval:com.mcafee.oval:def:233984	Test the owner of the file - /etc/ftpd/banner.msg
oval:com.mcafee.oval:def:233851	Test the group owner of the file - /etc/dt/config*/Xresources
oval:com.mcafee.oval:def:234093	Test the owner of the file - /etc/inet/inetd.conf
oval:com.mcafee.oval:def:234094	Test the permissions of the file - /etc/inet/inetd.conf
oval:com.mcafee.oval:def:233985	Test the group owner of the file - /etc/ftpd/banner.msg
oval:com.mcafee.oval:def:233986	Test the permissions of the file - /etc/ftpd/banner.msg
oval:com.mcafee.oval:def:234036	Test the group owner of the directory - /var/spool/cron/atjobs
oval:com.mcafee.oval:def:234287	Test the group owner of the file - /usr/sfw/bin/smbpasswd
oval:com.mcafee.oval:def:234141	MINDIGIT value should be set appropriately in /etc/default/passwd
oval:com.mcafee.oval:def:234440	Test the permissions of the file - users local dot-profile file
oval:com.mcafee.oval:def:234085	Test If file exists - /etc/cron.d/cron.allow
oval:com.mcafee.oval:def:234405	configuration - NFS mount option "anon" should be set appropriately for all the exported file systems to deny NFS Client Access Without Userid
oval:com.mcafee.oval:def:234285	Test the owner of the file - /etc/sfw/smb.conf
oval:com.mcafee.oval:def:234186	Test the enable / disable status for - Single user mode password request
oval:com.mcafee.oval:def:234193	Test the owner of the of default skeleton dot files - /etc/skel/*
oval:com.mcafee.oval:def:234364	Test the permissions of the file - users dot-login file
oval:com.mcafee.oval:def:234038	Test the permissions of the directory - /var/spool/cron/atjobs
oval:com.mcafee.oval:def:234320	Test the group owner of the file - /usr/sbin/traceroute
oval:com.mcafee.oval:def:234339	Test the SUID/SGID of the files - start up run control scripts
oval:com.mcafee.oval:def:234479	Test the permissions of the file - /etc/security/audit_warn
oval:com.mcafee.oval:def:234129	Verify no legacy '+' entries exist in .rhost, .shosts, hosts.equiv, shosts.equiv files

Oval ID	Title
oval:com.mcafee.oval:def:234052	Test If file exists - /etc/cron.d/at.deny
oval:com.mcafee.oval:def:234173	Test the group owner of NIS/NISPlus/YP files - /usr/lib/netsvc/yp/*
oval:com.mcafee.oval:def:234142	MINSPECIAL value should be set appropriately in /etc/default/passwd
oval:com.mcafee.oval:def:234350	configuration - Anonymous ftp account should be disabled
oval:com.mcafee.oval:def:234371	Test the permissions of the file - users dot-Xauthority file
oval:com.mcafee.oval:def:234451	Test the SUID and SGID of the file - users dot-profile file
oval:com.mcafee.oval:def:234406	configuration - NFS mount option for root access should not be set on any of the exported file system
oval:com.mcafee.oval:def:234194	Test the permissions of default skeleton dot files - /etc/skel/*
oval:com.mcafee.oval:def:234059	Test the group owner of the file - /etc/cron.d/cron.deny
oval:com.mcafee.oval:def:234288	Test the permissions of the file - /usr/sfw/bin/smbpasswd
oval:com.mcafee.oval:def:234100	Test the owner of the file - /etc/dfs/dfstab
oval:com.mcafee.oval:def:234322	Test the owner of the file - /usr/sbin/traceroute
oval:com.mcafee.oval:def:234428	Test the permissions of the file - users dot-bashrc file
oval:com.mcafee.oval:def:234368	configuration - SSH should be configured with tcp wrappers support in /etc/hosts.deny file
oval:com.mcafee.oval:def:234375	The shell for the tftp account should be assigned appropriately.
oval:com.mcafee.oval:def:234376	The shell for the ftp account should be assigned appropriately.
oval:com.mcafee.oval:def:234156	File should exist - /etc/notrouter
oval:com.mcafee.oval:def:234063	Test the permissions of the file - /etc/news/hosts.nntp
oval:com.mcafee.oval:def:234447	Test the SUID and SGID of the file - users dot-bashrc file
oval:com.mcafee.oval:def:234411	configuration - NFS user authentication should not be configured with security mode 'none'
oval:com.mcafee.oval:def:234448	Test the SUID and SGID of the file - users dot-cshrc file
oval:com.mcafee.oval:def:234352	TFTP Configuration: TFTP user should exist in /etc/passwd
oval:com.mcafee.oval:def:234319	Test the existence of the file - /etc/ftpusers
oval:com.mcafee.oval:def:234174	Test the owner of the of NIS/NISPlus/YP files - /usr/lib/netsvc/yp/*
oval:com.mcafee.oval:def:234516	Test the permissions of the files - /var/log/*
oval:com.mcafee.oval:def:234321	Test the permissions of the file - /usr/sbin/traceroute
oval:com.mcafee.oval:def:234086	Test If file exists - /etc/cron.d/at.allow
oval:com.mcafee.oval:def:234101	Test the permissions of the file - /etc/dfs/dfstab
oval:com.mcafee.oval:def:234399	configuration - sendmail vrfy command should be disabled
oval:com.mcafee.oval:def:234028	Test the group owner of the file - /dev/audio
oval:com.mcafee.oval:def:234281	Test the group owner of the file - /etc/sfw/smb.conf
oval:com.mcafee.oval:def:234393	Inetd based service - tftp in secure mode - running state

Oval ID	Title
oval:com.mcafee.oval:def:234312	Test the owner of the file - /usr/sbin/in.ftpd
oval:com.mcafee.oval:def:234058	Test the permissions of the file - /etc/cron.d/cron.deny
oval:com.mcafee.oval:def:234081	Test the permissions of the file - /etc/news/nntp.access
oval:com.mcafee.oval:def:234275	Test the owner of the files - /etc/news/*
oval:com.mcafee.oval:def:234057	Test If file exists - /etc/cron.d/cron.deny
oval:com.mcafee.oval:def:234289	Test the owner of the file - /usr/sfw/bin/smbpasswd
oval:com.mcafee.oval:def:234180	configuration - sendmail logging level
oval:com.mcafee.oval:def:234432	Test the permissions of the file - users local dot-login file
oval:com.mcafee.oval:def:234082	Test the permissions of the file - /etc/news/passwd.nntp
oval:com.mcafee.oval:def:234355	The TFTP daemon has the suid or sgid bit set.
oval:com.mcafee.oval:def:234088	Test the owner of the file - /etc/printers.conf
oval:com.mcafee.oval:def:234279	Test the group owner of the files -/etc/news/*
oval:com.mcafee.oval:def:234420	Test the permissions of the file - users local dot-cshrc file
oval:com.mcafee.oval:def:234143	Test if at.deny file exists and is not empty
oval:com.mcafee.oval:def:234444	Test the SUID and SGID of the file - users dot-login file
oval:com.mcafee.oval:def:234283	Test the permissions of the file - /etc/sfw/smb.conf
oval:com.mcafee.oval:def:234400	configuration - sendmail expn command should be disabled
oval:com.mcafee.oval:def:234029	Test the owner of the file - /dev/audio
oval:com.mcafee.oval:def:234318	Test the existence of the file - /etc/ftpd/ftpusers
oval:com.mcafee.oval:def:234076	Test the permissions of the file - /etc/news/hosts.nntp.nolimit
oval:com.mcafee.oval:def:234480	Test the permissions of the file - /etc/security/audit_record
oval:com.mcafee.oval:def:234172	Test the permissions of NIS/NISPlus/YP files - /usr/lib/netsvc/yp/*
oval:com.mcafee.oval:def:234327	Test the group owner of the files - start up run control scripts
oval:com.mcafee.oval:def:234456	Test the SUID and SGID of the file - users local dot-profile file
oval:com.mcafee.oval:def:234455	Test the SUID and SGID of the file - users local dot-login file
oval:com.mcafee.oval:def:234424	Test the permissions of the file - users dot-profile file
oval:com.mcafee.oval:def:234478	Test the permissions of the file - /etc/security/audit_event
oval:com.mcafee.oval:def:234328	Test the permission of the files - start up run control scripts
oval:com.mcafee.oval:def:234477	Test the permissions of the file - /etc/security/audit_class
oval:com.mcafee.oval:def:234452	Test the SUID and SGID of the file - users local dot-cshrc file
oval:com.mcafee.oval:def:234436	Test the permissions of the file - users dot-cshrc file
oval:com.mcafee.oval:def:234046	Test the permissions of the file - /etc/cron.d/at.deny
oval:com.mcafee.oval:def:234329	Test the owner of the files - start up run control scripts
oval:com.mcafee.oval:def:234060	Test the owner of the file - /etc/cron.d/cron.deny

Oval ID	Title
oval:com.mcafee.oval:def:234509	Test the permissions of the directory - root home directory
oval:com.mcafee.oval:def:234045	Test the owner of the file - /etc/cron.d/at.deny
oval:com.mcafee.oval:def:234037	Test the owner of the directory - /var/spool/cron/atjobs
oval:com.mcafee.oval.gen:def:302845	libvirt-lock-sanlock patch for Redhat EL6
oval:com.mcafee.oval.gen:def:302872	389-ds-base patch for Redhat EL6
oval:com.mcafee.oval.gen:def:302876	389-ds-base-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:302880	389-ds-base-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:302884	389-ds-base-libs patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303573	spice-glib patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303577	spice-glib-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303581	spice-gtk patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303585	spice-gtk-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303589	spice-gtk-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303593	spice-gtk-python patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303597	spice-gtk-tools patch for Redhat EL6
oval:com.mcafee.oval.gen:def:305920	xulrunner-debuginfo patch for Redhat EL5 and CentOS 5
oval:com.mcafee.oval.gen:def:306894	firefox-debuginfo patch for Redhat EL5 and CentOS 5
oval:com.mcafee.oval:def:245557	The default GNOME screenlock timeout should be set appropriately.
oval:com.mcafee.oval:def:245563	The default GNOME screenlock timeout should be set appropriately.

New Benchmarks

Benchmark ID	Title
PCISolaris11Benchmark	Solaris 11 PCI DSS Benchmark
Solaris11ISO27001Benchmark	Solaris 11 ISO 27001 Benchmark

Updated Benchmarks

Benchmark ID	Title
CISSolaris10Benchmark	Oracle Solaris 10 CIS Benchmark
AppleMacOSXPatchPolicy	Apple Mac OSX Patch Policy
AppleMacOSXCISBenchmark	Apple Mac OSX CIS Benchmark
RedhatPatchPolicy	Redhat and CentOS Patch Policy
DebianPatchPolicy	Debian Patch Policy
SOLARISSOXUNIX	Solaris SOX Benchmark

Benchmark ID	Title
SOLARISGLBAUNIX	Solaris GLBA Benchmark
SOLARISCOBITUNIX	Solaris Cobit Benchmark
SOLARISHIPAA	Solaris HIPAA Benchmark

McAfee Technical Support

PrimeSupport ServicePortal: <https://mysupport.nai.com/login.asp>

Multi-National Phone Support: <http://www.mcafeesecurity.com/us/contact/home.htm>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright 2007-2013 McAfee, Inc.
McAfee is a registered trademark of McAfee, Inc. and/or its affiliates.