



McAfee Policy Auditor/McAfee NAC Content Update Summary

Product / Version	Content Version
McAfee Policy Auditor 5.x/6.x	1141
McAfee NAC 3.x	1141

New Checks

Oval ID	Title
oval:com.mcafee.oval.common:def:511367	Google Chrome Security Update 37.0.2062.120 for Windows
oval:com.mcafee.oval.common:def:515457	Adobe Acrobat Security Update 11.0.09 for APSPB14-20 Vulnerability
oval:com.mcafee.oval.common:def:515460	Adobe Reader Security Update 11.0.09 for APSPB14-20 Vulnerability
oval:com.mcafee.oval.common:def:515463	Adobe Acrobat Security Update 10.1.12 for APSPB14-20 Vulnerability
oval:com.mcafee.oval.common:def:515466	Adobe Reader Security Update 10.1.12 for APSPB14-20 Vulnerability
oval:com.mcafee.oval.common:def:529437	Mozilla Firefox Security Update 31.1.1 for Windows
oval:com.mcafee.oval.common:def:529443	Mozilla Firefox ESR Security Update 24.8.1 for Windows
oval:com.mcafee.oval.common:def:529449	Mozilla Firefox Security Update 32.0.3 for Windows
oval:com.mcafee.oval.common:def:529452	Mozilla Thunderbird Security Update 31.1.2 for Windows
oval:com.mcafee.oval.common:def:529455	Mozilla Thunderbird Security Update 24.8.1 for Windows
oval:com.mcafee.oval.common:def:529464	Google Chrome Security Update 37.0.2062.124 for Windows
oval:com.mcafee.oval.gen:def:326335	Test for qt4-x11-tools On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326339	Test for libQtWebKit4 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326343	Test for libqt4-sql-mysql On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326347	Test for libqt4-qt3support On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326351	Test for libqt4-x11 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326355	Test for libqt4-sql-sqlite On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326359	Test for libqt4 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326363	Test for libqt4-sql On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326367	Test for libqt4-qt3support-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326371	Test for libqt4-x11-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326375	Test for libqt4-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326379	Test for libqt4-sql-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326383	Test for libQtWebKit4-32bit On SUSE Linux Enterprise Server 11 SP3

Oval ID	Title
oval:com.mcafee.oval.gen:def:326387	Test for libfreebl3-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326391	Test for mozilla-nspr-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326395	Test for mozilla-nss-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326399	Test for libsoftokn3-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326403	Test for mozilla-nss-tools On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326407	Test for MozillaFirefox On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326411	Test for libfreebl3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326415	Test for mozilla-nspr On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326419	Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326423	Test for libsoftokn3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326427	Test for mozilla-nss On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326431	Test for net-snmp On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326435	Test for libsnmp15 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326439	Test for snmp-mibs On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326443	Test for perl-SNMP On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326447	Test for libsnmp15-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326451	Test for ppp On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326455	Test for libgcrypt11 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326459	Test for libgcrypt11-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326463	Test for gpgme On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326467	Test for libgpgme11 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326471	Test for libmysqlclient15-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326475	Test for libmysql55client18-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326479	Test for libmysqlclient_r15 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326483	Test for mysql On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326487	Test for libmysql55client_r18 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326491	Test for mysql-client On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326495	Test for libmysqlclient15 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326499	Test for mysql-tools On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326503	Test for libmysql55client18 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326504	squid-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:326507	jakarta-commons-httpclient-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:326510	procmail patch for Redhat EL5
oval:com.mcafee.oval.gen:def:326514	procmail-debuginfo patch for Redhat EL5

Oval ID	Title
oval:com.mcafee.oval.gen:def:326518	procmail patch for Redhat EL6
oval:com.mcafee.oval.gen:def:326521	procmail-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:326524	bash-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:326528	bash patch for Redhat EL6
oval:com.mcafee.oval.gen:def:326531	bash-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:326534	bash-doc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:326541	Test for readline-doc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326545	Test for bash On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326549	Test for bash-doc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326553	Test for libreadline5 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326557	Test for libreadline5-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326561	Test for libfreebl3-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326565	Test for mozilla-nss-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326569	Test for libsoftokn3-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326573	Test for mozilla-nss-tools On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326577	Test for libfreebl3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326581	Test for libsoftokn3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326585	Test for mozilla-nss On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326589	Test for wireshark On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326593	Test for readline-doc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326597	Test for bash On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326601	Test for bash-doc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326605	Test for libreadline5 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326609	Test for libreadline5-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326613	Test for dbus-1-x11 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326617	Test for dbus-1 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326621	Test for dbus-1-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326625	Test for php53-pear On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326629	Test for php53-mcrypt On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326633	Test for php53-intl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326637	Test for php53-gd On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326641	Test for php53-exif On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326645	Test for php53-gmp On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326649	Test for php53-gettext On SUSE Linux Enterprise Server 11 SP3

Oval ID	Title
oval:com.mcafee.oval.gen:def:326653	Test for php53-wddx On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326657	Test for php53-shmop On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326661	Test for php53-pgsql On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326665	Test for php53-openssl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326669	Test for php53-mysql On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326673	Test for php53-json On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326677	Test for php53-bcmath On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326681	Test for php53-zip On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326685	Test for php53-tokenizer On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326689	Test for php53-suhosin On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326693	Test for php53-odbc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326697	Test for php53-ftp On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326701	Test for php53-dom On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326705	Test for php53 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326709	Test for php53-xmlrpc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326713	Test for php53-sysvmsg On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326717	Test for php53-fileinfo On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326721	Test for php53-dba On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326725	Test for php53-curl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326729	Test for php53-zlib On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326733	Test for php53-sysvshm On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326737	Test for php53-pspell On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326741	Test for php53-ctype On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326745	Test for php53-xmlreader On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326749	Test for php53-bz2 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326753	Test for apache2-mod_php53 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326757	Test for php53-xsl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326761	Test for php53-soap On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326765	Test for php53-snmp On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326769	Test for php53-pdo On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326773	Test for php53-pcntl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326777	Test for php53-ldap On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326781	Test for php53-iconv On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326785	Test for php53-sysvsem On SUSE Linux Enterprise Server 11 SP3

Oval ID	Title
oval:com.mcafee.oval.gen:def:326789	Test for php53-mbstring On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326793	Test for php53-fastcgi On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326797	Test for php53-xmlwriter On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326801	Test for php53-calendar On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326805	Test for squid3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326809	Test for procmail On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326813	Test for glibc-devel On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326817	Test for glibc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326821	Test for glibc-info On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326825	Test for glibc-html On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326829	Test for glibc-profile On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326833	Test for nscd On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326837	Test for glibc-locale On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326841	Test for glibc-i18ndata On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326845	Test for glibc-devel-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326849	Test for glibc-locale-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326853	Test for glibc-profile-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326857	Test for glibc-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326861	Test for kdelibs4-core On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326865	Test for libkde4 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326869	Test for kdelibs4 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326873	Test for libkdecore4 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326877	Test for kdelibs4-doc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326881	Test for libkde4-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:326885	Test for libkdecore4-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval:def:440741	The operating system installed on the system is Debian Linux 7
oval:com.mcafee.oval:def:465225	HPSBUX02418 - HP-UX Running OpenSSL, Remote Unauthorized Access
oval:com.mcafee.oval:def:465226	HPSBUX02435 - HP-UX Running OpenSSL, Remote Denial of Service (DoS), Bypass Security Restrictions
oval:com.mcafee.oval:def:465227	HPSBUX03046 - HP-UX Running OpenSSL, Remote Denial of Service (DoS), Code Execution, Security Restriction Bypass, Disclosure of Information, or Unauthorized Access
oval:com.mcafee.oval:def:465228	HPSBUX02418 - HP-UX Running OpenSSL, Remote Unauthorized Access
oval:com.mcafee.oval:def:465229	HPSBUX02435 - HP-UX Running OpenSSL, Remote Denial of Service (DoS), Bypass Security Restrictions

Oval ID	Title
oval:com.mcafee.oval:def:465230	HPSBUX03046 - HP-UX Running OpenSSL, Remote Denial of Service (DoS), Code Execution, Security Restriction Bypass, Disclosure of Information, or Unauthorized Access
oval:com.mcafee.oval:def:465313	HPSBUX02926 - HP-UX Running BIND, Remote Denial of Service (DoS)
oval:com.mcafee.oval:def:465314	HPSBUX02961 - HP-UX Running BIND, Remote Denial of Service (DoS)
oval:com.mcafee.oval:def:465324	HPSBUX02859 - HP-UX Running XNTP, Remote Denial of Service (DoS) and Execution of Arbitrary Code
oval:com.mcafee.oval:def:465366	HPSBUX02450 - HP-UX ttrace(2), Local Denial of Service (DoS)
oval:com.mcafee.oval:def:465375	HPSBUX02435 - HP-UX Running OpenSSL, Remote Denial of Service (DoS), Bypass Security Restrictions
oval:com.mcafee.oval:def:465376	HPSBUX02435 - HP-UX Running OpenSSL, Remote Denial of Service (DoS), Bypass Security Restrictions
oval:com.mcafee.oval:def:465377	HPSBUX02418 - HP-UX Running OpenSSL, Remote Unauthorized Access
oval:com.mcafee.oval:def:465378	HPSBUX02418 - HP-UX Running OpenSSL, Remote Unauthorized Access
oval:com.mcafee.oval:def:465423	HPSBUX02435 - HP-UX Running OpenSSL, Remote Denial of Service (DoS), Bypass Security Restrictions
oval:com.mcafee.oval:def:465424	HPSBUX02435 - HP-UX Running OpenSSL, Remote Denial of Service (DoS), Bypass Security Restrictions
oval:com.mcafee.oval:def:465425	HPSBUX02418 - HP-UX Running OpenSSL, Remote Unauthorized Access
oval:com.mcafee.oval:def:465426	HPSBUX02418 - HP-UX Running OpenSSL, Remote Unauthorized Access
oval:com.mcafee.oval:def:465471	HPSBUX02415 - HP-UX Running PAM Kerberos, Local Privilege Escalation, Unauthorized Access
oval:com.mcafee.oval:def:465472	HPSBUX02415 - HP-UX Running PAM Kerberos, Local Privilege Escalation, Unauthorized Access
oval:com.mcafee.oval:def:465496	HPSBUX02354 - HP-UX Running Netscape / Red Hat Directory Server, Remote Cross Site Scripting (XSS) or Remote Denial of Service (DoS)
oval:com.mcafee.oval:def:465497	HPSBUX02354 - HP-UX Running Netscape / Red Hat Directory Server, Remote Cross Site Scripting (XSS) or Remote Denial of Service (DoS)
oval:com.mcafee.oval:def:465540	HPSBUX01219 - HP-UX Ignite-UX, Remote Unauthorized Access
oval:com.mcafee.oval:def:465560	HPSBUX02973 - HP-UX Running Java6, Remote Unauthorized Access, Disclosure of Information, and Other Vulnerabilities
oval:com.mcafee.oval:def:465561	HPSBUX02973 - HP-UX Running Java6, Remote Unauthorized Access, Disclosure of Information, and Other Vulnerabilities
oval:com.mcafee.oval:def:465562	HPSBUX02972 - HP-UX Running Java7, Remote Unauthorized Access, Disclosure of Information, and Other Vulnerabilities
oval:com.mcafee.oval:def:465563	HPSBUX02972 - HP-UX Running Java7, Remote Unauthorized Access, Disclosure of Information, and Other Vulnerabilities
oval:com.mcafee.oval:def:465632	HPSBUX02976 - HP-UX Running NFS rpc.lockd, Remote Denial of Service (DoS)
oval:com.mcafee.oval:def:465639	HPSBUX03001 - HP-UX Whitelisting (WLI), Local Unauthorized Access
oval:com.mcafee.oval:def:465647	HPSBUX02963 - HP-UX m4(1), Local Unauthorized Access
oval:com.mcafee.oval:def:465648	HPSBUX02963 - HP-UX m4(1), Local Unauthorized Access

Oval ID	Title
oval:com.mcafee.oval:def:466584	HPSBUX02354 - HP-UX Running Netscape / Red Hat Directory Server, Remote Cross Site Scripting (XSS) or Remote Denial of Service (DoS)
oval:com.mcafee.oval:def:472174	HPSBUX02415 - HP-UX Running PAM Kerberos, Local Privilege Escalation, Unauthorized Access
oval:com.mcafee.oval:def:473104	HP-UX 11iv2 itanium is installed
oval:com.mcafee.oval:def:473105	HP-UX 11iv2 PA-RISC is installed
oval:com.mcafee.oval:def:473106	HP-UX 11iv3 itanium is installed
oval:com.mcafee.oval:def:473107	HP-UX 11iv3 PA-RISC is installed
oval:com.mcafee.oval:def:480154	HPSBUX02973 - HP-UX Running Java6, Remote Unauthorized Access, Disclosure of Information, and Other Vulnerabilities
oval:com.mcafee.oval:def:480155	HPSBUX02973 - HP-UX Running Java6, Remote Unauthorized Access, Disclosure of Information, and Other Vulnerabilities
oval:com.mcafee.oval:def:480164	HPSBUX02415 - HP-UX Running PAM Kerberos, Local Privilege Escalation, Unauthorized Access
oval:com.mcafee.oval:def:480165	HPSBUX01219 - HP-UX Ignite-UX, Remote Unauthorized Access
oval:com.mcafee.oval:def:498850	Patches for CESA-2014-1075 for CentOS 6
oval:com.mcafee.oval:def:502756	Patches for CESA-2014-1110 for CentOS 6
oval:com.mcafee.oval:def:502764	Patches for CESA-2014-1110 for CentOS 5
oval:com.mcafee.oval:def:506345	Fixed Data Drives: Omit recovery options from the BitLocker setup wizard
oval:com.mcafee.oval:def:510026	Windows Components - BitLocker Drive Encryption - Operating System Drives: Require additional authentication at startup
oval:com.mcafee.oval:def:510038	Windows Components - BitLocker Drive Encryption - Operating System Drives: Allow BitLocker without a compatible TPM
oval:com.mcafee.oval:def:510046	Windows Components - BitLocker Drive Encryption - Operating System Drives: Configure TPM Startup
oval:com.mcafee.oval:def:510088	Patches for CESA-2014-1145 for CentOS 6
oval:com.mcafee.oval:def:510091	Patches for CESA-2014-1145 for CentOS 5
oval:com.mcafee.oval:def:511009	Patches for CESA-2014-1144 for CentOS 6
oval:com.mcafee.oval:def:511012	Patches for CESA-2014-1144 for CentOS 5
oval:com.mcafee.oval:def:511046	Patches for CESA-2014-1143 for CentOS 5
oval:com.mcafee.oval:def:511178	Patches for CESA-2014-1167 for CentOS 6
oval:com.mcafee.oval:def:511259	Patches for CESA-2014-1148 for CentOS 6
oval:com.mcafee.oval:def:511262	Patches for CESA-2014-1148 for CentOS 5
oval:com.mcafee.oval:def:511291	Patches for CESA-2014-1166 for CentOS 6
oval:com.mcafee.oval:def:511297	Patches for CESA-2014-1166 for CentOS 5
oval:com.mcafee.oval:def:511338	Fixed Data Drives: Set Save BitLocker recovery information to Active Directory Doman Services
oval:com.mcafee.oval:def:511348	Fixed Data Drives: Save BitLocker recovery information to Active Directory Doman Services

Oval ID	Title
oval:com.mcafee.oval:def:511358	Fixed Data Drives: Do not enable BitLocker until recovery information is stored to AD DS for fixed data drives
oval:com.mcafee.oval:def:511367	Google Chrome Security Update 37.0.2062.120 for Windows
oval:com.mcafee.oval:def:512647	Removable Data Drives: Choose how BitLocker-protected removable drives can be recovered
oval:com.mcafee.oval:def:512658	Removable Data Drives: Allow data recovery agent
oval:com.mcafee.oval:def:512668	Removable Data Drives: Omit recovery options from the BitLocker setup wizard
oval:com.mcafee.oval:def:512678	Removable Data Drives: First Unnamed value
oval:com.mcafee.oval:def:512686	Removable Data Drives: Second Unnamed value
oval:com.mcafee.oval:def:512694	Removable Data Drives: Set Save BitLocker recovery information to AD DS for removable data drives
oval:com.mcafee.oval:def:512704	Removable Data Drives: Configure storage of BitLocker recovery information to AD DS
oval:com.mcafee.oval:def:512715	Removable Data Drives: Do not enable BitLocker until recovery information is stored to AD DS for removable data drives
oval:com.mcafee.oval:def:512725	Removable Data Drives: Configure use of passwords for removable data drives
oval:com.mcafee.oval:def:512735	Windows Update: No auto-restart with logged on users for scheduled automatic updates installations
oval:com.mcafee.oval:def:512752	Windows Update: Do not display Install Updates and Shut Down option in Shut Down Windows dialog box
oval:com.mcafee.oval:def:514038	Windows Components - BitLocker Drive Encryption - Operating System Drives: Configure TPM startup PIN
oval:com.mcafee.oval:def:514048	Windows Components - BitLocker Drive Encryption - Operating System Drives: Configure TPM startup key
oval:com.mcafee.oval:def:514058	Windows Components - BitLocker Drive Encryption - Operating System Drives: Configure TPM startup key and PIN
oval:com.mcafee.oval:def:514068	Windows Update: Specify intranet Microsoft update service location
oval:com.mcafee.oval:def:514079	Windows Update: Intranet statistics server
oval:com.mcafee.oval:def:514087	Windows Update: Intranet update service for detecting updates
oval:com.mcafee.oval:def:515393	Windows Components - BitLocker Drive Encryption - Operating System Drives: Choose how BitLocker-protected operating system drives can be recovered
oval:com.mcafee.oval:def:515400	Windows Components - Internet Explorer - Security Features - Protection From Zone Elevation: Internet Explorer Processes - IE7, IE8
oval:com.mcafee.oval:def:515404	Windows Components - Internet Explorer: Make Proxy Settings Per-Machine (Rather Than Per-User) - IE6, IE7 and IE8
oval:com.mcafee.oval:def:515405	Windows Components - BitLocker Drive Encryption - Operating System Drives: Allow data recovery agent
oval:com.mcafee.oval:def:515415	Fixed Data Drives: Choose how BitLocker-protected fixed drives can be recovered
oval:com.mcafee.oval:def:515425	Fixed Data Drives: Allow data recovery agent
oval:com.mcafee.oval:def:515435	Fixed Data Drives: First Unnamed value

Oval ID	Title
oval:com.mcafee.oval:def:515436	Windows Components - Internet Explorer: Security Zones: Do Not Allow Users to Add/Delete Sites - IE6, IE7 and IE8
oval:com.mcafee.oval:def:515443	Windows Components - Internet Explorer: Security Zones: Use Only Machine Settings - IE6, IE7 and IE8
oval:com.mcafee.oval:def:515444	Windows Components - Internet Explorer: Security Zones: Do Not Allow Users to Change Policies - IE6, IE7 and IE8
oval:com.mcafee.oval:def:515446	Fixed Data Drives: Second Unnamed value
oval:com.mcafee.oval:def:515447	Windows Components - Internet Explorer: Disable Automatic Install of Internet Explorer Components - IE6, IE7 and IE8
oval:com.mcafee.oval:def:515451	Windows Components - Internet Explorer: Disable Periodic Check For Internet Explorer Software Updates - IE6, IE7 and IE8
oval:com.mcafee.oval:def:515456	Windows Components - Internet Explorer - Security Features - Add-on Management: Deny all add-ons unless specifically allowed in the Add-on List
oval:com.mcafee.oval:def:515457	Adobe Acrobat Security Update 11.0.09 for APSPB14-20 Vulnerability
oval:com.mcafee.oval:def:515460	Adobe Reader Security Update 11.0.09 for APSPB14-20 Vulnerability
oval:com.mcafee.oval:def:515463	Adobe Acrobat Security Update 10.1.12 for APSPB14-20 Vulnerability
oval:com.mcafee.oval:def:515466	Adobe Reader Security Update 10.1.12 for vulnerability id APSPB14-20 is installed or not
oval:com.mcafee.oval:def:515468	Adobe Reader Security Update 10.1.12 for vulnerability APSPB14-20 for Mac OS
oval:com.mcafee.oval:def:515471	Adobe Reader Security Update 11.0.09 for vulnerability APSPB14-20 for Mac OS
oval:com.mcafee.oval:def:515474	Windows Components - BitLocker Drive Encryption - Operating System Drives: First Unnamed value
oval:com.mcafee.oval:def:515482	Windows Components - BitLocker Drive Encryption - Operating System Drives: Omit recovery options from the BitLocker setup wizard
oval:com.mcafee.oval:def:515493	Windows Components - BitLocker Drive Encryption - Operating System Drives: Second Unnamed value
oval:com.mcafee.oval:def:515501	Windows Components - BitLocker Drive Encryption - Operating System Drives: Save BitLocker recovery information to AD DS for operating system drives
oval:com.mcafee.oval:def:515511	Windows Components - BitLocker Drive Encryption - Operating System Drives: Configure storage of BitLocker recovery information to AD DS
oval:com.mcafee.oval:def:515519	Windows Components - BitLocker Drive Encryption - Operating System Drives: Do not enable BitLocker until recovery information is stored to AD DS for operating system drives
oval:com.mcafee.oval:def:516500	Patches for CESA-2014-1172 for CentOS 6
oval:com.mcafee.oval:def:516503	Patches for CESA-2014-1172 for CentOS 5
oval:com.mcafee.oval:def:516550	Patches for CESA-2014-1193 for CentOS 6
oval:com.mcafee.oval:def:516555	Patches for CESA-2014-1193 for CentOS 5
oval:com.mcafee.oval:def:518293	Patches for DSA-2730-1 for Debian 7
oval:com.mcafee.oval:def:518305	Patches for DSA-2953-1 for Debian 7
oval:com.mcafee.oval:def:518321	Patches for DSA-2795-1 for Debian 7
oval:com.mcafee.oval:def:518329	Patches for DSA-2850-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:518341	Patches for DSA-2893-1 for Debian 7
oval:com.mcafee.oval:def:518349	Patches for DSA-2685-1 for Debian 7
oval:com.mcafee.oval:def:518353	Patches for DSA-2791-1 for Debian 7
oval:com.mcafee.oval:def:518371	Patches for DSA-2869-1 for Debian 7
oval:com.mcafee.oval:def:518395	Patches for DSA-2727-1 for Debian 7
oval:com.mcafee.oval:def:518403	Patches for DSA-2683-1 for Debian 7
oval:com.mcafee.oval:def:518443	Patches for DSA-2701-1 for Debian 7
oval:com.mcafee.oval:def:518447	Patches for DSA-2794-1 for Debian 7
oval:com.mcafee.oval:def:518465	Patches for DSA-2849-1 for Debian 7
oval:com.mcafee.oval:def:518470	Patches for DSA-2884-1 for Debian 7
oval:com.mcafee.oval:def:518480	Patches for DSA-2682-1 for Debian 7
oval:com.mcafee.oval:def:518494	Patches for DSA-2754-1 for Debian 7
oval:com.mcafee.oval:def:518497	Patches for DSA-2694-1 for Debian 7
oval:com.mcafee.oval:def:518511	Patches for DSA-2909-1 for Debian 7
oval:com.mcafee.oval:def:518525	Patches for DSA-2813-1 for Debian 7
oval:com.mcafee.oval:def:518529	Patches for DSA-2760-1 for Debian 7
oval:com.mcafee.oval:def:518559	Patches for DSA-2728-1 for Debian 7
oval:com.mcafee.oval:def:518568	Patches for DSA-2795-2 for Debian 7
oval:com.mcafee.oval:def:518576	Patches for DSA-2674-1 for Debian 7
oval:com.mcafee.oval:def:518592	Patches for DSA-2789-1 for Debian 7
oval:com.mcafee.oval:def:518602	Patches for DSA-2852-1 for Debian 7
oval:com.mcafee.oval:def:518668	Patches for DSA-2742-1 for Debian 7
oval:com.mcafee.oval:def:518686	Patches for DSA-2767-1 for Debian 7
oval:com.mcafee.oval:def:518696	Patches for DSA-2786-1 for Debian 7
oval:com.mcafee.oval:def:518702	Patches for DSA-2751-1 for Debian 7
oval:com.mcafee.oval:def:518714	Patches for DSA-2814-1 for Debian 7
oval:com.mcafee.oval:def:518720	Patches for DSA-2726-1 for Debian 7
oval:com.mcafee.oval:def:518856	Patches for DSA-2686-1 for Debian 7
oval:com.mcafee.oval:def:518864	Patches for DSA-2874-1 for Debian 7
oval:com.mcafee.oval:def:518870	Patches for DSA-2752-1 for Debian 7
oval:com.mcafee.oval:def:518880	Patches for DSA-2680-1 for Debian 7
oval:com.mcafee.oval:def:518896	Patches for DSA-2894-1 for Debian 7
oval:com.mcafee.oval:def:518900	Patches for DSA-2765-1 for Debian 7
oval:com.mcafee.oval:def:518910	Patches for DSA-2798-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:518946	Patches for DSA-2812-1 for Debian 7
oval:com.mcafee.oval:def:518954	Patches for DSA-2910-1 for Debian 7
oval:com.mcafee.oval:def:518964	Patches for DSA-2925-1 for Debian 7
oval:com.mcafee.oval:def:519004	Patches for DSA-2843-1 for Debian 7
oval:com.mcafee.oval:def:519008	Patches for DSA-2870-1 for Debian 7
oval:com.mcafee.oval:def:519086	Patches for DSA-2678-1 for Debian 7
oval:com.mcafee.oval:def:519106	Patches for DSA-2796-1 for Debian 7
oval:com.mcafee.oval:def:519112	Patches for DSA-2856-1 for Debian 7
oval:com.mcafee.oval:def:519146	Patches for DSA-2723-1 for Debian 7
oval:com.mcafee.oval:def:519152	Patches for DSA-2872-1 for Debian 7
oval:com.mcafee.oval:def:519159	Patches for DSA-2675-1 for Debian 7
oval:com.mcafee.oval:def:519177	Patches for DSA-2809-1 for Debian 7
oval:com.mcafee.oval:def:519187	Patches for DSA-2927-1 for Debian 7
oval:com.mcafee.oval:def:519197	Patches for DSA-2840-1 for Debian 7
oval:com.mcafee.oval:def:519209	Patches for DSA-2873-1 for Debian 7
oval:com.mcafee.oval:def:519217	Patches for DSA-2681-1 for Debian 7
oval:com.mcafee.oval:def:519237	Patches for DSA-2810-1 for Debian 7
oval:com.mcafee.oval:def:519249	Patches for DSA-2771-1 for Debian 7
oval:com.mcafee.oval:def:519255	Patches for DSA-2934-1 for Debian 7
oval:com.mcafee.oval:def:519283	Patches for DSA-2871-1 for Debian 7
oval:com.mcafee.oval:def:519288	Patches for DSA-2675-2 for Debian 7
oval:com.mcafee.oval:def:519298	Patches for DSA-2774-1 for Debian 7
oval:com.mcafee.oval:def:519306	Patches for DSA-2748-1 for Debian 7
oval:com.mcafee.oval:def:519324	Patches for DSA-2715-1 for Debian 7
oval:com.mcafee.oval:def:519330	Patches for DSA-2863-1 for Debian 7
oval:com.mcafee.oval:def:519336	Patches for DSA-2679-1 for Debian 7
oval:com.mcafee.oval:def:519342	Patches for DSA-2773-1 for Debian 7
oval:com.mcafee.oval:def:519350	Patches for DSA-2841-1 for Debian 7
oval:com.mcafee.oval:def:519354	Patches for DSA-2747-1 for Debian 7
oval:com.mcafee.oval:def:519364	Patches for DSA-2834-1 for Debian 7
oval:com.mcafee.oval:def:519388	Patches for DSA-2703-1 for Debian 7
oval:com.mcafee.oval:def:519396	Patches for DSA-2823-1 for Debian 7
oval:com.mcafee.oval:def:519402	Patches for DSA-2717-1 for Debian 7
oval:com.mcafee.oval:def:519408	Patches for DSA-2821-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:519412	Patches for DSA-2832-1 for Debian 7
oval:com.mcafee.oval:def:519446	Patches for DSA-2816-1 for Debian 7
oval:com.mcafee.oval:def:519454	Patches for DSA-2677-1 for Debian 7
oval:com.mcafee.oval:def:519460	Patches for DSA-2778-1 for Debian 7
oval:com.mcafee.oval:def:519486	Patches for DSA-2898-1 for Debian 7
oval:com.mcafee.oval:def:519492	Patches for DSA-2867-1 for Debian 7
oval:com.mcafee.oval:def:519497	Patches for DSA-2838-1 for Debian 7
oval:com.mcafee.oval:def:519506	Patches for DSA-2922-1 for Debian 7
oval:com.mcafee.oval:def:519512	Patches for DSA-2718-1 for Debian 7
oval:com.mcafee.oval:def:519516	Patches for DSA-2708-1 for Debian 7
oval:com.mcafee.oval:def:519538	Patches for DSA-2822-1 for Debian 7
oval:com.mcafee.oval:def:519548	Patches for DSA-2736-1 for Debian 7
oval:com.mcafee.oval:def:519558	Patches for DSA-2820-1 for Debian 7
oval:com.mcafee.oval:def:519562	Patches for DSA-2775-1 for Debian 7
oval:com.mcafee.oval:def:519566	Patches for DSA-2921-1 for Debian 7
oval:com.mcafee.oval:def:519577	Patches for DSA-2936-1 for Debian 7
oval:com.mcafee.oval:def:519592	Patches for DSA-2756-1 for Debian 7
oval:com.mcafee.oval:def:519596	Patches for DSA-2827-1 for Debian 7
oval:com.mcafee.oval:def:519626	Patches for DSA-2749-1 for Debian 7
oval:com.mcafee.oval:def:519630	Patches for DSA-2805-1 for Debian 7
oval:com.mcafee.oval:def:519640	Patches for DSA-2831-1 for Debian 7
oval:com.mcafee.oval:def:519644	Patches for DSA-2817-1 for Debian 7
oval:com.mcafee.oval:def:519662	Patches for DSA-2693-1 for Debian 7
oval:com.mcafee.oval:def:519673	Patches for DSA-2770-1 for Debian 7
oval:com.mcafee.oval:def:519679	Patches for DSA-2916-1 for Debian 7
oval:com.mcafee.oval:def:519685	Patches for DSA-2937-1 for Debian 7
oval:com.mcafee.oval:def:519700	Patches for DSA-2734-1 for Debian 7
oval:com.mcafee.oval:def:519704	Patches for DSA-2753-1 for Debian 7
oval:com.mcafee.oval:def:519720	Patches for DSA-2698-1 for Debian 7
oval:com.mcafee.oval:def:519729	Patches for DSA-2744-1 for Debian 7
oval:com.mcafee.oval:def:519735	Patches for DSA-2806-1 for Debian 7
oval:com.mcafee.oval:def:519765	Patches for DSA-2829-1 for Debian 7
oval:com.mcafee.oval:def:519781	Patches for DSA-2835-1 for Debian 7
oval:com.mcafee.oval:def:519785	Patches for DSA-2901-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:519789	Patches for DSA-2892-1 for Debian 7
oval:com.mcafee.oval:def:519797	Patches for DSA-2676-1 for Debian 7
oval:com.mcafee.oval:def:519809	Patches for DSA-2784-1 for Debian 7
oval:com.mcafee.oval:def:519820	Patches for DSA-2738-1 for Debian 7
oval:com.mcafee.oval:def:519830	Patches for DSA-2808-1 for Debian 7
oval:com.mcafee.oval:def:519834	Patches for DSA-2826-1 for Debian 7
oval:com.mcafee.oval:def:519846	Patches for DSA-2800-1 for Debian 7
oval:com.mcafee.oval:def:519850	Patches for DSA-2758-1 for Debian 7
oval:com.mcafee.oval:def:519854	Patches for DSA-2710-1 for Debian 7
oval:com.mcafee.oval:def:519858	Patches for DSA-2882-1 for Debian 7
oval:com.mcafee.oval:def:519868	Patches for DSA-2689-1 for Debian 7
oval:com.mcafee.oval:def:519876	Patches for DSA-2886-1 for Debian 7
oval:com.mcafee.oval:def:519886	Patches for DSA-2902-1 for Debian 7
oval:com.mcafee.oval:def:519893	Patches for DSA-2915-1 for Debian 7
oval:com.mcafee.oval:def:519903	Patches for DSA-2798-2 for Debian 7
oval:com.mcafee.oval:def:519907	Patches for DSA-2733-1 for Debian 7
oval:com.mcafee.oval:def:519919	Patches for DSA-2781-1 for Debian 7
oval:com.mcafee.oval:def:519927	Patches for DSA-2673-1 for Debian 7
oval:com.mcafee.oval:def:519933	Patches for DSA-2807-1 for Debian 7
oval:com.mcafee.oval:def:519937	Patches for DSA-2757-1 for Debian 7
oval:com.mcafee.oval:def:519945	Patches for DSA-2690-1 for Debian 7
oval:com.mcafee.oval:def:519963	Patches for DSA-2779-1 for Debian 7
oval:com.mcafee.oval:def:519972	Patches for DSA-2903-1 for Debian 7
oval:com.mcafee.oval:def:519985	Patches for DSA-2912-1 for Debian 7
oval:com.mcafee.oval:def:519989	Patches for DSA-2755-1 for Debian 7
oval:com.mcafee.oval:def:519997	Patches for DSA-2803-1 for Debian 7
oval:com.mcafee.oval:def:520005	Patches for DSA-2782-1 for Debian 7
oval:com.mcafee.oval:def:520013	Patches for DSA-2687-1 for Debian 7
oval:com.mcafee.oval:def:520023	Patches for DSA-2731-1 for Debian 7
oval:com.mcafee.oval:def:520027	Patches for DSA-2740-1 for Debian 7
oval:com.mcafee.oval:def:520034	Patches for DSA-2691-1 for Debian 7
oval:com.mcafee.oval:def:520062	Patches for DSA-2666-1 for Debian 7
oval:com.mcafee.oval:def:520072	Patches for DSA-2713-1 for Debian 7
oval:com.mcafee.oval:def:520082	Patches for DSA-2879-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:520085	Patches for DSA-2885-1 for Debian 7
oval:com.mcafee.oval:def:520089	Patches for DSA-2917-1 for Debian 7
oval:com.mcafee.oval:def:520095	Patches for DSA-2702-1 for Debian 7
oval:com.mcafee.oval:def:520103	Patches for DSA-2684-1 for Debian 7
oval:com.mcafee.oval:def:520135	Patches for DSA-2729-1 for Debian 7
oval:com.mcafee.oval:def:520147	Patches for DSA-2763-1 for Debian 7
oval:com.mcafee.oval:def:520150	Patches for DSA-2739-1 for Debian 7
oval:com.mcafee.oval:def:520157	Patches for DSA-2861-1 for Debian 7
oval:com.mcafee.oval:def:520191	Patches for DSA-2868-1 for Debian 7
oval:com.mcafee.oval:def:520200	Patches for DSA-2877-1 for Debian 7
oval:com.mcafee.oval:def:520217	Patches for DSA-2899-1 for Debian 7
oval:com.mcafee.oval:def:520221	Patches for DSA-2945-1 for Debian 7
oval:com.mcafee.oval:def:520231	Patches for DSA-2761-1 for Debian 7
oval:com.mcafee.oval:def:520289	Patches for DSA-2977-1 for Debian 7
oval:com.mcafee.oval:def:520293	Patches for DSA-2801-1 for Debian 7
oval:com.mcafee.oval:def:520303	Patches for DSA-2697-1 for Debian 7
oval:com.mcafee.oval:def:520307	Patches for DSA-2940-1 for Debian 7
oval:com.mcafee.oval:def:520321	Patches for DSA-2960-1 for Debian 7
oval:com.mcafee.oval:def:520335	Patches for DSA-2768-1 for Debian 7
oval:com.mcafee.oval:def:520377	Patches for DSA-2878-1 for Debian 7
oval:com.mcafee.oval:def:520575	Patches for DSA-3018-1 for Debian 7
oval:com.mcafee.oval:def:520591	Patches for DSA-2743-1 for Debian 7
oval:com.mcafee.oval:def:520609	Patches for DSA-2862-1 for Debian 7
oval:com.mcafee.oval:def:520613	Patches for DSA-2888-1 for Debian 7
oval:com.mcafee.oval:def:520626	Patches for DSA-2980-1 for Debian 7
oval:com.mcafee.oval:def:520638	Patches for DSA-2941-1 for Debian 7
oval:com.mcafee.oval:def:520742	Patches for DSA-2759-1 for Debian 7
oval:com.mcafee.oval:def:520746	Patches for DSA-2847-1 for Debian 7
oval:com.mcafee.oval:def:520756	Patches for DSA-2978-1 for Debian 7
oval:com.mcafee.oval:def:520788	Patches for DSA-2954-1 for Debian 7
oval:com.mcafee.oval:def:520806	Patches for DSA-2815-1 for Debian 7
oval:com.mcafee.oval:def:520832	Patches for DSA-2802-1 for Debian 7
oval:com.mcafee.oval:def:520866	Patches for DSA-2961-1 for Debian 7
oval:com.mcafee.oval:def:520874	Patches for DSA-2875-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:520889	Patches for DSA-2792-1 for Debian 7
oval:com.mcafee.oval:def:520893	Patches for DSA-3017-1 for Debian 7
oval:com.mcafee.oval:def:520897	Patches for DSA-2860-1 for Debian 7
oval:com.mcafee.oval:def:520907	Patches for DSA-2741-1 for Debian 7
oval:com.mcafee.oval:def:520912	Patches for DSA-2981-1 for Debian 7
oval:com.mcafee.oval:def:520916	Patches for DSA-2982-1 for Debian 7
oval:com.mcafee.oval:def:520926	Patches for DSA-2785-1 for Debian 7
oval:com.mcafee.oval:def:520930	Patches for DSA-2712-1 for Debian 7
oval:com.mcafee.oval:def:520934	Patches for DSA-2975-1 for Debian 7
oval:com.mcafee.oval:def:520938	Patches for DSA-2695-1 for Debian 7
oval:com.mcafee.oval:def:520968	Patches for DSA-2793-1 for Debian 7
oval:com.mcafee.oval:def:520986	Patches for DSA-2880-1 for Debian 7
oval:com.mcafee.oval:def:521004	Patches for DSA-2958-1 for Debian 7
oval:com.mcafee.oval:def:521014	Patches for DSA-2939-1 for Debian 7
oval:com.mcafee.oval:def:521018	Patches for DSA-3019-1 for Debian 7
oval:com.mcafee.oval:def:521032	Patches for DSA-2846-1 for Debian 7
oval:com.mcafee.oval:def:521035	Patches for DSA-2983-1 for Debian 7
oval:com.mcafee.oval:def:521137	Patches for DSA-2976-1 for Debian 7
oval:com.mcafee.oval:def:521152	Patches for DSA-3006-1 for Debian 7
oval:com.mcafee.oval:def:521168	Patches for DSA-2671-1 for Debian 7
oval:com.mcafee.oval:def:521176	Patches for DSA-2911-1 for Debian 7
oval:com.mcafee.oval:def:521180	Patches for DSA-2696-1 for Debian 7
oval:com.mcafee.oval:def:521214	Patches for DSA-3008-1 for Debian 7
oval:com.mcafee.oval:def:521222	Patches for DSA-2762-1 for Debian 7
oval:com.mcafee.oval:def:521228	Patches for DSA-2942-1 for Debian 7
oval:com.mcafee.oval:def:521235	Patches for DSA-2790-1 for Debian 7
oval:com.mcafee.oval:def:521242	Patches for DSA-3021-1 for Debian 7
oval:com.mcafee.oval:def:521350	Patches for DSA-2858-1 for Debian 7
oval:com.mcafee.oval:def:521364	Patches for DSA-2896-1 for Debian 7
oval:com.mcafee.oval:def:521372	Patches for DSA-2764-1 for Debian 7
oval:com.mcafee.oval:def:521375	Patches for DSA-3007-1 for Debian 7
oval:com.mcafee.oval:def:521378	Patches for DSA-2979-1 for Debian 7
oval:com.mcafee.oval:def:521390	Patches for DSA-2787-1 for Debian 7
oval:com.mcafee.oval:def:521414	Patches for DSA-2987-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:521430	Patches for DSA-2797-1 for Debian 7
oval:com.mcafee.oval:def:521440	Patches for DSA-2811-1 for Debian 7
oval:com.mcafee.oval:def:521448	Patches for DSA-2908-1 for Debian 7
oval:com.mcafee.oval:def:521451	Patches for DSA-3011-1 for Debian 7
oval:com.mcafee.oval:def:521457	Patches for DSA-2946-1 for Debian 7
oval:com.mcafee.oval:def:521477	Patches for DSA-2859-1 for Debian 7
oval:com.mcafee.oval:def:521485	Patches for DSA-2996-1 for Debian 7
oval:com.mcafee.oval:def:521515	Patches for DSA-2855-1 for Debian 7
oval:com.mcafee.oval:def:521615	Patches for DSA-2986-1 for Debian 7
oval:com.mcafee.oval:def:521645	Patches for DSA-2947-1 for Debian 7
oval:com.mcafee.oval:def:521651	Patches for DSA-2995-1 for Debian 7
oval:com.mcafee.oval:def:521677	Patches for DSA-2848-1 for Debian 7
oval:com.mcafee.oval:def:521683	Patches for DSA-2991-1 for Debian 7
oval:com.mcafee.oval:def:521691	Patches for DSA-2951-1 for Debian 7
oval:com.mcafee.oval:def:521699	Patches for DSA-2839-1 for Debian 7
oval:com.mcafee.oval:def:521713	Patches for DSA-2721-1 for Debian 7
oval:com.mcafee.oval:def:521747	Patches for DSA-2943-1 for Debian 7
oval:com.mcafee.oval:def:521757	Patches for DSA-2905-1 for Debian 7
oval:com.mcafee.oval:def:521761	Patches for DSA-3010-1 for Debian 7
oval:com.mcafee.oval:def:521769	Patches for DSA-2746-1 for Debian 7
oval:com.mcafee.oval:def:521809	Patches for DSA-2990-1 for Debian 7
oval:com.mcafee.oval:def:521815	Patches for DSA-2997-1 for Debian 7
oval:com.mcafee.oval:def:521823	Patches for DSA-2720-1 for Debian 7
oval:com.mcafee.oval:def:521833	Patches for DSA-2724-1 for Debian 7
oval:com.mcafee.oval:def:521917	Patches for DSA-3004-1 for Debian 7
oval:com.mcafee.oval:def:521951	Patches for DSA-2865-1 for Debian 7
oval:com.mcafee.oval:def:522005	Patches for DSA-2745-1 for Debian 7
oval:com.mcafee.oval:def:522015	Patches for DSA-2706-1 for Debian 7
oval:com.mcafee.oval:def:522119	Patches for DSA-2918-1 for Debian 7
oval:com.mcafee.oval:def:522127	Patches for DSA-2950-1 for Debian 7
oval:com.mcafee.oval:def:522135	Patches for DSA-2993-1 for Debian 7
oval:com.mcafee.oval:def:522171	Patches for DSA-2842-1 for Debian 7
oval:com.mcafee.oval:def:522175	Patches for DSA-3001-1 for Debian 7
oval:com.mcafee.oval:def:522189	Patches for DSA-2971-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:522197	Patches for DSA-2931-1 for Debian 7
oval:com.mcafee.oval:def:522213	Patches for DSA-2988-1 for Debian 7
oval:com.mcafee.oval:def:522227	Patches for DSA-2705-1 for Debian 7
oval:com.mcafee.oval:def:522237	Patches for DSA-2920-1 for Debian 7
oval:com.mcafee.oval:def:522244	Patches for DSA-2994-1 for Debian 7
oval:com.mcafee.oval:def:522254	Patches for DSA-2824-1 for Debian 7
oval:com.mcafee.oval:def:522275	Patches for DSA-3000-1 for Debian 7
oval:com.mcafee.oval:def:522291	Patches for DSA-3023-1 for Debian 7
oval:com.mcafee.oval:def:522323	Patches for DSA-2973-1 for Debian 7
oval:com.mcafee.oval:def:522331	Patches for DSA-2932-1 for Debian 7
oval:com.mcafee.oval:def:522361	Patches for DSA-2989-1 for Debian 7
oval:com.mcafee.oval:def:522367	Patches for DSA-2962-1 for Debian 7
oval:com.mcafee.oval:def:522380	Patches for DSA-2923-1 for Debian 7
oval:com.mcafee.oval:def:522480	Patches for DSA-2716-1 for Debian 7
oval:com.mcafee.oval:def:522484	Patches for DSA-2887-1 for Debian 7
oval:com.mcafee.oval:def:522500	Patches for DSA-2737-1 for Debian 7
oval:com.mcafee.oval:def:522508	Patches for DSA-2688-1 for Debian 7
oval:com.mcafee.oval:def:522520	Patches for DSA-3014-1 for Debian 7
oval:com.mcafee.oval:def:522530	Patches for DSA-2866-1 for Debian 7
oval:com.mcafee.oval:def:522538	Patches for DSA-3026-1 for Debian 7
oval:com.mcafee.oval:def:522568	Patches for DSA-3003-1 for Debian 7
oval:com.mcafee.oval:def:522582	Patches for DSA-2750-1 for Debian 7
oval:com.mcafee.oval:def:522682	Patches for DSA-2735-1 for Debian 7
oval:com.mcafee.oval:def:522690	Patches for DSA-2924-1 for Debian 7
oval:com.mcafee.oval:def:522730	Patches for DSA-2704-1 for Debian 7
oval:com.mcafee.oval:def:522735	Patches for DSA-2933-1 for Debian 7
oval:com.mcafee.oval:def:522751	Patches for DSA-2963-1 for Debian 7
oval:com.mcafee.oval:def:522759	Patches for DSA-2984-1 for Debian 7
oval:com.mcafee.oval:def:522763	Patches for DSA-2895-1 for Debian 7
oval:com.mcafee.oval:def:522778	Patches for DSA-3002-1 for Debian 7
oval:com.mcafee.oval:def:522830	Patches for DSA-3012-1 for Debian 7
oval:com.mcafee.oval:def:522840	Patches for DSA-3024-1 for Debian 7
oval:com.mcafee.oval:def:522850	Patches for DSA-2930-1 for Debian 7
oval:com.mcafee.oval:def:522857	Patches for DSA-2833-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:522861	Patches for DSA-2740-2 for Debian 7
oval:com.mcafee.oval:def:522867	Patches for DSA-2935-1 for Debian 7
oval:com.mcafee.oval:def:522886	Patches for DSA-2966-1 for Debian 7
oval:com.mcafee.oval:def:522889	Patches for DSA-2970-1 for Debian 7
oval:com.mcafee.oval:def:522923	Patches for DSA-2974-1 for Debian 7
oval:com.mcafee.oval:def:522937	Patches for DSA-2919-1 for Debian 7
oval:com.mcafee.oval:def:522957	Patches for DSA-2897-1 for Debian 7
oval:com.mcafee.oval:def:522964	Patches for DSA-2692-1 for Debian 7
oval:com.mcafee.oval:def:522972	Patches for DSA-2998-1 for Debian 7
oval:com.mcafee.oval:def:522978	Patches for DSA-3013-1 for Debian 7
oval:com.mcafee.oval:def:522988	Patches for DSA-3025-1 for Debian 7
oval:com.mcafee.oval:def:522995	Patches for DSA-2837-1 for Debian 7
oval:com.mcafee.oval:def:523005	Patches for DSA-2883-1 for Debian 7
oval:com.mcafee.oval:def:523009	Patches for DSA-2964-1 for Debian 7
oval:com.mcafee.oval:def:523015	Patches for DSA-2968-1 for Debian 7
oval:com.mcafee.oval:def:523018	Patches for DSA-2891-1 for Debian 7
oval:com.mcafee.oval:def:523040	Patches for DSA-2904-1 for Debian 7
oval:com.mcafee.oval:def:523043	Patches for DSA-2999-1 for Debian 7
oval:com.mcafee.oval:def:523055	Patches for DSA-3016-1 for Debian 7
oval:com.mcafee.oval:def:523065	Patches for DSA-3022-1 for Debian 7
oval:com.mcafee.oval:def:523079	Patches for DSA-2818-1 for Debian 7
oval:com.mcafee.oval:def:523183	Patches for DSA-2881-1 for Debian 7
oval:com.mcafee.oval:def:523198	Patches for DSA-2825-1 for Debian 7
oval:com.mcafee.oval:def:523207	Patches for DSA-2965-1 for Debian 7
oval:com.mcafee.oval:def:523215	Patches for DSA-2967-1 for Debian 7
oval:com.mcafee.oval:def:523229	Patches for DSA-2985-1 for Debian 7
oval:com.mcafee.oval:def:523255	Patches for DSA-2777-1 for Debian 7
oval:com.mcafee.oval:def:523267	Patches for DSA-3015-1 for Debian 7
oval:com.mcafee.oval:def:523271	Patches for DSA-2836-1 for Debian 7
oval:com.mcafee.oval:def:523281	Patches for DSA-2830-1 for Debian 7
oval:com.mcafee.oval:def:523291	Patches for DSA-2959-1 for Debian 7
oval:com.mcafee.oval:def:523301	Patches for DSA-2732-1 for Debian 7
oval:com.mcafee.oval:def:523305	Patches for DSA-2969-1 for Debian 7
oval:com.mcafee.oval:def:523321	Patches for DSA-3009-1 for Debian 7

Oval ID	Title
oval:com.mcafee.oval:def:523335	Patches for DSA-2667-1 for Debian 7
oval:com.mcafee.oval:def:523341	Patches for DSA-2772-1 for Debian 7
oval:com.mcafee.oval:def:523445	Patches for DSA-2955-1 for Debian 7
oval:com.mcafee.oval:def:523460	Patches for DSA-2709-1 for Debian 7
oval:com.mcafee.oval:def:523475	Patches for DSA-2700-1 for Debian 7
oval:com.mcafee.oval:def:523478	Patches for DSA-2929-1 for Debian 7
oval:com.mcafee.oval:def:523497	Patches for DSA-2890-1 for Debian 7
oval:com.mcafee.oval:def:523505	Patches for DSA-2707-1 for Debian 7
oval:com.mcafee.oval:def:523605	Patches for DSA-2699-1 for Debian 7
oval:com.mcafee.oval:def:523615	Patches for DSA-2944-1 for Debian 7
oval:com.mcafee.oval:def:523631	Patches for DSA-2956-1 for Debian 7
oval:com.mcafee.oval:def:523637	Patches for DSA-3005-1 for Debian 7
oval:com.mcafee.oval:def:523656	Patches for DSA-2857-1 for Debian 7
oval:com.mcafee.oval:def:523664	Patches for DSA-2900-1 for Debian 7
oval:com.mcafee.oval:def:523667	Patches for DSA-2804-1 for Debian 7
oval:com.mcafee.oval:def:523854	Patches for DSA-2952-1 for Debian 7
oval:com.mcafee.oval:def:523860	Patches for DSA-2948-1 for Debian 7
oval:com.mcafee.oval:def:523863	Patches for DSA-2957-1 for Debian 7
oval:com.mcafee.oval:def:523871	Patches for DSA-2854-1 for Debian 7
oval:com.mcafee.oval:def:523971	Patches for DSA-2788-1 for Debian 7
oval:com.mcafee.oval:def:523995	Patches for DSA-2672-1 for Debian 7
oval:com.mcafee.oval:def:523999	Patches for DSA-2889-1 for Debian 7
oval:com.mcafee.oval:def:524011	Patches for DSA-2722-1 for Debian 7
oval:com.mcafee.oval:def:524035	Patches for DSA-2769-1 for Debian 7
oval:com.mcafee.oval:def:524059	Patches for DSA-2714-1 for Debian 7
oval:com.mcafee.oval:def:524062	Patches for DSA-2913-1 for Debian 7
oval:com.mcafee.oval:def:524069	Patch for AIX openssl advisory10
oval:com.mcafee.oval:def:524070	Patches for DSA-2725-1 for Debian 7
oval:com.mcafee.oval:def:524094	Patches for DSA-2799-1 for Debian 7
oval:com.mcafee.oval:def:524104	Patches for DSA-2719-1 for Debian 7
oval:com.mcafee.oval:def:524124	Patches for DSA-2765-2 for Debian 7
oval:com.mcafee.oval:def:525420	Patch for AIX nas advisory1
oval:com.mcafee.oval:def:525437	Group Policy: Do not apply during periodic background processing
oval:com.mcafee.oval:def:525447	Group Policy: Process even if the Group Policy objects have not changed

Oval ID	Title
oval:com.mcafee.oval:def:525458	Network access: Do not allow storage of passwords and credentials for network authentication
oval:com.mcafee.oval:def:525463	Windows Components - Attachment Manager - Hide mechanisms to remove zone information
oval:com.mcafee.oval:def:525473	Windows Components - Attachment Manager - Do not preserve zone information in file attachments
oval:com.mcafee.oval:def:525485	Windows Components - Attachment Manager - Notify antivirus programs when opening attachments
oval:com.mcafee.oval:def:525499	Control Panel - Personalization - Enable screen saver
oval:com.mcafee.oval:def:525511	Control Panel - Personalization - Screen saver timeout
oval:com.mcafee.oval:def:526810	Control Panel - Personalization - Password protect the screen saver
oval:com.mcafee.oval:def:526832	Control Panel - Personalization - Force specific screen saver
oval:com.mcafee.oval:def:528131	Windows Components - Internet Explorer - Security Features - Add-on Management: Add-on List
oval:com.mcafee.oval:def:528134	Patches for DSA-2669-1 for Debian 7
oval:com.mcafee.oval:def:529434	Mozilla Firefox Security Update 31.1.1 for Mac OS
oval:com.mcafee.oval:def:529437	Mozilla Firefox Security Update 31.1.1 for Windows is installed or not
oval:com.mcafee.oval:def:529440	Mozilla Firefox ESR Security Update 24.8.1 for Mac OS
oval:com.mcafee.oval:def:529443	Mozilla Firefox Security Update 24.8.1 for Windows is installed or not
oval:com.mcafee.oval:def:529446	Mozilla Firefox Security Update 32.0.3 for Mac OS
oval:com.mcafee.oval:def:529449	Mozilla Firefox Security Update 32.0.3 for Windows is installed or not
oval:com.mcafee.oval:def:529452	Mozilla Thunderbird Security Update 31.1.2 for Windows is installed or not
oval:com.mcafee.oval:def:529455	Mozilla Thunderbird Security Update 24.8.1 for Windows is installed or not
oval:com.mcafee.oval:def:529458	Mozilla Thunderbird Security Update 31.1.2 for Mac OS
oval:com.mcafee.oval:def:529461	Mozilla Thunderbird Security Update 24.8.1 for Mac OS
oval:com.mcafee.oval:def:529464	Google Chrome Security Update 37.0.2062.124 for Windows
oval:com.mcafee.oval:def:529468	Apple Safari Security Update 6.2 for Mac OS X
oval:com.mcafee.oval:def:529472	Apple Safari Security Update 7.1 for Mac OS X
oval:com.mcafee.oval:def:529481	Apple Mac OSX 10.9 - 10.9.5 Update
oval:com.mcafee.oval:def:529482	Apple Mac OSX 10.7/ 10.8 - Security Update 2014-004
oval:com.mcafee.oval:def:529665	Patches for CESA-2014-1306 for CentOS 6
oval:com.mcafee.oval:def:529668	Patches for CESA-2014-1306 for CentOS 5
oval:com.mcafee.oval:def:530790	Patches for DSA-3032-1 for Debian 7
oval:com.mcafee.oval:def:532421	Patches for CESA-2014-1293 for CentOS 6
oval:com.mcafee.oval:def:532424	Patches for CESA-2014-1293 for CentOS 5
oval:com.mcafee.oval:def:532574	Patches for CESA-2014-1307 for CentOS 6

Oval ID	Title
oval:com.mcafee.oval:def:535846	Patches for DSA-3033-1 for Debian 7
oval:com.mcafee.oval:def:536149	Patches for DSA-3036-1 for Debian 7
oval:com.mcafee.oval:def:536268	Patches for DSA-3035-1 for Debian 7
oval:com.mcafee.oval:def:537815	Patches for DSA-3028-1 for Debian 7
oval:com.mcafee.oval:def:537825	Patches for DSA-3031-1 for Debian 7
oval:com.mcafee.oval:def:538127	Patches for DSA-3027-1 for Debian 7
oval:com.mcafee.oval:def:538279	Patches for DSA-3030-1 for Debian 7
oval:com.mcafee.oval:def:538370	Patches for DSA-3029-1 for Debian 7
oval:com.mcafee.oval:def:538810	Patches for DSA-3038-1 for Debian 7
oval:com.mcafee.oval:def:539077	Patches for DSA-3034-1 for Debian 7
oval:com.mcafee.oval:def:539483	Patches for DSA-3037-1 for Debian 7
oval:com.mcafee.oval:def:539484	Oracle Solaris 10 - 126546-07, bash patch
oval:com.mcafee.oval:def:540845	Apple Mac OSX 10.7/ 10.8/10.9 - OS X bash Update 1.0

Updated Checks

Oval ID	Title
oval:com.mcafee.primitives:def:20071425695	Unix xinetd Test
oval:com.mcafee.primitives:def:20071425140	Unix Shadow Check
oval:com.mcafee.primitives:def:20071425028	Unix Runlevel Check
oval:com.mcafee.primitives:def:20071425442	Unix Process Check
oval:com.mcafee.primitives:def:20071425128	Unix Passwd Check
oval:com.mcafee.primitives:def:20071424970	Unix Network Interface Configuration
oval:com.mcafee.primitives:def:20071424469	Unix inetd Check
oval:com.mcafee.primitives:def:20071424996	Unix Check system configuration file where the setting is a string
oval:com.mcafee.primitives:def:20071424513	Unix Check system configuration file where the setting is a integer
oval:com.mcafee.primitives:def:20071424054	Red Hat inetd listening servers check
oval:com.mcafee.primitives:def:20071423991	Check the file permissions of a file
oval:com.mcafee.primitives:def:20071423855	Unix Directory Check
oval:com.mcafee.primitives:def:20071423372	Compare the owner of a file to a known value
oval:com.mcafee.primitives:def:20071423963	Check the cryptographic hash of a file against a known file hash
oval:com.mcafee.primitives:def:20071423877	Check the state of an environment variable
oval:com.mcafee.oval:def:92671	Test the group owner of all files present in the directory - /etc/pam.d
oval:com.mcafee.oval:def:8132	Service - xfs - running state
oval:com.mcafee.oval:def:8119	Service - vsftpd - running state

Oval ID	Title
oval:com.mcafee.oval:def:8079	Service - squid - running state
oval:com.mcafee.oval:def:7997	Service - portmap - running state
oval:com.mcafee.oval:def:7203	Password policy, Minimum password age - PASS_MIN_DAYS
oval:com.mcafee.oval:def:7199	Password policy, Maximum password age - PASS_MAX_DAYS
oval:com.mcafee.oval:def:78745	Test the permissions of the file - /etc/X11/xinit/xserverrc
oval:com.mcafee.oval:def:6994	Test the group owner of /etc/profile file
oval:com.mcafee.oval:def:6982	Test the permissions of the file - /etc/profile
oval:com.mcafee.oval:def:6946	Test the permissions of the file - /etc/shadow
oval:com.mcafee.oval:def:92727	Test the permissions of the files - /var/log/messages*
oval:com.mcafee.oval:def:6922	Test the permissions of the file - /etc/passwd
oval:com.mcafee.oval:def:6898	Test the permissions of the file- /etc/group
oval:com.mcafee.oval:def:6894	Test the permissions of the file - /etc/crontab
oval:com.mcafee.oval:def:7807	Service - cups - running state
oval:com.mcafee.oval:def:7276	Test the group owner of the file - /etc/cron.allow
oval:com.mcafee.oval:def:7245	Test the group owner of the file - /etc/at.allow
oval:com.mcafee.oval.1:def:6108	Windows Components - Online Assistance: Turn off Active Help
oval:com.mcafee.oval.1:def:6688	System - Logon: Turn off Windows Startup Sound
oval:com.mcafee.oval:def:8726	Service - webmin - running state
oval:com.mcafee.oval:def:200803100004	Test if the system login banner text is set correctly - /etc/issue
oval:com.mcafee.oval:def:200803070538	Password policy, Password warning age - PASS_WARN_AGE
oval:com.mcafee.oval:def:200802250160	Test the owner of the file - /etc/shadow
oval:com.mcafee.oval:def:200802290140	Test the group owner of the file - /etc/shadow
oval:com.mcafee.oval:def:78904	Test the owner of the file - /root/.cshrc
oval:com.mcafee.oval:def:92705	Test the permissions of the file - /var/log/dmesg
oval:com.mcafee.oval:def:200802250144	Test the owner of the file - /etc/passwd
oval:com.mcafee.oval:def:92673	Test the permissions of all files present in the directory - /etc/pam.d
oval:com.mcafee.oval:def:200802290144	Test the group owner of the file - /etc/passwd
oval:com.mcafee.oval:def:200802250132	Test the owner of the file - /etc/group
oval:com.mcafee.oval:def:200802290128	Test the group owner of the file - /etc/group
oval:com.mcafee.oval:def:200802250128	Test the owner of the file - /etc/crontab
oval:com.mcafee.oval:def:92744	Test the permissions of all the files - /var/log/vbox/
oval:com.mcafee.oval:def:200802290132	Test the group owner of the file - /etc/crontab
oval:com.mcafee.oval:def:92683	Test the owner of the files - /var/log/boot.log*
oval:com.mcafee.oval:def:78900	Test the owner of the file - /etc/X11/xdm/Xresources

Oval ID	Title
oval:com.mcafee.oval:def:94384	Test the group owner of all the files -/var/log/samba/
oval:com.mcafee.oval:def:8665	Test the enable or disable status for - SSH X11 forwarding
oval:com.mcafee.oval:def:8666	Test the enable / disable status for - SSH integration with .rhosts
oval:com.mcafee.oval:def:200803050006	Test the enable / disable status for - SSH host-based authentication
oval:com.mcafee.oval:def:200803030150	Service - snmpd - running state
oval:com.mcafee.oval:def:200803050267	Service - sendmail - running state
oval:com.mcafee.oval:def:200803050011	Test the enable / disable status for - Root login via SSH
oval:com.mcafee.oval:def:8708	Service - postgresql - running state
oval:com.mcafee.oval:def:8712	Service - mysqld - running state
oval:com.mcafee.oval:def:78901	Test the owner of the file - /etc/X11/xdm/Xservers
oval:com.mcafee.oval:def:8696	Service - lpd - running state
oval:com.mcafee.oval:def:50114	Limit access to the root account from su
oval:com.mcafee.oval:def:8811	Test the enable or disable status for - net.ipv4.tcp_max_syn_backlog
oval:com.mcafee.oval:def:79005	Test the enable / disable status for - net.ipv4.conf.all.accept_source_route
oval:com.mcafee.oval:def:200803030108	Test the enable / disable status for - net.ipv4.icmp_echo_ignore_broadcasts
oval:com.mcafee.oval:def:8837	Test the permissions of - /etc/fstab
oval:com.mcafee.oval:def:8833	Test the owner of the /etc/fstab file
oval:com.mcafee.oval:def:8829	Test the group owner of the file - /etc/fstab
oval:com.mcafee.oval:def:200803030076	Test the enable / disable status for - net.ipv4.conf.all.send_redirects
oval:com.mcafee.oval:def:200803030006	Test the enable / disable status for - net.ipv4.conf.all.secure_redirects
oval:com.mcafee.oval:def:78818	Test the group owner of the file - /etc/ftpusers
oval:com.mcafee.oval:def:50620	Test the enable / disable status for - net.ipv4.ip_forward
oval:com.mcafee.oval:def:50617	Test the enable / disable status for - net.ipv4.conf.default.secure_redirects
oval:com.mcafee.oval:def:50614	Test the enable / disable status for - net.ipv4.conf.default.accept_redirects
oval:com.mcafee.oval:def:50583	Test the enable or disable status for - net.ipv4.conf.all.accept_redirects
oval:com.mcafee.oval:def:50638	Test the enable / disable status for - net.ipv4.tcp_syncookies
oval:com.mcafee.oval:def:50586	Test the enable / disable status for - net.ipv4.conf.default.rp_filter
oval:com.mcafee.oval:def:50612	Test the enable / disable status for - net.ipv4.conf.default.accept_source_route
oval:com.mcafee.oval:def:50580	Test the enable / disable status for - net.ipv4.conf.all.rp_filter
oval:com.mcafee.oval:def:50671	Test if the Access control files contain a plus sign - /etc/shadow
oval:com.mcafee.oval:def:50674	Test if the Access control files contain a plus sign - /etc/passwd
oval:com.mcafee.oval:def:50676	Test if the Access control files contain a plus sign - /etc/group
oval:com.mcafee.oval:def:34461	firefox patch for Redhat EL5
oval:com.mcafee.oval:def:34498	squid patch for Redhat EL5

Oval ID	Title
oval:com.mcafee.oval:def:34871	kernel patch for Redhat EL5
oval:com.mcafee.oval:def:34875	kernel-devel patch for Redhat EL5
oval:com.mcafee.oval:def:34878	kernel-doc patch for Redhat EL5
oval:com.mcafee.oval:def:34881	kernel-headers patch for Redhat EL5
oval:com.mcafee.oval:def:34884	kernel-xen patch for Redhat EL5
oval:com.mcafee.oval:def:34887	kernel-xen-devel patch for Redhat EL5
oval:com.mcafee.oval:def:35473	krb5-devel patch for Redhat EL5
oval:com.mcafee.oval:def:35476	krb5-server patch for Redhat EL5
oval:com.mcafee.oval:def:35478	krb5-libs patch for Redhat EL5
oval:com.mcafee.oval:def:35480	krb5-workstation patch for Redhat EL5
oval:com.mcafee.oval:def:37072	kernel-PAE-devel patch for Redhat EL5
oval:com.mcafee.oval.gen:def:325946	MS14-053 Security Update for Microsoft .NET Framework 2.0 SP2 on Windows Server 2003 for x64-based Systems (KB2972214)
oval:com.mcafee.oval:def:37463	kernel-PAE patch for Redhat EL5
oval:com.mcafee.oval:def:215733	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Temporary Folders: Do not use temporary folders per session
oval:com.mcafee.oval:def:37467	kernel-debug patch for Redhat EL5
oval:com.mcafee.oval:def:215734	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Temporary Folders: Do not delete temp folder upon exit
oval:com.mcafee.oval:def:37470	kernel-debug-devel patch for Redhat EL5
oval:com.mcafee.primitives:def:51089	Red Hat RPM Check
oval:com.mcafee.primitives:def:51101	Text File Content Check
oval:com.mcafee.oval.windows:def:6701	Event Log: Setup Log - Log Access
oval:com.mcafee.oval.windows:def:6693	System - Remote Assistance: Turn on bandwidth optimization
oval:com.mcafee.oval.windows:def:6692	System - Remote Assistance: Customize Warning Messages
oval:com.mcafee.oval.windows:def:6691	System - Remote Assistance: Allow only Vista or later connections
oval:com.mcafee.oval.windows:def:6678	System - Internet Communication Management - Internet Communication Settings: Turn Off Help and Support Center Microsoft Knowledge Base Search
oval:com.mcafee.oval.windows:def:6677	System - Internet Communication Management - Internet Communication Settings: Turn Off Help and Support Center " Did You Know?" Content
oval:com.mcafee.oval.windows:def:6673	System - Internet Communication Management - Internet Communication Settings: Turn Off Access to All Windows Update Features
oval:com.mcafee.oval.windows:def:612261223	Windows Components - Windows Media Player: Prevent Desktop Shortcut Creation
oval:com.mcafee.oval.windows:def:6113	Windows Components - Windows Defender: Turn off Windows Defender
oval:com.mcafee.oval.windows:def:6112	Windows Components - Windows Customer Experience Improvement Program: Allow Corporate redirection of Customer Experience Improvement uploads
oval:com.mcafee.oval.windows:def:6110	Windows Components - RSS Feeds: Turn off / Prevent downloading of enclosures

Oval ID	Title
oval:com.mcafee.oval.windows:def:5002	Interactive logon: Display user information when the session is locked
oval:com.mcafee.oval.windows:def:205	Event Log: System Log - Retention Method
oval:com.mcafee.oval.windows:def:203	Event Log: Application Log - Retention Method
oval:com.mcafee.oval.windows:def:1110	MSS: (DisableSavePassword) Prevent the dial-up password from being saved
oval:com.mcafee.oval.windows:def:212	Service: Fax Service (Fax) Startup Type
oval:com.mcafee.oval.gen:def:325193	Test for puppet On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:325197	Test for puppet-server On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval:def:117526	nss-devel patch for Redhat EL5
oval:com.mcafee.oval:def:117529	nss-pkcs11-devel patch for Redhat EL5
oval:com.mcafee.oval:def:117542	nss patch for Redhat EL5
oval:com.mcafee.oval:def:117544	nss-tools patch for Redhat EL5
oval:com.mcafee.oval.gen:def:291013	firefox patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291016	firefox-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:215698	Windows Components - Application Compatibility: Turn off Program Inventory
oval:com.mcafee.primitives:def:73244	Unix File Check
oval:com.mcafee.primitives:def:73206	Red Hat DPKG Test
oval:com.mcafee.primitives:def:75844	Unix File Existence Check
oval:com.mcafee.oval:def:71734	Windows Components - AutoPlay Policies: Turn off Autoplay for non-volume devices
oval:com.mcafee.oval:def:71693	System - Device Installation: Prevent Windows from sending an error report when a device driver requests additional software during installation
oval:com.mcafee.oval:def:71730	System - Troubleshooting and Diagnostics - Windows Performance PerfTrack: Enable/Disable PerfTrack
oval:com.mcafee.oval:def:71676	Local Policies - Security Options - Network security: Restrict NTLM: Audit Incoming NTLM Traffic
oval:com.mcafee.oval:def:71740	Windows Components - Game Explorer: Turn off game updates
oval:com.mcafee.oval:def:71724	System - Troubleshooting and Diagnostics - Microsoft Support Diagnostic Tool: Microsoft Support Diagnostic Tool: Turn on MSDT interactive communication with Support Provider
oval:com.mcafee.oval:def:71689	Printers: Extend Point and Print connection to search Windows Update
oval:com.mcafee.oval:def:71694	System - Device Installation: Specify search order for device driver source locations
oval:com.mcafee.oval:def:71673	Local Policies - Security Options - Network Security: Configure encryption types allowed for Kerberos
oval:com.mcafee.oval:def:71750	Windows Components - Windows Anytime Upgrade: Prevent Windows Anytime Upgrade from running
oval:com.mcafee.oval:def:71686	Network - Network Connections: Route all traffic through the internal network
oval:com.mcafee.oval:def:71692	System - Device Installation: Prevent device metadata retrieval from the Internet

Oval ID	Title
oval:com.mcafee.oval:def:71729	System - Troubleshooting and Diagnostics - Scripted Diagnostics: Troubleshooting: Allow users to access online troubleshooting content on Microsoft servers from the Troubleshooting Control Panel
oval:com.mcafee.oval.gen:def:275981	automake patch for Redhat EL5
oval:com.mcafee.oval:def:78999	Test the owner of the file - /etc/profile
oval:com.mcafee.oval:def:78896	Test the owner of the file - /etc/ftpusers
oval:com.mcafee.oval:def:78739	Test the permissions of the file - /etc/ftpusers
oval:com.mcafee.oval:def:94381	Test the group owner of the directory - /var/log/sa
oval:com.mcafee.oval:def:78905	Test the owner of the file - /root/.tcshrc
oval:com.mcafee.oval:def:92724	Test the permissions of the file - /var/log/ksyms
oval:com.mcafee.oval:def:78903	Test the owner of the file - /root/.bash_profile
oval:com.mcafee.oval:def:94447	Test the owner of all the /var/log/vbox/ files
oval:com.mcafee.oval:def:92697	Test the permissions of the files - /var/log/cron*
oval:com.mcafee.oval:def:78737	Test the permissions of the file - /etc/sysctl.conf
oval:com.mcafee.oval:def:94378	Test the group owner of the directory - /var/log/news
oval:com.mcafee.oval:def:78925	Test the owner of the /var/spool/cron directory
oval:com.mcafee.oval:def:78858	Test the owner of the file - /etc/bash.bashrc
oval:com.mcafee.oval:def:78697	Test the permissions of the file - /etc/at.allow
oval:com.mcafee.oval:def:92711	Test the group owner of the directory - /var/log/httpd
oval:com.mcafee.oval:def:78775	Test the group owner of the file - /etc/bash.bashrc
oval:com.mcafee.oval:def:78821	Test the group owner of the file - /etc/X11/xdm/kdmrc
oval:com.mcafee.oval:def:78715	Test the permissions of the file - /etc/login.defs
oval:com.mcafee.oval:def:92726	Test the permissions of the file - /var/log/maillog*
oval:com.mcafee.oval:def:92699	Test the owner of the file - /var/log/dmesg
oval:com.mcafee.oval:def:92734	Test the permissions of all the files - /var/log/samba/
oval:com.mcafee.oval:def:78820	Test the group owner of the file - /etc/X11/gdm/gdm.conf
oval:com.mcafee.oval:def:92659	Test the owner of the directory - /var/log/gdm
oval:com.mcafee.oval:def:92667	Test the owner of all files present in the directory - /etc/pam.d
oval:com.mcafee.oval:def:92689	Test the permissions of the files - /var/log/boot.log*
oval:com.mcafee.oval:def:78772	Test the permissions of the /var/spool/cron directory
oval:com.mcafee.oval:def:78743	Test the permissions of the file - /etc/X11/xdm/kdmrc
oval:com.mcafee.oval:def:78902	Test the owner of the file - /etc/X11/xinit/xserverrc
oval:com.mcafee.oval:def:94435	Test the owner of the directory - /var/log/sa
oval:com.mcafee.oval:def:92731	Test the permissions of the directory - /var/log/sa
oval:com.mcafee.oval:def:92703	Test the group owner of the file - /var/log/dmesg

Oval ID	Title
oval:com.mcafee.oval:def:94434	Test the owner of the /var/log/rpmpkgs files
oval:com.mcafee.oval:def:79004	Test the permissions of the file - /var/log/syslog
oval:com.mcafee.oval:def:92715	Test the owner of all files present in the directory - /var/log/httpd
oval:com.mcafee.oval:def:78827	Test the group owner of the file - /root/.cshrc
oval:com.mcafee.oval:def:92743	Test the permissions of the directory - /var/log/vbox
oval:com.mcafee.oval:def:78915	Test the owner of the /etc/csh.cshrc file
oval:com.mcafee.oval:def:78846	Test the group owner of the file /etc/csh.login
oval:com.mcafee.oval:def:92607	Test the permissions of the file - /usr/bin/lpr
oval:com.mcafee.oval:def:92736	Test the permissions of the file - /var/log/secure
oval:com.mcafee.oval:def:94388	Test the group owner of the directory - /var/log/squid
oval:com.mcafee.oval:def:78817	Test the group owner of the file - /etc/vsftpd.conf
oval:com.mcafee.oval:def:92735	Test the permissions of the file - /var/log/scrollkeeper.log
oval:com.mcafee.oval:def:78725	Test the permissions of the file - /etc/securetty
oval:com.mcafee.oval:def:92691	Test the owner of the files - /var/log/cron*
oval:com.mcafee.oval:def:78824	Test the group owner of the file - /etc/X11/xinit/xserverrc
oval:com.mcafee.oval:def:78893	Test the owner of the file - /etc/sysctl.conf
oval:com.mcafee.oval:def:92725	Test the permissions of the file - /var/log/loginlog
oval:com.mcafee.oval:def:92719	Test the group owner of all files present in the directory - /var/log/httpd
oval:com.mcafee.oval:def:79735	Test the owner of the file - /root/.bashrc
oval:com.mcafee.oval:def:78754	Test the permissions of the file - /var/log/news/*
oval:com.mcafee.oval:def:92745	Test the permissions of the file - /var/log/wtmp
oval:com.mcafee.oval:def:92695	Test the group owner of the files - /var/log/cron*
oval:com.mcafee.oval:def:78790	Test the group owner of the file - /etc/inittab
oval:com.mcafee.oval:def:94439	Test the owner of the /var/log/scrollkeeper.log file
oval:com.mcafee.oval:def:78916	Test the owner of the file /etc/csh.login
oval:com.mcafee.oval:def:78856	Test the group owner of the /var/spool/cron directory
oval:com.mcafee.oval:def:78828	Test the group owner of the file - /root/.tcshrc
oval:com.mcafee.oval:def:94438	Test the owner of all the /var/log/samba/ files
oval:com.mcafee.oval:def:92740	Test the permissions of the file - /var/log/squid/
oval:com.mcafee.oval:def:78711	Test the permissions of the file - /etc/inittab
oval:com.mcafee.oval:def:94432	Test the owner of the directory - /var/log/news
oval:com.mcafee.oval:def:78859	Test the owner of the file - /etc/at.allow
oval:com.mcafee.oval:def:92732	Test the permissions of all the files - /var/log/sa/
oval:com.mcafee.oval:def:94392	Test the group owner of the directory - /var/log/vbox

Oval ID	Title
oval:com.mcafee.oval:def:94437	Test the owner of the directory - /var/log/samba
oval:com.mcafee.oval:def:78899	Test the owner of the file - /etc/X11/xdm/kdmrc
oval:com.mcafee.oval:def:92728	Test the permissions of the directory - /var/log/news
oval:com.mcafee.oval:def:78825	Test the group owner of the file - /root/.bash_profile
oval:com.mcafee.oval:def:78908	Test the owner of the file - /var/log/news/*
oval:com.mcafee.oval:def:78884	Test the owner of the file - /etc/securetty
oval:com.mcafee.oval:def:79006	Test the enable / disable status for - net.ipv4.conf.default.send_redirects
oval:com.mcafee.oval:def:78845	Test the group owner of the /etc/csh.cshrc file
oval:com.mcafee.oval:def:94448	Test the owner of the /var/log/wtmp file
oval:com.mcafee.oval:def:78823	Test the group owner of the file - /etc/X11/xdm/Xservers
oval:com.mcafee.oval:def:92729	Test the permissions of the file - /var/log/pgsql
oval:com.mcafee.oval:def:78738	Test the permissions of the file - /etc/vsftpd.conf
oval:com.mcafee.oval:def:78861	Test the owner of the file - /etc/cron.allow
oval:com.mcafee.oval:def:78822	Test the group owner of the file - /etc/X11/xdm/Xresources
oval:com.mcafee.oval:def:94436	Test the owner of all the /var/log/sa files
oval:com.mcafee.oval:def:94433	Test the owner of the /var/log/pgsql file
oval:com.mcafee.oval:def:92723	Test the permissions of the file - /var/log/kernel
oval:com.mcafee.oval:def:92575	Test the permissions of the file - /etc/cups/cupsd.conf
oval:com.mcafee.oval:def:78794	Test the group owner of the file - /etc/login.defs
oval:com.mcafee.oval:def:92737	Test the permissions of the file - /var/log/spooler
oval:com.mcafee.oval:def:94375	Test the group owner of the file - /var/log/loginlog
oval:com.mcafee.oval:def:78744	Test the permissions of the file - /etc/X11/xdm/Xservers
oval:com.mcafee.oval:def:94444	Test the owner of the /var/log/syslog file
oval:com.mcafee.oval:def:92721	Test the permissions of all files present in the directory - /var/log/httpd
oval:com.mcafee.oval:def:94430	Test the owner of the /var/log/maillog files
oval:com.mcafee.oval:def:78876	Test the owner of the file - /etc/login.defs
oval:com.mcafee.oval:def:79502	Test the permissions of the file - /etc/bash.bashrc
oval:com.mcafee.oval:def:94443	Test the owner of all the /var/log/squid/ files
oval:com.mcafee.oval:def:78742	Test the permissions of the file - /etc/X11/xdm/Xresources
oval:com.mcafee.oval:def:92569	Test the owner of the file - /etc/cups/cupsd.conf
oval:com.mcafee.oval:def:92665	Test the permissions of the directory - /var/log/gdm
oval:com.mcafee.oval:def:94387	Test the group owner of all the files -/var/log/spooler
oval:com.mcafee.oval:def:94431	Test the owner of the /var/log/messages files
oval:com.mcafee.oval:def:97902	Test the enable / disable status for - SSH Permit Empty Passwords

Oval ID	Title
oval:com.mcafee.oval:def:92687	Test the group owner of the files - /var/log/boot.log*
oval:com.mcafee.oval:def:92733	Test the permissions of the directory - /var/log/samba
oval:com.mcafee.oval:def:101069	Test the enable / disable status for - SSH Rhosts Authentication
oval:com.mcafee.oval:def:94442	Test the owner of the directory - /var/log/squid
oval:com.mcafee.oval:def:77324	Service - apache2 - running state
oval:com.mcafee.oval:def:78699	Test the permissions of the file - /etc/cron.allow
oval:com.mcafee.oval:def:92713	Test the permissions of the directory - /var/log/httpd
oval:com.mcafee.oval:def:94429	Test the owner of the /var/log/loginlog file
oval:com.mcafee.oval:def:78804	Test the group owner of the file - /etc/securetty
oval:com.mcafee.oval:def:92663	Test the group owner of the directory - /var/log/gdm
oval:com.mcafee.oval:def:92730	Test the permissions of the file - /var/log/rpmpkgs
oval:com.mcafee.oval:def:94441	Test the owner of the /var/log/spooler files
oval:com.mcafee.oval:def:92615	Test the permissions of the file - /usr/bin/lprm
oval:com.mcafee.oval:def:94446	Test the owner of the directory - /var/log/vbox
oval:com.mcafee.oval:def:92573	Test the group owner of the file - /etc/cups/cupsd.conf
oval:com.mcafee.oval:def:78816	Test the group owner of the file - /etc/sysctl.conf
oval:com.mcafee.oval:def:78898	Test the owner of the file - /etc/X11/gdm/gdm.conf
oval:com.mcafee.oval:def:94374	Test the group owner of the files -/var/log/ksyms
oval:com.mcafee.oval:def:78761	Test the permissions of the file - /etc/csh.cshrc
oval:com.mcafee.oval:def:78872	Test the owner of the file - /etc/inittab
oval:com.mcafee.oval:def:94377	Test the group owner of the files -/var/log/messages
oval:com.mcafee.oval:def:94427	Test the owner of the /var/log/kernel file
oval:com.mcafee.oval:def:92739	Test the permissions of the directory - /var/log/squid
oval:com.mcafee.oval:def:78826	Test the group owner of the file - /root/.bashrc
oval:com.mcafee.oval:def:94428	Test the owner of the /var/log/ksyms files
oval:com.mcafee.oval:def:92599	Test the permissions of the file - /usr/bin/lpq
oval:com.mcafee.oval:def:78895	Test the owner of the file - /etc/vsftpd.conf
oval:com.mcafee.oval:def:78741	Test the permissions of the file - /etc/X11/gdm/gdm.conf
oval:com.mcafee.oval:def:94383	Test the group owner of the directory - /var/log/samba
oval:com.mcafee.oval:def:92707	Test the owner of the directory - /var/log/httpd
oval:com.mcafee.oval:def:80416	Test the enable / disable status for - SSH Rhosts RSA Authentication
oval:com.mcafee.oval:def:94440	Test the owner of the /var/log/secure files
oval:com.mcafee.oval:def:94373	Test the group owner of the file - /var/log/kernel
oval:com.mcafee.oval:def:78763	Test the permissions of the file - /etc/csh.login

Oval ID	Title
oval:com.mcafee.oval:def:94379	Test the group owner of the file - /var/log/pgsql
oval:com.mcafee.oval:def:94376	Test the group owner of the files -/var/log/maillog
oval:com.mcafee.oval:def:94386	Test the group owner of all the files -/var/log/secure
oval:com.mcafee.oval:def:94385	Test the group owner of the file - /var/log/scrollkeeper.log
oval:com.mcafee.oval:def:94394	Test the group owner of the file - /var/log/wtmp
oval:com.mcafee.oval:def:94380	Test the group owner of the files -/var/log/rpmpkgs
oval:com.mcafee.oval:def:94389	Test the group owner of all the files -/var/log/squid/
oval:com.mcafee.oval:def:94393	Test the group owner of all the files -/var/log/vbox/
oval:com.mcafee.oval:def:94382	Test the group owner of all the files -/var/log/sa/
oval:com.mcafee.oval:def:78832	Test the group owner of the file - /var/log/news/*
oval:com.mcafee.oval:def:94390	Test the group owner of the file - /var/log/syslog
oval:com.mcafee.oval:def:211430	Windows Firewall Service (Internet Connection Sharing (ICS)) Startup Setting - Automatic
oval:com.mcafee.oval:def:211429	RPC Endpoint Mapper Service Startup Type - Automatic
oval:com.mcafee.oval:def:215603	Test if the system login banner text is set correctly - /etc/motd
oval:com.mcafee.oval.gen:def:287643	glibc patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287646	glibc-common patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287649	glibc-devel patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287652	glibc-headers patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287655	glibc-utils patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287658	nscd patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287722	php53 patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287726	php53-bcmath patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287730	php53-cli patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287734	php53-common patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287738	php53-dba patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287742	php53-devel patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287746	php53-gd patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287750	php53-imap patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287754	php53-intl patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287758	php53-ldap patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287762	php53-mbstring patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287766	php53-mysql patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287770	php53-odbc patch for Redhat EL5

Oval ID	Title
oval:com.mcafee.oval.gen:def:287774	php53-pdo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287778	php53-pgsql patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287782	php53-process patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287786	php53-pspell patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287790	php53-snmp patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287794	php53-soap patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287798	php53-xml patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287802	php53-xmlrpc patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287806	krb5-server-ldap patch for Redhat EL5
oval:com.mcafee.oval.gen:def:291278	thunderbird patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291281	thunderbird-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291302	kernel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291305	kernel-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291308	kernel-debug-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291312	kernel-debug-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291315	kernel-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291319	kernel-debuginfo-common-i686 patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291323	kernel-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291326	kernel-doc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291329	kernel-firmware patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291333	kernel-headers patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291336	perf patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291390	nss patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291393	nss-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291397	nss-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291400	nss-pkcs11-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291403	nss-softokn patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291407	nss-softokn-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291411	nss-softokn-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291415	nss-softokn-freebl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291419	nss-sysinit patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291423	nss-tools patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291426	nss-util patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291430	nss-util-debuginfo patch for Redhat EL6

Oval ID	Title
oval:com.mcafee.oval.gen:def:324717	Test for libfreebl3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:291434	nss-util-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:324721	Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:291481	glibc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291484	glibc-common patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291487	glibc-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291491	glibc-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291494	glibc-headers patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291497	glibc-static patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291501	glibc-utils patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291504	nscd patch for Redhat EL6
oval:com.mcafee.oval.gen:def:325409	Test for libfreebl3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval:def:242440	Set Grub Password
oval:com.mcafee.oval.gen:def:325401	Test for mozilla-nss-tools On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:325425	Test for libsoftokn3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:325429	Test for mozilla-nss On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:292245	php patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292248	php-bcmath patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292251	php-cli patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292254	php-common patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292257	php-dba patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292260	php-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292264	php-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292267	php-embedded patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292271	php-enchant patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292275	php-gd patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292278	php-imap patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292281	php-intl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292285	php-ldap patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292288	php-mbstring patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292291	php-mysql patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292294	php-odbc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292297	php-pdo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292300	php-pgsql patch for Redhat EL6

Oval ID	Title
oval:com.mcafee.oval.gen:def:292303	php-process patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292307	php-pspell patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292311	php-recode patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292315	php-snmp patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292318	php-soap patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292321	php-tidy patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292325	php-xml patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292328	php-xmlrpc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292331	php-zts patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292658	perf-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292662	squid patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292665	squid-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293174	bind97 patch for Redhat EL5
oval:com.mcafee.oval.gen:def:293178	bind97-chroot patch for Redhat EL5
oval:com.mcafee.oval.gen:def:293182	bind97-devel patch for Redhat EL5
oval:com.mcafee.oval.gen:def:293186	bind97-libs patch for Redhat EL5
oval:com.mcafee.oval.gen:def:293190	bind97-utils patch for Redhat EL5
oval:com.mcafee.oval.gen:def:293194	xerces-j2 patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293197	xerces-j2-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293201	xerces-j2-demo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293204	xerces-j2-javadoc-apis patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293207	xerces-j2-javadoc-impl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293210	xerces-j2-javadoc-other patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293213	xerces-j2-javadoc-xni patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293216	xerces-j2-scripts patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303860	kernel-debuginfo-common-x86_64 patch for Redhat EL6
oval:com.mcafee.oval:def:230327	Test the enable / disable status for - SSH Banner
oval:com.mcafee.oval:def:230333	Test the configuration status for - SSH Protocol
oval:com.mcafee.oval:def:232427	Test the permissions of the directory - user home directories
oval:com.mcafee.oval.gen:def:298567	bash patch for Redhat EL5
oval:com.mcafee.oval.gen:def:298776	glibc-debuginfo-common patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298780	python-perf patch for Redhat EL6
oval:com.mcafee.oval.gen:def:325884	MS14-053 Security Update for Microsoft .NET Framework 4 on Windows Server 2003, Vista, Windows 7, Server 2008 x86 (KB2972215)

Oval ID	Title
oval:com.mcafee.oval.gen:def:299164	python-perf-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:236881	Capture messages sent to syslog AUTHPRIV facility
oval:com.mcafee.oval:def:238498	No accounts with empty password fields
oval:com.mcafee.oval:def:237131	Add 'nosuid' and 'nodev' options to removable media /etc/fstab
oval:com.mcafee.oval:def:239013	Set the default umask for users - /etc/csh.cshrc
oval:com.mcafee.oval:def:237169	Test the additional logging status of wu-ftpd daemon
oval:com.mcafee.oval:def:238312	Test the existence of the file - /etc/vsftpd.ftputers
oval:com.mcafee.oval:def:239030	Set default umask for users - /root/.bashrc
oval:com.mcafee.oval:def:238311	Test the existence of the file - /etc/ftputers
oval:com.mcafee.oval:def:237181	Test the owner of the file - /etc/default/wu-ftpd
oval:com.mcafee.oval:def:239037	Disable core dumps for all users
oval:com.mcafee.oval:def:237179	Test the permissions of the file - /etc/default/wu-ftpd
oval:com.mcafee.oval:def:238278	Boot service - exim4 - status
oval:com.mcafee.oval:def:238329	Set default umask for users in - /etc/csh.login
oval:com.mcafee.oval:def:239074	Set authorized only banner for proftpd
oval:com.mcafee.oval:def:236446	Test the group owner of the file - /etc/mail/sendmail.conf
oval:com.mcafee.oval:def:238272	Service - wu-ftpd - status
oval:com.mcafee.oval:def:238279	Service - cups - status
oval:com.mcafee.oval:def:236226	Service - system accounting - status
oval:com.mcafee.oval:def:239036	Set default umask users - /root/.tcshrc
oval:com.mcafee.oval:def:240815	Test the group owner of the file - /etc/gdm/gdm.conf
oval:com.mcafee.oval:def:238335	Test if the file - /etc/at.allow exists
oval:com.mcafee.oval:def:237561	Boot service - bind9 - status
oval:com.mcafee.oval:def:237190	Test GUI login - status
oval:com.mcafee.oval:def:238263	Service - webmin - status
oval:com.mcafee.oval:def:238284	Service - exim4 - status
oval:com.mcafee.oval:def:240806	Test the permissions of the file - /etc/gdm3/greeter.gconf-defaults
oval:com.mcafee.oval:def:238262	Service - mysqld - status
oval:com.mcafee.oval:def:239085	Set a warning banner for vsftpd users
oval:com.mcafee.oval:def:239031	Set default umask for users - /root/.cshrc
oval:com.mcafee.oval:def:238315	Prevent X Server from listening on tcp port 6000 - XDM
oval:com.mcafee.oval:def:239025	Set default umask for users - /root/.bash_profile
oval:com.mcafee.oval:def:237645	Boot service - wu-ftpd - status
oval:com.mcafee.oval:def:237401	Boot service - samba - status

Oval ID	Title
oval:com.mcafee.oval:def:236453	Service - Sendmail daemon - status
oval:com.mcafee.oval:def:237557	Service - nfsd4 - status
oval:com.mcafee.oval:def:238336	Test if the file - /etc/cron.allow exists
oval:com.mcafee.oval:def:237646	Boot service - inetutils-inetd - status
oval:com.mcafee.oval:def:237526	Boot service - nfs-kernel-server - status
oval:com.mcafee.oval:def:239019	Test the owner of the file - /root/.profile
oval:com.mcafee.oval:def:237136	Disable user-mounted removable file systems
oval:com.mcafee.oval:def:239071	Set GUI based login banner - XDM-kdmrc
oval:com.mcafee.oval:def:239206	Test the existence of the file - /etc/at.deny
oval:com.mcafee.oval:def:239072	Test GNOME users banner text - status - GDM
oval:com.mcafee.oval:def:236999	Test the additional logging status of vsftpd daemon - xferlog_std_format
oval:com.mcafee.oval:def:238257	Service - postgresql - status
oval:com.mcafee.oval:def:239006	Set default umask for users - /etc/bash.bashrc
oval:com.mcafee.oval:def:237577	Service - snmpd - status
oval:com.mcafee.oval:def:236448	Test the permissions of the file - /etc/mail/sendmail.conf
oval:com.mcafee.oval:def:237139	Inetd based service - telnet - status
oval:com.mcafee.oval:def:237635	Boot service - popa3d - status
oval:com.mcafee.oval:def:240355	Set Account Expiration Parameter - Minimum password length - PASS_MIN_LEN
oval:com.mcafee.oval:def:236349	Disable standard inetd services, If possible
oval:com.mcafee.oval:def:240812	Test the permissions of the file - /etc/gdm/gdm.conf
oval:com.mcafee.oval:def:237180	Test the group owner of the file - /etc/default/wu-ftpd
oval:com.mcafee.oval:def:236862	Test the group owner of the file - /var/log/auth.log
oval:com.mcafee.oval:def:237521	Service - smbd - status
oval:com.mcafee.oval:def:237378	Boot service - nis - status
oval:com.mcafee.oval:def:236861	Test the owner of the file - /var/log/auth.log
oval:com.mcafee.oval:def:238333	Set default umask for users in - /etc/profile
oval:com.mcafee.oval:def:237157	Service - nfs-common - status
oval:com.mcafee.oval:def:240808	Test the owner of the file - /etc/gdm/gdm.conf
oval:com.mcafee.oval:def:237128	Add 'nodev' option to appropriate partitions in /etc/fstab
oval:com.mcafee.oval:def:237147	Inetd based service - shell - status
oval:com.mcafee.oval:def:237156	Service - popa3d - status
oval:com.mcafee.oval:def:237160	Inetd based service - ident - status
oval:com.mcafee.oval:def:238308	Remove .rhosts support in PAM configuration files
oval:com.mcafee.oval:def:238300	Only enable NIS Server if absolutely necessary

Oval ID	Title
oval:com.mcafee.oval:def:237151	Inetd based service - pop3 - status
oval:com.mcafee.oval:def:237144	Inetd based service - login - status
oval:com.mcafee.oval:def:237576	Service - apache2 - status
oval:com.mcafee.oval:def:239207	Test the existence of the file - /etc/cron.deny
oval:com.mcafee.oval:def:237530	Service - nfsd - status
oval:com.mcafee.oval:def:238288	Only enable NIS Client if absolutely necessary
oval:com.mcafee.oval:def:238330	The requirement for a password to boot into single-user mode
oval:com.mcafee.oval:def:237520	Service - nmbd - status
oval:com.mcafee.oval:def:238334	Prevent X Server from listening on tcp port 6000 - xinit
oval:com.mcafee.oval:def:238301	Configure printer daemon for non-root user and group
oval:com.mcafee.oval:def:238321	Prevent X Server from listening on tcp port 6000 - GDM
oval:com.mcafee.oval:def:238269	Service - vsftpd - status
oval:com.mcafee.oval:def:237150	Inetd based service - tftp - status
oval:com.mcafee.oval:def:237392	Service - portmap - status
oval:com.mcafee.oval:def:236852	Test the permissions of the file - /var/log/auth.log
oval:com.mcafee.oval:def:239020	Test the status for - Restriction of NFS clients to privileged ports
oval:com.mcafee.oval:def:237582	Service - bind9 - status
oval:com.mcafee.oval:def:237187	Configure syslogd to send logs to a remote LogHost
oval:com.mcafee.oval:def:238268	Service - squid - status
oval:com.mcafee.oval:def:238285	Service - sendmail - status
oval:com.mcafee.oval:def:239014	Test the group owner of the file - /root/.profile
oval:com.mcafee.oval:def:237533	Service - rpc.mountd - status
oval:com.mcafee.oval:def:240802	Test the owner of the file - /etc/gdm3/greeter.gconf-defaults
oval:com.mcafee.oval:def:237332	Boot service - nfs-common - status
oval:com.mcafee.oval:def:239024	Set default umask for users - /root/.profile
oval:com.mcafee.oval:def:237558	Service - lpd - status
oval:com.mcafee.oval:def:237143	Inetd based service - imaps - status
oval:com.mcafee.oval:def:238348	Configure syslogd to accept remote messages
oval:com.mcafee.oval:def:240805	Test the group owner of the file - /etc/gdm3/greeter.gconf-defaults
oval:com.mcafee.oval:def:236402	Service - xfs (X Font Server) - running state
oval:com.mcafee.oval:def:240801	Test GNOME users banner message - status - GDM3
oval:com.mcafee.oval:def:236421	Inetd based service - ftp - status
oval:com.mcafee.oval:def:236961	Test the additional logging status of vsftpd daemon - log_ftp_protocol
oval:com.mcafee.oval:def:237349	Service - nis - status

Oval ID	Title
oval:com.mcafee.oval:def:236447	Test the owner of the file - /etc/mail/sendmail.conf
oval:com.mcafee.oval:def:239066	Set GUI based login banner - XDM-Xresources
oval:com.mcafee.oval.gen:def:324725	Test for libsoftokn3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:324729	Test for mozilla-nss On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval:def:242473	Set Lilo Password
oval:com.mcafee.oval.gen:def:304701	axis patch for Redhat EL6
oval:com.mcafee.oval.gen:def:304705	axis-javadoc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:304709	axis-manual patch for Redhat EL6
oval:com.mcafee.oval.gen:def:304713	jakarta-commons-httpclient patch for Redhat EL5
oval:com.mcafee.oval.gen:def:304717	jakarta-commons-httpclient-demo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:304721	jakarta-commons-httpclient-javadoc patch for Redhat EL5
oval:com.mcafee.oval.gen:def:304725	jakarta-commons-httpclient-manual patch for Redhat EL5
oval:com.mcafee.oval.gen:def:304729	jakarta-commons-httpclient patch for Redhat EL6
oval:com.mcafee.oval.gen:def:304732	jakarta-commons-httpclient-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:304736	jakarta-commons-httpclient-demo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:304739	jakarta-commons-httpclient-javadoc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:304742	jakarta-commons-httpclient-manual patch for Redhat EL6
oval:com.mcafee.oval.gen:def:324709	Test for mozilla-nss-tools On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:324713	Test for MozillaFirefox On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:305086	php-fpm patch for Redhat EL6
oval:com.mcafee.oval.gen:def:306041	axis patch for Redhat EL5
oval:com.mcafee.oval.gen:def:306044	axis-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:306048	axis-javadoc patch for Redhat EL5
oval:com.mcafee.oval.gen:def:306051	axis-manual patch for Redhat EL5
oval:com.mcafee.oval.gen:def:306086	tomcat6-el-2.1-api patch for Redhat EL6
oval:com.mcafee.oval.gen:def:305895	kernel-xen-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:305881	kernel-PAE-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:305885	kernel-debug-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:305888	kernel-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:305891	kernel-debuginfo-common patch for Redhat EL5
oval:com.mcafee.oval.gen:def:306907	glibc-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:306910	glibc-debuginfo-common patch for Redhat EL5
oval:com.mcafee.oval.gen:def:306890	bind97-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:306894	firefox-debuginfo patch for Redhat EL5

Oval ID	Title
oval:com.mcafee.oval.gen:def:307951	krb5-debuginfo patch for Redhat EL5
oval:com.mcafee.oval:def:215779	Service: Bluetooth Support Service (bthserv) Startup Type
oval:com.mcafee.oval:def:215793	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Session Time Limits: Terminate session when time limits are reached
oval:com.mcafee.oval:def:215782	Service: Media Center Extender Service (Mcx2Svc) Startup Type
oval:com.mcafee.oval:def:215796	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Security: Require secure RPC communication
oval:com.mcafee.oval:def:215786	Network - TCPIP Settings - IPv6 Transition Technologies: Teredo State
oval:com.mcafee.oval:def:215783	Service: Parental Controls Service (WPCSvc) Startup Type
oval:com.mcafee.oval:def:215800	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow LPT port redirection
oval:com.mcafee.oval:def:215778	Windows Components - Autoplay Policies: Default behavior for AutoRun
oval:com.mcafee.oval:def:215790	System - Logon: Always wait for the network at computer startup and logon
oval:com.mcafee.oval:def:215803	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Printer Redirection: Do not allow client printer redirection
oval:com.mcafee.oval:def:215787	Network - TCPIP Settings - IPv6 Transition Technologies: IP-HTTPS State
oval:com.mcafee.oval:def:215785	Network - TCPIP Settings - IPv6 Transition Technologies: ISATAP State
oval:com.mcafee.oval:def:215801	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow supported Plug and Play device redirection
oval:com.mcafee.oval:def:215798	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow clipboard redirection
oval:com.mcafee.oval:def:215781	Service: HomeGroup Provider Service (HomeGroupProvider) Startup Type
oval:com.mcafee.oval:def:215799	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow COM port redirection
oval:com.mcafee.oval:def:215802	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow smart card device redirection
oval:com.mcafee.oval:def:215789	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Connections: Set rules for remote control of Remote Desktop Services user sessions
oval:com.mcafee.oval:def:215780	Service: HomeGroup Listener Service (HomeGroupListener) Startup Type
oval:com.mcafee.oval:def:215794	System - Group Policy: Turn off background refresh of Group Policy
oval:com.mcafee.oval:def:215784	Network - TCPIP Settings - IPv6 Transition Technologies: 6to4 State
oval:com.mcafee.oval:def:215788	System - Internet Communication Management - Internet Communication Settings: Turn off handwriting personalization data sharing
oval:com.mcafee.oval:def:215791	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Connections: Limit number of connections
oval:com.mcafee.oval:def:215804	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Remote Session Environment: Remove "Disconnect" option from Shut Down dialog

Oval ID	Title
oval:com.mcafee.oval:def:215805	System - Internet Communication Management - Internet Communication Settings: Turn off Windows Customer Experience Improvement Program
oval:com.mcafee.oval.gen:def:311604	php53-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:312787	nss-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:312790	nss-softokn-freebl-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:314012	Test for puppet On SUSE Linux Enterprise Server 11 SP2 and SP3
oval:com.mcafee.oval.gen:def:314016	Test for puppet-server On SUSE Linux Enterprise Server 11 SP2 and SP3
oval:com.mcafee.oval.gen:def:316059	kernel-abi-whitelists patch for Redhat EL6
oval:com.mcafee.primitives:def:402696	Text File Content54 Check
oval:com.mcafee.oval.gen:def:319829	Test for puppet On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:319833	Test for puppet-server On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:319329	MS14-007 Security Update for Windows 7 (KB2912390)
oval:com.mcafee.oval.gen:def:319330	MS14-007 Security Update for Windows 7 for x64-based Systems (KB2912390)
oval:com.mcafee.oval.gen:def:319335	MS14-007 Security Update for Windows Server 2008 R2 x64 Edition (KB2912390)
oval:com.mcafee.oval.gen:def:321706	Test for wireshark On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:321498	Test for puppet On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:321502	Test for puppet-server On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:321586	Test for wireshark On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:322174	Test for mozilla-nss-tools On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:322182	Test for libfreebl3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:322194	Test for libsoftokn3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:322198	Test for mozilla-nss On SUSE Linux Enterprise Server 11 SP3

New Benchmarks

Benchmark ID	Title
HpxPatchPolicyBenchmark	HPUX Patch Policy Benchmark
McAfee-CIS-Windows-7	Windows 7 CIS Benchmark

Updated Benchmarks

Benchmark ID	Title
WindowsServer2008-800-53	Windows Server 2008 - NIST 800-53 Benchmark
DebianCISBenchmark	Debian CIS Benchmark
SusePatchPolicy	Suse Patch Policy

Benchmark ID	Title
MS_Windows_Bulletin_Benchmark_2014_nac_patches	MS Windows Bulletin Benchmark 2014 NAC - Microsoft Bulletins
RedhatPatchPolicy	Redhat and CentOS Patch Policy
DebianPatchPolicy	Debian Patch Policy
CentOSPatchPolicy	CentOS Patch Policy
AdobeMacBulletinBenchmark2014	Adobe Mac Bulletin Benchmark 2014
AdobeWindowsBulletinBenchmark2014	Adobe Windows Bulletin Benchmark 2014
Solaris11PatchPolicy	Oracle Solaris 11 Patch Policy
AppleMacOSXPatchPolicy	Apple Mac OSX Patch Policy
HpuxPatchPolicy	HPUX Patch Policy Legacy Benchmark
AIXPatchPolicy	AIX Patch Policy
OracleSolarisPatchPolicy	Oracle Solaris Patch Policy
WindowsPCIDSSSecurityBenchmark	Windows PCI DSS Benchmark

McAfee Technical Support

PrimeSupport ServicePortal: <https://mysupport.nai.com/login.asp>

Multi-National Phone Support: <http://www.mcafeesecurity.com/us/contact/home.htm>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright 2007-2014 McAfee, Inc.
McAfee is a registered trademark of McAfee, Inc. and/or its affiliates.