



McAfee Policy Auditor/McAfee NAC Content Update Summary

Product / Version	Content Version
McAfee Policy Auditor 5.x/6.x	1148
McAfee NAC 3.x	1148

New Checks

Oval ID	Title
oval:com.mcafee.oval.gen:def:329116	Test for libMagickCore1 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329120	Test for libMagickCore1-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329124	Test for MozillaFirefox On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329128	Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329132	Test for MozillaFirefox On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329136	Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329140	Test for shim On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329144	Test for gnu-efi On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329148	Test for openvpn On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329152	Test for openvpn-auth-pam-plugin On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329156	Test for 6 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329160	Test for libFLAC8 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329164	Test for libFLAC8-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329168	Test for clamav On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329172	Test for clamav On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329176	Test for pure-ftpd On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329180	Test for java-1_6_0-ibm-alsa On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329184	Test for java-1_7_0-ibm-plugin On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329188	Test for java-1_6_0-ibm-plugin On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329192	Test for java-1_7_0-ibm-alsa On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329196	Test for java-1_6_0-ibm On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329200	Test for java-1_7_0-ibm On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329204	Test for java-1_6_0-ibm-fonts On SUSE Linux Enterprise Server 11 SP3

Oval ID	Title
oval:com.mcafee.oval.gen:def:329208	Test for java-1_6_0-ibm-jdbc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329212	Test for java-1_7_0-ibm-jdbc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329216	Test for evolution-data-server On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329220	Test for evolution-data-server-lang On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329224	Test for evolution-data-server-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329228	Test for python-doc-pdf On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329232	Test for python-doc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329236	Test for python-demo On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329240	Test for python-idle On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329244	Test for python-base On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329248	Test for python On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329252	Test for python-gdbm On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329256	Test for python-curses On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329260	Test for libpython2_6-1_0 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329264	Test for python-xml On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329268	Test for python-tk On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329272	Test for python-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329276	Test for python-base-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329280	Test for libpython2_6-1_0-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329284	Test for mozilla-nspr-32bit On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329288	Test for mozilla-nss-32bit On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329292	Test for MozillaFirefox On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329296	Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329300	Test for MozillaFirefox-branding-SLED On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329304	Test for mozilla-nss-tools On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329308	Test for mozilla-nss-devel On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329312	Test for mozilla-nspr-devel On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329316	Test for mozilla-nspr On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329320	Test for mozilla-nss On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329324	Test for file On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329328	Test for file-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329332	Test for mozilla-nss-tools On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329336	Test for MozillaFirefox On SUSE Linux Enterprise Server 11 SP3

Oval ID	Title
oval:com.mcafee.oval.gen:def:329340	Test for libfreebl3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329344	Test for mozilla-nspr On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329348	Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329352	Test for MozillaFirefox-branding-SLED On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329356	Test for libsoftokn3 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329360	Test for mozilla-nss On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329364	Test for libfreebl3-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329368	Test for mozilla-nspr-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329372	Test for mozilla-nss-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329376	Test for libsoftokn3-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329380	Test for libwsman1 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329384	Test for openwsman-client On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329388	Test for openwsman-server On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329392	Test for php53-pear On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329396	Test for php53-mcrypt On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329400	Test for php53-intl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329404	Test for php53-gd On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329408	Test for php53-exif On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329412	Test for php53-gmp On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329416	Test for php53-gettext On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329420	Test for php53-wddx On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329424	Test for php53-shmop On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329428	Test for php53-pgsql On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329432	Test for php53-openssl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329436	Test for php53-mysql On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329440	Test for php53-json On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329444	Test for php53-bcmath On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329448	Test for php53-zip On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329452	Test for php53-tokenizer On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329456	Test for php53-suhosin On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329460	Test for php53-odbc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329464	Test for php53-ftp On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329468	Test for php53-dom On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329472	Test for php53 On SUSE Linux Enterprise Server 11 SP3

Oval ID	Title
oval:com.mcafee.oval.gen:def:329476	Test for php53-xmlrpc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329480	Test for php53-sysvmsg On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329484	Test for php53-fileinfo On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329488	Test for php53-dba On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329492	Test for php53-curl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329496	Test for php53-zlib On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329500	Test for php53-sysvshm On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329504	Test for php53-pspell On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329508	Test for php53-ctype On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329512	Test for php53-xmlreader On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329516	Test for php53-bz2 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329520	Test for apache2-mod_php53 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329524	Test for php53-xsl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329528	Test for php53-soap On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329532	Test for php53-snmp On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329536	Test for php53-pdo On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329540	Test for php53-pcntl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329544	Test for php53-ldap On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329548	Test for php53-iconv On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329552	Test for php53-sysvsem On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329556	Test for php53-mbstring On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329560	Test for php53-fastcgi On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329564	Test for php53-xmlwriter On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329568	Test for php53-calendar On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329572	Test for libxml2-python On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329576	Test for libxml2-doc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329580	Test for libxml2 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329584	Test for libxml2-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329588	Test for krb5-doc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329592	Test for krb5-plugin-preauth-pkinit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329596	Test for krb5-apps-clients On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329600	Test for krb5-server On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329604	Test for krb5 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329608	Test for krb5-plugin-kdb-ldap On SUSE Linux Enterprise Server 11 SP3

Oval ID	Title
oval:com.mcafee.oval.gen:def:329612	Test for krb5-client On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329616	Test for krb5-apps-servers On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329620	Test for krb5-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329624	Test for wget On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329628	Test for openssl-32bit On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329632	Test for openssl-devel-32bit On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329636	Test for openssl-doc On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329640	Test for openssl On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329644	Test for openssl-devel On SUSE Linux Enterprise Server 10 SP4 LTSS
oval:com.mcafee.oval.gen:def:329648	Test for MozillaFirefox On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329652	Test for MozillaFirefox-translations On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329656	Test for MozillaFirefox-branding-SLED On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329660	Test for libopenssl0_9_8 On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329664	Test for openssl-doc On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329668	Test for openssl On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329672	Test for libopenssl0_9_8-hmac On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329676	Test for libopenssl0_9_8-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329680	Test for libopenssl0_9_8-hmac-32bit On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329684	Test for wpa_supplicant On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329688	Test for nagios-plugins On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329692	Test for nagios-plugins-extras On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval.gen:def:329693	rpm-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:329696	bind-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:329699	mailx patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329703	mailx-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329707	ntp patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329710	ntp-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329714	ntp-doc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329718	ntp-perl patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329722	ntpdate patch for Redhat EL6
oval:com.mcafee.oval.gen:def:329726	ntp-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.windows:def:794555	Windows Components - Windows Error Reporting: Report operating system errors
oval:com.mcafee.oval:def:634949	Check status of wireless network interfaces
oval:com.mcafee.oval:def:682569	The kernel module bluetooth should be disabled

Oval ID	Title
oval:com.mcafee.oval:def:686599	Patches for DSA-3075-1 for Debian 7
oval:com.mcafee.oval:def:686772	Patches for DSA-3074-1 for Debian 7
oval:com.mcafee.oval:def:687804	Patches for CESA-2014-1885 for CentOS 5
oval:com.mcafee.oval:def:687891	Patches for CESA-2014-1873 for CentOS 6
oval:com.mcafee.oval:def:688069	Patches for CESA-2014-1893 for CentOS 5
oval:com.mcafee.oval:def:689109	Set Password Hashing Algorithm in /etc/libuser.conf
oval:com.mcafee.oval:def:689112	The default umask for users should be set appropriately in /etc/login.defs file.
oval:com.mcafee.oval:def:695341	Set Password Hashing Algorithm in /etc/login.defs
oval:com.mcafee.oval:def:718203	Patches for DSA-3082-1 for Debian 7
oval:com.mcafee.oval:def:718284	Patches for DSA-3077-1 for Debian 7
oval:com.mcafee.oval:def:718521	Patches for DSA-3081-1 for Debian 7
oval:com.mcafee.oval:def:718625	Patches for DSA-3084-1 for Debian 7
oval:com.mcafee.oval:def:718801	Patches for DSA-3076-1 for Debian 7
oval:com.mcafee.oval:def:719041	Patches for DSA-3080-1 for Debian 7
oval:com.mcafee.oval:def:719151	Patches for DSA-3079-1 for Debian 7
oval:com.mcafee.oval:def:719334	Patches for DSA-3083-1 for Debian 7
oval:com.mcafee.oval:def:719439	Patches for DSA-3078-1 for Debian 7
oval:com.mcafee.oval:def:719960	Patches for CESA-2014-1911 for CentOS 6
oval:com.mcafee.oval:def:746683	HPSBUX03218 - Java7 version 1.7.0.11.00 for HPUX 11.23 Itanium
oval:com.mcafee.oval:def:746684	HPSBUX03218 - Java7 version 1.7.0.11.00 for HPUX 11.31 Itanium
oval:com.mcafee.oval:def:746700	HPSBUX03166 - PAM libpam_updbe Patch PHCO_43874 for HPUX 11.23 Itanium and PA-RISC
oval:com.mcafee.oval:def:746711	HPSBUX03166 - PAM libpam_updbe Patch PHCO_43875 for HPUX 11.31 Itanium and PA-RISC
oval:com.mcafee.oval:def:750366	Patches for DSA-3086-1 for Debian 7
oval:com.mcafee.oval:def:750445	Patches for DSA-3089-1 for Debian 7
oval:com.mcafee.oval:def:750614	Patches for DSA-3085-1 for Debian 7
oval:com.mcafee.oval:def:750908	Patches for DSA-3092-1 for Debian 7
oval:com.mcafee.oval:def:750990	Patches for DSA-3088-1 for Debian 7
oval:com.mcafee.oval:def:751135	Patches for DSA-3091-1 for Debian 7
oval:com.mcafee.oval:def:751200	Patches for DSA-3094-1 for Debian 7
oval:com.mcafee.oval:def:751260	Patches for DSA-3087-1 for Debian 7
oval:com.mcafee.oval:def:751544	Patches for DSA-3090-1 for Debian 7
oval:com.mcafee.oval:def:754497	Patches for CESA-2014-1919 for CentOS 6
oval:com.mcafee.oval:def:754505	Patches for CESA-2014-1919 for CentOS 5

Oval ID	Title
oval:com.mcafee.oval:def:754736	Patches for CESA-2014-1959 for CentOS 5
oval:com.mcafee.oval:def:754884	Patches for CESA-2014-1924 for CentOS 6
oval:com.mcafee.oval:def:754892	Patches for CESA-2014-1924 for CentOS 5
oval:com.mcafee.oval:def:755034	Patches for CESA-2014-1974 for CentOS 6
oval:com.mcafee.oval:def:755052	Patches for CESA-2014-1974 for CentOS 5
oval:com.mcafee.oval:def:782599	Patches for DSA-3093-1 for Debian 7
oval:com.mcafee.oval:def:794548	Patch for AIX RSyslog December 2014 advisory - Multiple denial of service vulnerability
oval:com.mcafee.oval:def:806687	Apple Safari Security Update 6.2.1 for Mac OS X
oval:com.mcafee.oval:def:806691	Apple Safari Security Update 7.1.1 for Mac OS X
oval:com.mcafee.oval:def:807825	Patches for DSA-3103-1 for Debian 7
oval:com.mcafee.oval:def:807848	Patches for DSA-3101-1 for Debian 7
oval:com.mcafee.oval:def:807923	Patches for DSA-3100-1 for Debian 7
oval:com.mcafee.oval:def:807950	Patches for DSA-3096-1 for Debian 7
oval:com.mcafee.oval:def:808001	Patches for DSA-3099-1 for Debian 7
oval:com.mcafee.oval:def:808334	Patches for DSA-3095-1 for Debian 7
oval:com.mcafee.oval:def:808520	Patches for DSA-3098-1 for Debian 7
oval:com.mcafee.oval:def:808748	Patches for DSA-3102-1 for Debian 7
oval:com.mcafee.oval:def:809228	Patches for DSA-3097-1 for Debian 7
oval:com.mcafee.oval:def:811762	Patches for CESA-2014-1999 for CentOS 6
oval:com.mcafee.oval:def:811851	Patches for CESA-2014-1982 for CentOS 5
oval:com.mcafee.oval:def:811950	Patches for CESA-2014-1984 for CentOS 6
oval:com.mcafee.oval:def:811970	Patches for CESA-2014-1984 for CentOS 5
oval:com.mcafee.oval:def:813990	Patches for CESA-2014-1985 for CentOS 5
oval:com.mcafee.oval:def:817024	Patches for CESA-2014-1983 for CentOS 6
oval:com.mcafee.oval:def:830084	Patches for CESA-2014-1948 for CentOS 6
oval:com.mcafee.oval:def:830090	Patches for CESA-2014-1948 for CentOS 5
oval:com.mcafee.oval:def:842443	Patches for CESA-2014-2024 for CentOS 6
oval:com.mcafee.oval:def:842613	Patches for CESA-2014-2008 for CentOS 5
oval:com.mcafee.oval:def:842770	Patches for CESA-2014-1997 for CentOS 6
oval:com.mcafee.oval:def:842957	Patches for CESA-2014-2021 for CentOS 6
oval:com.mcafee.oval:def:843084	Patches for CESA-2014-2025 for CentOS 5

Updated Checks

Oval ID	Title
oval:com.mcafee.oval:def:8158	Service - yum-updatesd - running state
oval:com.mcafee.oval:def:8119	Service - vsftpd - running state
oval:com.mcafee.oval:def:8092	Service - syslog - running state
oval:com.mcafee.oval:def:8079	Service - squid - running state
oval:com.mcafee.oval:def:8053	Service - setroubleshoot - running state
oval:com.mcafee.oval:def:7203	Password policy, Minimum password age - PASS_MIN_DAYS
oval:com.mcafee.oval:def:7199	Password policy, Maximum password age - PASS_MAX_DAYS
oval:com.mcafee.oval:def:7026	Limit root login to the local console.
oval:com.mcafee.oval:def:7846	Service - firstboot - running state
oval:com.mcafee.oval:def:6946	Test the permissions of the file - /etc/shadow
oval:com.mcafee.oval:def:6922	Test the permissions of the file - /etc/passwd
oval:com.mcafee.oval:def:6910	Test the permissions of the file - /etc/gshadow
oval:com.mcafee.oval:def:6898	Test the permissions of the file- /etc/group
oval:com.mcafee.oval:def:7781	Service - bluetooth - running state
oval:com.mcafee.oval:def:7768	Service - avahi-daemon - running state
oval:com.mcafee.oval:def:7755	Service - autofs - running state
oval:com.mcafee.oval:def:7742	Service - auditd - running state
oval:com.mcafee.oval:def:6835	Root is the only account with uid zero.
oval:com.mcafee.oval:def:6801	Set Password Creation Requirement Parameters Using pam_cracklib - ocredit
oval:com.mcafee.oval:def:6970	Test the permissions of the file - /var/named/chroot/etc/named.conf
oval:com.mcafee.oval.1:def:6536	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Allow inbound file and printer sharing exception
oval:com.mcafee.oval.1:def:6537	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Allow inbound remote administration exception
oval:com.mcafee.oval.1:def:6538	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Allow inbound Remote Desktop exceptions
oval:com.mcafee.oval.1:def:6539	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Allow inbound UPnP framework exceptions
oval:com.mcafee.oval.1:def:6540	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Allow local port exceptions
oval:com.mcafee.oval.1:def:6541	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Allow local program exceptions
oval:com.mcafee.oval.1:def:6542	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Define inbound port exceptions
oval:com.mcafee.oval.1:def:6543	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Define inbound program exceptions
oval:com.mcafee.oval.1:def:6544	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Do not allow exceptions

Oval ID	Title
oval:com.mcafee.oval.1:def:6545	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Prohibit notifications
oval:com.mcafee.oval.1:def:6546	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Prohibit unicast response to multicast or broadcast requests
oval:com.mcafee.oval.1:def:6547	Network - Network Connections - Windows Firewall - Domain Profile: Windows Firewall: Protect all network connections
oval:com.mcafee.oval.1:def:6548	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Allow inbound file and printer sharing exception
oval:com.mcafee.oval.1:def:6549	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Allow inbound remote administration exception
oval:com.mcafee.oval.1:def:6550	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Allow inbound Remote Desktop exceptions
oval:com.mcafee.oval.1:def:6551	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Allow inbound UPnP framework exceptions
oval:com.mcafee.oval.1:def:6552	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Allow local port exceptions
oval:com.mcafee.oval.1:def:6553	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Allow local program exceptions
oval:com.mcafee.oval.1:def:6554	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Define inbound port exceptions
oval:com.mcafee.oval.1:def:6555	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Define inbound program exceptions
oval:com.mcafee.oval.1:def:6556	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Do not allow exceptions
oval:com.mcafee.oval.1:def:6557	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Prohibit notifications
oval:com.mcafee.oval.1:def:6558	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Prohibit unicast response to multicast or broadcast requests
oval:com.mcafee.oval.1:def:6559	Network - Network Connections - Windows Firewall - Standard Profile: Windows Firewall: Protect all network connections
oval:com.mcafee.oval.1:def:6598	Windows Components - Remote Desktop Services - Remote Desktop Session Host - Device and Resource Redirection: Do not allow drive redirection
oval:com.mcafee.oval:def:200803030164	USB Kernel support should be disabled.
oval:com.mcafee.oval:def:200803070205	The vlock package should be installed or not as appropriate
oval:com.mcafee.oval:def:200802250164	Test the owner of the file - /var/named/chroot/etc/named.conf file
oval:com.mcafee.oval:def:200802290136	Test the group owner of the file - /var/named/chroot/etc/named.conf
oval:com.mcafee.oval:def:200803100001	The USB device support module should be uninstalled as appropriate
oval:com.mcafee.oval:def:200803060083	The USB device support module should not be loaded
oval:com.mcafee.oval:def:200803050500	The TFTP Server package should be uninstalled if not needed
oval:com.mcafee.oval:def:200803050527	The telnet-server package should be uninstalled if not needed
oval:com.mcafee.oval:def:200803100004	Test if the system login banner text is set correctly - /etc/issue
oval:com.mcafee.oval:def:200803050509	The squid package should be uninstalled if not needed

Oval ID	Title
oval:com.mcafee.oval:def:200803070541	The Squid maximum HTTP request header length should be set to 20 KB
oval:com.mcafee.oval:def:200803070544	The Squid maximum HTTP reply header length should be set to 20 KB
oval:com.mcafee.oval:def:200803070512	The Squid EUID should be set to squid
oval:com.mcafee.oval:def:200803070515	The Squid EGID should be set to squid
oval:com.mcafee.oval:def:200803050512	The setroubleshoot package should be uninstalled if not needed
oval:com.mcafee.oval:def:200803070195	The SELinux policy should be set as targeted
oval:com.mcafee.oval:def:200803050070	The requirement for a password to boot into single-user mode should be enabled
oval:com.mcafee.oval:def:200803070538	Password policy, Password warning age - PASS_WARN_AGE
oval:com.mcafee.oval:def:200803060078	Password policy, Minimum password length - PASS_MIN_LEN
oval:com.mcafee.oval:def:200803050521	The openssh-server package should be uninstalled if not needed
oval:com.mcafee.oval:def:200803050533	The net-snmp package should be uninstalled if not needed
oval:com.mcafee.oval:def:200803070185	The idle time-out value for the default "/bin/tcsh" shell should meet the minimum requirements
oval:com.mcafee.oval:def:200803070176	Test if the minimum requirements for - The idle time-out value for the default "/bin/bash" shell
oval:com.mcafee.oval:def:200803050542	The httpd package should be uninstalled if not needed
oval:com.mcafee.oval:def:200802250160	Test the owner of the file - /etc/shadow
oval:com.mcafee.oval:def:200802290140	Test the group owner of the file - /etc/shadow
oval:com.mcafee.oval:def:200802250144	Test the owner of the file - /etc/passwd
oval:com.mcafee.oval:def:200802290144	Test the group owner of the file - /etc/passwd
oval:com.mcafee.oval:def:200802250140	Test the owner of the file - /etc/gshadow
oval:com.mcafee.oval:def:200802290148	Test the group owner of the file - /etc/gshadow
oval:com.mcafee.oval:def:200802250132	Test the owner of the file - /etc/group
oval:com.mcafee.oval:def:200802290128	Test the group owner of the file - /etc/group
oval:com.mcafee.oval:def:200803070400	Test the default umask for all users for the csh shell
oval:com.mcafee.oval:def:200803070171	Test the default umask for all users for the bash shell
oval:com.mcafee.oval:def:200803070405	Test if default umask for all users is set correctly
oval:com.mcafee.oval:def:200803060093	The default number of IPv6 router solicitations for network interfaces to send should be set appropriately
oval:com.mcafee.oval:def:200803060098	The default number of IPv6 duplicate address detection solicitations for network interfaces to send per configured address should be set appropriately
oval:com.mcafee.oval:def:200803060088	The default number of global unicast IPv6 addresses allowed per network interface should be set appropriately
oval:com.mcafee.oval:def:200803070550	Test if daemon umask is set correctly
oval:com.mcafee.oval:def:200803050288	Service - tftp - running state
oval:com.mcafee.oval:def:200803060070	Sudo privileges should be granted to the wheel group.

Oval ID	Title
oval:com.mcafee.oval:def:200803030157	Service - sshd - running state
oval:com.mcafee.oval:def:8665	Test the enable or disable status for - SSH X11 forwarding
oval:com.mcafee.oval:def:200803050020	Test the enable / disable status for - SSH warning banner
oval:com.mcafee.oval:def:8814	Test the enable / disable status for - SSH version 2 protocol
oval:com.mcafee.oval:def:8666	Test the enable / disable status for - SSH integration with .rhosts
oval:com.mcafee.oval:def:200803050006	Test the enable / disable status for - SSH host-based authentication
oval:com.mcafee.oval:def:200803060500	Squid should not be configured to allow wais traffic
oval:com.mcafee.oval:def:200803060509	Squid should not be configured to allow multiling http traffic
oval:com.mcafee.oval:def:200803060506	Squid should not be configured to allow http-mgmt traffic
oval:com.mcafee.oval:def:200803060512	Squid should not be configured to allow gss-http traffic
oval:com.mcafee.oval:def:200803060503	Squid should not be configured to allow gopher traffic
oval:com.mcafee.oval:def:200803060515	Squid should not be configured to allow filemaker traffic
oval:com.mcafee.oval:def:200803060521	Squid should be configured to allow https traffic
oval:com.mcafee.oval:def:200803060524	Squid should be configured to allow http traffic
oval:com.mcafee.oval:def:200803060518	Squid should be configured to allow ftp traffic
oval:com.mcafee.oval:def:200803060527	Squid proxy access to localhost should not be allowed
oval:com.mcafee.oval:def:200803040101	Squid option to suppress the httpd version string should be enabled.
oval:com.mcafee.oval:def:200803040096	Squid option to show proxy client IP address in HTTP headers should be enabled or disabled.
oval:com.mcafee.oval:def:200803040091	Squid option to perform FTP sanity checks should be enabled.
oval:com.mcafee.oval:def:200803040086	Squid option to log HTTP MIME headers should be enabled.
oval:com.mcafee.oval:def:200803040081	Squid option to ignore unknown nameservers should be enabled.
oval:com.mcafee.oval:def:200803040076	Squid option to check for RFC compliant hostnames should be enabled.
oval:com.mcafee.oval:def:200803040066	Squid option force FTP passive connections should be enabled.
oval:com.mcafee.oval:def:200803030150	Service - snmpd - running state
oval:com.mcafee.oval:def:200803070117	SELinux state should be set appropriate
oval:com.mcafee.oval:def:200803070112	SELinux should be enabled.
oval:com.mcafee.oval:def:200803050011	Test the enable / disable status for - Root login via SSH
oval:com.mcafee.oval:def:8841	Removable media in /etc/fstab should have the nosuid option.
oval:com.mcafee.oval:def:8844	Removable media in /etc/fstab should have the nodev option.
oval:com.mcafee.oval:def:200803030128	Service - named - running state
oval:com.mcafee.oval:def:200803050050	Logins through the specified virtual console interface should be enabled.
oval:com.mcafee.oval:def:200803050055	Logins through the specified virtual console device should be enabled.
oval:com.mcafee.oval:def:200803050060	Logins through the primary console device should be enabled.

Oval ID	Title
oval:com.mcafee.oval:def:200803050065	Login prompts on serial ports should be enabled.
oval:com.mcafee.oval:def:200803070092	Test the enable / disable status for - Logging of vsftpd transactions
oval:com.mcafee.oval:def:200803070087	Local user login to the vsftpd service should be disabled
oval:com.mcafee.oval:def:50114	Limit access to the root account from su
oval:com.mcafee.oval:def:200803070082	IPv6 privacy extensions should be configured appropriate for all interfaces
oval:com.mcafee.oval:def:79005	Test the enable / disable status for - net.ipv4.conf.all.accept_source_route
oval:com.mcafee.oval:def:8756	Service - iptables - running state
oval:com.mcafee.oval:def:8744	Service - ip6tables - running state
oval:com.mcafee.oval:def:200803070524	Inbound connections to the ssh port should be denied
oval:com.mcafee.oval:def:200803030108	Test the enable / disable status for - net.ipv4.icmp_echo_ignore_broadcasts
oval:com.mcafee.oval:def:200803030096	Service - httpd - running state
oval:com.mcafee.oval:def:200803050170	Service - gpm - running state
oval:com.mcafee.oval:def:200803070070	File upload via vsftpd should be disabled
oval:com.mcafee.oval:def:200803030086	ExecShield should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803030081	ExecShield randomized placement of virtual memory regions should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803030076	Test the enable / disable status for - net.ipv4.conf.all.send_redirects
oval:com.mcafee.oval:def:200803030061	Default setting for autoconfiguring network interfaces using prefix information in IPv6 router advertisement should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803030046	Default setting for accepting router preference via IPv6 router advertisement should be enabled or disabled for network interfaces as appropriate
oval:com.mcafee.oval:def:200803030041	The Default setting for accepting prefix information via IPv6 router advertisement should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803030031	The Default setting for accepting a default router via IPv6 router advertisement should be enabled or disabled for network interfaces as appropriate
oval:com.mcafee.oval:def:200803030026	Core dumps for setuid programs should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803030021	Test the enable / disable status for - Core dumps for all users
oval:com.mcafee.oval:def:200803070553	The console device ownership should be restricted to root-only
oval:com.mcafee.oval:def:200803050515	The bind package should be uninstalled if not needed
oval:com.mcafee.oval:def:200803070017	Avahi Server - Check Responses TTL Field
oval:com.mcafee.oval:def:200803040026	Avahi publishing of workstation name should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803040021	Avahi Server - Disable Publishing
oval:com.mcafee.oval:def:200803040016	Avahi Server - Restrict Published Information
oval:com.mcafee.oval:def:200803040011	Avahi publishing of IP addresses should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803040006	Avahi publishing hardware information should be enabled or disabled as appropriate

Oval ID	Title
oval:com.mcafee.oval:def:200803040001	Avahi publishing of domain name should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803070141	The apache2 servers ServerTokens value should be set to Prod
oval:com.mcafee.oval:def:200803070556	The apache2 server's ServerSignature value should be set as Off
oval:com.mcafee.oval:def:200803030006	Test the enable / disable status for - net.ipv4.conf.all.secure_redirects
oval:com.mcafee.oval:def:200803050075	The ability for users to perform interactive startups should be disabled.
oval:com.mcafee.oval:def:200803070001	A warning banner for all ftp users should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:200803040071	Squid option to allow underscores in hostnames should be disabled.
oval:com.mcafee.oval:def:200803060075	Device drivers for wireless devices should be excluded as appropriate
oval:com.mcafee.oval:def:50121	A warning banner is displayed for all gui logins should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:50620	Test the enable / disable status for - net.ipv4.ip_forward
oval:com.mcafee.oval:def:50617	Test the enable / disable status for - net.ipv4.conf.default.secure_redirects
oval:com.mcafee.oval:def:50614	Test the enable / disable status for - net.ipv4.conf.default.accept_redirects
oval:com.mcafee.oval:def:50583	Test the enable or disable status for - net.ipv4.conf.all.accept_redirects
oval:com.mcafee.oval:def:50638	Test the enable / disable status for - net.ipv4.tcp_syncookies
oval:com.mcafee.oval:def:50586	Test the enable / disable status for - net.ipv4.conf.default.rp_filter
oval:com.mcafee.oval:def:50612	Test the enable / disable status for - net.ipv4.conf.default.accept_source_route
oval:com.mcafee.oval:def:50580	Test the enable / disable status for - net.ipv4.conf.all.rp_filter
oval:com.mcafee.oval:def:50610	Test the enable / disable status for - net.ipv4.conf.all.log_martians
oval:com.mcafee.oval:def:50671	Test if the Access control files contain a plus sign - /etc/shadow
oval:com.mcafee.oval:def:50674	Test if the Access control files contain a plus sign - /etc/passwd
oval:com.mcafee.oval:def:50676	Test if the Access control files contain a plus sign - /etc/group
oval:com.mcafee.oval:def:34394	bind-chroot patch for Redhat EL5
oval:com.mcafee.oval:def:34398	bind-devel patch for Redhat EL5
oval:com.mcafee.oval:def:34401	bind-libbind-devel patch for Redhat EL5
oval:com.mcafee.oval:def:34404	caching-nameserver patch for Redhat EL5
oval:com.mcafee.oval:def:34407	bind patch for Redhat EL5
oval:com.mcafee.oval:def:34410	bind-libs patch for Redhat EL5
oval:com.mcafee.oval:def:34413	bind-sdb patch for Redhat EL5
oval:com.mcafee.oval:def:34416	bind-utils patch for Redhat EL5
oval:com.mcafee.oval:def:34461	firefox patch for Redhat EL5
oval:com.mcafee.oval:def:34479	xorg-x11-server-sdk patch for Redhat EL5
oval:com.mcafee.oval:def:34483	xorg-x11-server-Xdmx patch for Redhat EL5
oval:com.mcafee.oval:def:34486	xorg-x11-server-Xephyr patch for Redhat EL5

Oval ID	Title
oval:com.mcafee.oval:def:34489	xorg-x11-server-Xnest patch for Redhat EL5
oval:com.mcafee.oval:def:34492	xorg-x11-server-Xorg patch for Redhat EL5
oval:com.mcafee.oval:def:34495	xorg-x11-server-Xvfb patch for Redhat EL5
oval:com.mcafee.oval:def:34502	libXfont-devel patch for Redhat EL5
oval:com.mcafee.oval:def:34506	libXfont patch for Redhat EL5
oval:com.mcafee.oval:def:34871	kernel patch for Redhat EL5
oval:com.mcafee.oval:def:34875	kernel-devel patch for Redhat EL5
oval:com.mcafee.oval:def:34878	kernel-doc patch for Redhat EL5
oval:com.mcafee.oval:def:34881	kernel-headers patch for Redhat EL5
oval:com.mcafee.oval:def:34884	kernel-xen patch for Redhat EL5
oval:com.mcafee.oval:def:34887	kernel-xen-devel patch for Redhat EL5
oval:com.mcafee.oval:def:37072	kernel-PAE-devel patch for Redhat EL5
oval:com.mcafee.oval:def:37463	kernel-PAE patch for Redhat EL5
oval:com.mcafee.oval:def:37467	kernel-debug patch for Redhat EL5
oval:com.mcafee.oval:def:37470	kernel-debug-devel patch for Redhat EL5
oval:com.mcafee.oval.windows:def:6603	Windows Components - Windows Update: Do not adjust default option to 'Install Updates and Shut Down' in Shut Down Windows Dialog box
oval:com.mcafee.oval.windows:def:6602	Windows Components - Windows Update: Do not display 'Install Updates and Shut Down' option in the Shut Down Windows dialog box
oval:com.mcafee.oval.windows:def:6596	Windows Components - Remote Desktop Services - Remote Desktop Connection Client: Do not allow passwords to be saved
oval:com.mcafee.oval.windows:def:6595	Windows Components - Netmeeting: Disable Remote Desktop Sharing
oval:com.mcafee.oval.windows:def:6573	System - Internet Communication Management - Internet Communication Settings: Turn off Windows Update device driver searching
oval:com.mcafee.oval.windows:def:6572	System - Internet Communication Management - Internet Communication Settings: Turn off downloading of print drivers over HTTP
oval:com.mcafee.oval.windows:def:6571	System - Internet Communication Management - Internet Communication Settings: Turn off printing over HTTP
oval:com.mcafee.oval.windows:def:6570	System - Internet Communication Management - Internet Communication Settings: Turn off Search Companion content file updates
oval:com.mcafee.oval.windows:def:6569	System - Internet Communication Management - Internet Communication Settings: Turn off the Windows Messenger Customer Experience Improvement Program
oval:com.mcafee.oval.windows:def:6568	System - Internet Communication Management - Internet Communication Settings: Turn off Internet download for Web publishing and online ordering wizards
oval:com.mcafee.oval.windows:def:6567	System - Internet Communication Management - Internet Communication Settings: Turn off the "Publish to Web" task for files and folders
oval:com.mcafee.oval.windows:def:6565	System - Remote Procedure Call: Restrictions for Unauthenticated RPC clients
oval:com.mcafee.oval.windows:def:6562	System - Group Policy: Registry policy processing
oval:com.mcafee.oval.windows:def:6561	System - Logon: Do not process the run once list

Oval ID	Title
oval:com.mcafee.oval.windows:def:6560	System - Logon: Do not process the legacy run list
oval:com.mcafee.oval.windows:def:6116	Windows Components - Windows Error Reporting: Display Error Notification
oval:com.mcafee.oval.windows:def:6065	MSS: (ScreenSaverGracePeriod) The time in seconds before the screen saver grace period expires (0 recommended)
oval:com.mcafee.oval.windows:def:5016	System settings: Optional subsystems (None allowed)
oval:com.mcafee.oval.windows:def:5002	Interactive logon: Display user information when the session is locked
oval:com.mcafee.oval.windows:def:204	Event Log: Security Log - Retention Method
oval:com.mcafee.oval.windows:def:203	Event Log: Application Log - Retention Method
oval:com.mcafee.oval:def:51110	Set Password Creation Requirement Parameters Using pam_cracklib - ucredit
oval:com.mcafee.oval:def:54325	Set Password Creation Requirement Parameters Using pam_cracklib - dcredit
oval:com.mcafee.oval:def:51082	All passwords should be forced to expire after an interval specified by the security policy
oval:com.mcafee.oval:def:117526	nss-devel patch for Redhat EL5
oval:com.mcafee.oval:def:117529	nss-pkcs11-devel patch for Redhat EL5
oval:com.mcafee.oval:def:117542	nss patch for Redhat EL5
oval:com.mcafee.oval:def:117544	nss-tools patch for Redhat EL5
oval:com.mcafee.oval:def:119443	ntp patch for Redhat EL5
oval:com.mcafee.oval.gen:def:291013	firefox patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291016	firefox-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:65827	Network - Network Connections - Windows Firewall - Domain Profile - Windows Firewall: Allow ICMP exceptions: Allow inbound router request
oval:com.mcafee.oval:def:65832	Network - Network Connections - Windows Firewall - Standard Profile - Windows Firewall: Allow ICMP exceptions: Allow outbound parameter problem
oval:com.mcafee.oval:def:65868	Windows Components - Autoplay Policies: Turn off autoplay
oval:com.mcafee.oval:def:244697	Set Lockout for Failed Password Attempts - pam_faillock
oval:com.mcafee.oval:def:79032	The GNOME automounter should be enabled or disabled as appropriate
oval:com.mcafee.oval:def:79031	Removable media in /etc/fstab should have the noexec option.
oval:com.mcafee.oval:def:79033	Kernel-PAE package
oval:com.mcafee.oval:def:79037	Avahi Server - Prevent Other Programs from Using Avahi Port
oval:com.mcafee.oval:def:79036	SSH user login idle-timout interval
oval:com.mcafee.oval:def:79030	Non-root partitions in /etc/fstab should have the nodev option.
oval:com.mcafee.oval:def:79034	Gnome desktop lockout idle time
oval:com.mcafee.oval.gen:def:276048	xorg-x11-server-Xvnc-source patch for Redhat EL5
oval:com.mcafee.oval:def:79019	Test the permissions of all files present in the directory - /etc/httpd/conf
oval:com.mcafee.oval:def:79023	Test the group owner of the file - /usr/sbin/userhelper
oval:com.mcafee.oval:def:78813	Test the group owner of the file - /etc/ssh/sshd_config

Oval ID	Title
oval:com.mcafee.oval:def:78733	Test the permissions of the file - /etc/ssh/sshd_config
oval:com.mcafee.oval:def:79016	Test the permissions of the directory - /etc/httpd/conf
oval:com.mcafee.oval:def:79006	Test the enable / disable status for - net.ipv4.conf.default.send_redirects
oval:com.mcafee.oval:def:79017	Test the group owner of all files present in the directory - /etc/httpd/conf
oval:com.mcafee.oval:def:79011	Service - telnet - running state
oval:com.mcafee.oval:def:97902	Test the enable / disable status for - SSH Permit Empty Passwords
oval:com.mcafee.oval:def:79022	Test the permissions of the file - /usr/sbin/httpd
oval:com.mcafee.oval:def:92713	Test the permissions of the directory - /var/log/httpd
oval:com.mcafee.oval:def:79025	Test the permissions of the file - /usr/sbin/userhelper
oval:com.mcafee.oval:def:78890	Test the owner of the file - /etc/ssh/sshd_config
oval:com.mcafee.oval:def:101093	Windows Components - Credential User Interface: Require trusted path for credential entry
oval:com.mcafee.oval:def:213237	Test the permissions on - home directories for all user accounts
oval:com.mcafee.oval.gen:def:287615	popt patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287618	rpm patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287621	rpm-libs patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287624	rpm-python patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287627	rpm-apidocs patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287631	rpm-build patch for Redhat EL5
oval:com.mcafee.oval.gen:def:287634	rpm-devel patch for Redhat EL5
oval:com.mcafee.oval.gen:def:291278	thunderbird patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291281	thunderbird-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291302	kernel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291305	kernel-debug patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291308	kernel-debug-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291312	kernel-debug-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291315	kernel-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291319	kernel-debuginfo-common-i686 patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291323	kernel-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291326	kernel-doc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291329	kernel-firmware patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291333	kernel-headers patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291336	perf patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291390	nss patch for Redhat EL6

Oval ID	Title
oval:com.mcafee.oval.gen:def:291393	nss-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291397	nss-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291400	nss-pkcs11-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291419	nss-sysinit patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291423	nss-tools patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291426	nss-util patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291430	nss-util-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291434	nss-util-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291612	bind patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291615	bind-chroot patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291618	bind-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291622	bind-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291625	bind-libs patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291628	bind-sdb patch for Redhat EL6
oval:com.mcafee.oval.gen:def:291631	bind-utils patch for Redhat EL6
oval:com.mcafee.oval.gen:def:292658	perf-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293174	bind97 patch for Redhat EL5
oval:com.mcafee.oval.gen:def:293178	bind97-chroot patch for Redhat EL5
oval:com.mcafee.oval.gen:def:293182	bind97-devel patch for Redhat EL5
oval:com.mcafee.oval.gen:def:293186	bind97-libs patch for Redhat EL5
oval:com.mcafee.oval.gen:def:293190	bind97-utils patch for Redhat EL5
oval:com.mcafee.oval.gen:def:293252	ruby patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293255	ruby-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293259	ruby-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293262	ruby-docs patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293265	ruby-irb patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293268	ruby-libs patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293271	ruby-rdoc patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293274	ruby-ri patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293277	ruby-static patch for Redhat EL6
oval:com.mcafee.oval.gen:def:293281	ruby-tcltk patch for Redhat EL6
oval:com.mcafee.oval.gen:def:303860	kernel-debuginfo-common-x86_64 patch for Redhat EL6
oval:com.mcafee.oval:def:230333	Test the configuration status for - SSH Protocol
oval:com.mcafee.oval.gen:def:298681	rpm patch for Redhat EL6

Oval ID	Title
oval:com.mcafee.oval.gen:def:298684	rpm-apidocs patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298687	rpm-build patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298690	rpm-cron patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298694	rpm-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298698	rpm-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298701	rpm-libs patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298704	rpm-python patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298707	xorg-x11-server-Xdmx patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298710	xorg-x11-server-Xephyr patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298713	xorg-x11-server-Xnest patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298716	xorg-x11-server-Xorg patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298719	xorg-x11-server-Xvfb patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298722	xorg-x11-server-common patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298726	xorg-x11-server-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298730	xorg-x11-server-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298734	xorg-x11-server-source patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298780	python-perf patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298887	jasper patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298891	jasper-debuginfo patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298895	jasper-devel patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298899	jasper-libs patch for Redhat EL6
oval:com.mcafee.oval.gen:def:298903	jasper-utils patch for Redhat EL6
oval:com.mcafee.oval.gen:def:299164	python-perf-debuginfo patch for Redhat EL6
oval:com.mcafee.oval:def:236469	All GIDs referenced in the /etc/passwd file must be defined in the /etc/group file.
oval:com.mcafee.oval:def:238498	No accounts with empty password fields
oval:com.mcafee.oval.gen:def:305895	kernel-xen-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:305881	kernel-PAE-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:305885	kernel-debug-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:305888	kernel-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:305891	kernel-debuginfo-common patch for Redhat EL5
oval:com.mcafee.oval:def:215775	Windows Components - Windows Installer: Always install with elevated privileges
oval:com.mcafee.oval.gen:def:306890	bind97-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:306894	firefox-debuginfo patch for Redhat EL5
oval:com.mcafee.oval:def:246613	Ensure root PATH Integrity

Oval ID	Title
oval:com.mcafee.oval.gen:def:312787	nss-debuginfo patch for Redhat EL5
oval:com.mcafee.oval.gen:def:315238	xorg-x11-server-debuginfo patch for Redhat EL5
oval:com.mcafee.oval:def:249542	Accept Remote rsyslog Messages Only on Designated Log Hosts
oval:com.mcafee.oval:def:249886	Make the Audit Configuration Immutable
oval:com.mcafee.oval:def:249942	Configuration - Set Boot Loader Password
oval:com.mcafee.oval:def:242732	Test the configuration status for - SSH PermitUserEnvironment
oval:com.mcafee.oval:def:242722	Test the status of - SSH LogLevel
oval:com.mcafee.oval:def:249937	Filesystem Configuration - Create Separate Partition for /home
oval:com.mcafee.oval:def:249406	Configure rsyslog to Send Logs to a Remote Log Host
oval:com.mcafee.oval:def:244422	Set Password Creation Requirement Parameters Using pam_cracklib - try_first_pass
oval:com.mcafee.oval:def:244340	The specified RPM package should be installed.
oval:com.mcafee.oval:def:248531	Disable IPv6 Redirect Acceptance - net.ipv6.conf.all.accept_redirects
oval:com.mcafee.oval:def:249983	Collect Session Initiation Information
oval:com.mcafee.oval:def:249938	Filesystem Configuration - Create Separate Partition for /tmp
oval:com.mcafee.oval:def:249879	Enable Auditing for Processes That Start Prior to auditd
oval:com.mcafee.oval:def:245583	Test the enable / disable status for - net.ipv4.icmp_ignore_bogus_error_responses
oval:com.mcafee.oval:def:249940	Filesystem Configuration - Create Separate Partition for /var/log
oval:com.mcafee.oval:def:249941	Filesystem Configuration - Create Separate Partition for /var/log/audit
oval:com.mcafee.oval:def:401598	Configure Software Updates - Verify that gpgcheck is Globally Activated
oval:com.mcafee.oval:def:249650	Keep All Auditing Information
oval:com.mcafee.oval:def:249385	Test the group owner of the file - /boot/grub/grub.conf
oval:com.mcafee.oval:def:249902	Collect Changes to System Administration Scope (sudoers)
oval:com.mcafee.oval:def:242747	Test the status of - SSH Access Limit
oval:com.mcafee.oval:def:242727	Test the status of - SSH MaxAuthTries
oval:com.mcafee.oval:def:402023	Advanced Intrusion Detection Environment - Implement Periodic Execution of File Integrity
oval:com.mcafee.oval:def:249936	Test the enable / disable status for - Single user mode password request
oval:com.mcafee.oval:def:250220	Filesystem Configuration - Set nodev option for Partitions in /etc/fstab
oval:com.mcafee.oval:def:249384	Test the owner of the file - /boot/grub/grub.conf
oval:com.mcafee.oval:def:245566	Disable Avahi Server - Remove zeroconf
oval:com.mcafee.oval:def:249973	Record Events That Modify the System's Mandatory Access Controls
oval:com.mcafee.oval:def:402385	Service - rhnsd - running state
oval:com.mcafee.oval:def:249939	Filesystem Configuration - Create Separate Partition for /var
oval:com.mcafee.oval:def:248532	Disable IPv6 Redirect Acceptance - net.ipv6.conf.default.accept_redirects

Oval ID	Title
oval:com.mcafee.oval:def:244653	Set Password Creation Requirement Parameters Using pam_cracklib - lcredit
oval:com.mcafee.oval:def:248527	IPv6 Router Advertisements - net.ipv6.conf.default.accept_ra
oval:com.mcafee.oval:def:244428	Set Password Creation Requirement Parameters Using pam_cracklib - retry
oval:com.mcafee.oval:def:250219	Filesystem Configuration - Set nosuid option for Partitions in /etc/fstab
oval:com.mcafee.oval:def:244412	Set Password Creation Requirement Parameters Using pam_cracklib - minlen
oval:com.mcafee.oval:def:248533	IPv6 Router Advertisements - net.ipv6.conf.all.accept_ra
oval:com.mcafee.oval:def:249628	Configure Audit Log Storage Size
oval:com.mcafee.oval:def:242772	Test the configuration status for - duration of inactive user accounts lock
oval:com.mcafee.oval:def:245578	Test the enable / disable status for - net.ipv4.conf.default.log_martians
oval:com.mcafee.oval:def:249998	Test the enable / disable status for -PRELINKING
oval:com.mcafee.oval:def:242742	Test the status of - SSH ClientAliveCountMax
oval:com.mcafee.oval:def:246542	Check for the presence of user .netrc files
oval:com.mcafee.oval:def:249338	Service - rsyslog - running state
oval:com.mcafee.oval:def:249386	Test the permissions of the file - /boot/grub/grub.conf
oval:com.mcafee.oval:def:249889	Collect System Administrator Actions (sudolog)
oval:com.mcafee.oval:def:250218	Filesystem Configuration - Set noexec option for Partitions in /etc/fstab
oval:com.mcafee.oval:def:242737	Test the status of - SSH ClientAliveInterval
oval:com.mcafee.oval:def:249976	Collect Login and Logout Events
oval:com.mcafee.oval:def:249962	Record Events That Modify User/Group Information
oval:com.mcafee.oval:def:402411	filesystem Configuration - Disable Mounting of freevxfs filesystems
oval:com.mcafee.oval:def:402414	filesystem Configuration - Disable Mounting of hfsplus filesystems
oval:com.mcafee.oval:def:402413	filesystem Configuration - Disable Mounting of hfs filesystems
oval:com.mcafee.oval:def:402412	filesystem Configuration - Disable Mounting of jffs2 filesystems
oval:com.mcafee.oval:def:402415	filesystem Configuration - Disable Mounting of squashfs filesystems
oval:com.mcafee.oval:def:244331	Use Only Approved Cipher in Counter Mode
oval:com.mcafee.oval:def:402512	Record Events That Modify the System's Network Environment
oval:com.mcafee.oval:def:402416	filesystem Configuration - Disable Mounting of udf filesystems
oval:com.mcafee.oval:def:402478	Record Events That Modify Date and Time Information
oval:com.mcafee.oval:def:402665	Uncommon Network Protocols - Disable SCTP
oval:com.mcafee.oval:def:402664	Uncommon Network Protocols - Disable DCCP
oval:com.mcafee.oval:def:402666	Uncommon Network Protocols - Disable RDS
oval:com.mcafee.oval:def:402667	Uncommon Network Protocols - Disable TIPC
oval:com.mcafee.oval:def:402410	filesystem Configuration - Disable Mounting of cramfs filesystems
oval:com.mcafee.oval:def:250231	Filesystem Configuration - Bind Mount the /var/tmp directory to /tmp in/etc/fstab

Oval ID	Title
oval:com.mcafee.oval:def:402530	Collect Successful File System Mounts
oval:com.mcafee.oval.gen:def:316059	kernel-abi-whitelists patch for Redhat EL6
oval:com.mcafee.oval.gen:def:317614	libXfont-debuginfo patch for Redhat EL5
oval:com.mcafee.oval:def:406133	Test the permissions of the file - /var/log/messages
oval:com.mcafee.oval:def:406129	Test the owner of the file - /var/log/syslog
oval:com.mcafee.oval:def:403352	Collect Kernel Module Loading and Unloading
oval:com.mcafee.oval:def:244364	Upgrade Password Hashing Algorithm
oval:com.mcafee.oval:def:403369	Collect Discretionary Access Control Permission Modification Events
oval:com.mcafee.oval:def:406132	Test the group owner of the file - /var/log/syslog
oval:com.mcafee.oval:def:406130	Test the permissions of the file - /var/log/syslog
oval:com.mcafee.oval:def:405075	Configure /etc/rsyslog.conf - Rules for logging
oval:com.mcafee.oval:def:406083	Test the permissions of the file - /var/log/daemon.log
oval:com.mcafee.oval:def:405139	Check the enable/disable status of IPv6
oval:com.mcafee.oval:def:403363	Collect File Deletion Events by User
oval:com.mcafee.oval:def:406080	Test the group owner of the file - /var/log/kern.log
oval:com.mcafee.oval:def:403335	Disable System on Audit Log Full
oval:com.mcafee.oval:def:403368	Collect Unsuccessful Unauthorized Access Attempts to Files
oval:com.mcafee.oval:def:406075	Test the owner of the file - /var/log/unused.log
oval:com.mcafee.oval:def:406099	Test the group owner of the file - /var/log/unused.log
oval:com.mcafee.oval:def:406139	Test the owner of the /var/log/messages file
oval:com.mcafee.oval:def:406096	Test the group owner of the file - /var/log/daemon.log
oval:com.mcafee.oval:def:406097	Test the owner of the file - /var/log/daemon.log
oval:com.mcafee.oval:def:406140	Test the group owner of the file -/var/log/messages
oval:com.mcafee.oval:def:406081	Test the permissions of the file - /var/log/kern.log
oval:com.mcafee.oval:def:406100	Test the owner of the file - /var/log/kern.log
oval:com.mcafee.oval:def:406098	Test the permissions of the file - /var/log/unused.log
oval:com.mcafee.oval:def:405134	Configure logrotate
oval:com.mcafee.oval.gen:def:321730	Test for clamav On SUSE Linux Enterprise Server 11 SP3
oval:com.mcafee.oval:def:525437	Group Policy: Do not apply during periodic background processing
oval:com.mcafee.oval:def:514079	Windows Update: Intranet statistics server
oval:com.mcafee.oval:def:525447	Group Policy: Process even if the Group Policy objects have not changed
oval:com.mcafee.oval:def:514087	Windows Update: Intranet update service for detecting updates
oval:com.mcafee.oval:def:514068	Windows Update: Specify intranet Microsoft update service location
oval:com.mcafee.oval:def:586793	Patch for AIX java October 2014 advisory

Oval ID	Title
oval:com.mcafee.oval:def:634995	HPSBUX03162 - OpenSSL version A.00.09.08zc.002a for HPUX 11.23 Itanium and PA-RISC

New Benchmarks

Benchmark ID	Title
WindowsServer2003CISBenchmark	Windows Server 2003 CIS Benchmark

Updated Benchmarks

Benchmark ID	Title
WindowsServer2008-800-53	Windows Server 2008 - NIST 800-53 Benchmark
HpuxPatchPolicyBenchmark	HPUX Patch Policy Benchmark
Solaris11PatchPolicy	Oracle Solaris 11 Patch Policy
AppleMacOSXPatchPolicy	Apple Mac OSX Patch Policy
SusePatchPolicy	Suse Patch Policy
RedhatPatchPolicy	Redhat and CentOS Patch Policy
DebianPatchPolicy	Debian Patch Policy
AIXPatchPolicy	AIX Patch Policy
RedhatEnterpriseLinuxPCIBenchmark	Redhat Enterprise and CentOS Linux PCI Benchmark
CentOSPatchPolicy	CentOS Patch Policy

McAfee Technical Support

PrimeSupport ServicePortal: <https://mysupport.nai.com/login.asp>

Multi-National Phone Support: <http://www.mcafeesecurity.com/us/contact/home.htm>

This message may contain confidential and privileged material for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient please contact the sender and delete all copies.

Copyright 2007-2014 McAfee, Inc.
 McAfee is a registered trademark of McAfee, Inc. and/or its affiliates.